

Imray Correction Notice

2000 Series small format charts

20 January 2012

Chart Pack 2000

Edition Aug 2011

The following corrections should be noted:

Chart 2000+1

Edition August 2010

Date of printing August 2010

1 **Gunfleet Sand**

Delete Y Lt buoy FI(5)Y.20s in 51°43'·65N 1°13'·52E.

Insert G con Lt buoy FI.G.5s in 51°42'·06N 1°12'·18E (ILNW 418/10)

2 **Knock Deep**

Insert Y spher Lt buoy FI(5)Y.20s (3 buoys) in 51°37'·08N 1°30'·39E (ILNW 421/10)

3 **Foulger's Gat**

Insert dangerous wk sym in 51°36'·37N 1°25'·18E (ILNW 539/10)

4 **Environment Agency buoyage**

Delete Y spar Lt buoys FI(5)Y.20s in:

51°46'·02N 1°08'·84E

51°42'·60N 1°02'·23E (ILNW 40/11)

5 **Rough Shoals** (*Correction amended - see ILNW 088/11*)

Substitute Lt descrip Q(9)6s for Q(9)15s at W card Lt buoy in 51°53'·81N 1°28'·77E (ILNW 43/11)

6 **Long Sand Head**

Move **Black Deep** Q.R Lt buoy to 51°47'·79N 1°36'·31E (ILNW 75/11)

7 **Long Sand and Knock Deep**

Construction of the London Array Windfarm is now underway within the proposed area indicated on the chart.

Mariners should be aware that, during the period of installation, temporary aids to navigation may be displayed. (ILNW 76/11)

8 **Rough Shoals**

Substitute Lt descrip VQ(9)10s for Q(9)6s in 51°53'·80N 1°28'·77E (ILNW 88/11)

9 **Long Sand, Foulger's Gat**

Delete safe water Lt buoys:

Long Sand Inner Mo(A)15s in 51°38'·80N 1°25'·60E

Long Sand Outer LFI.10s in 51°35'·90N 1°26'·00E

Mariners are advised that navigation through Foulger's Gat is not recommended during construction of the London Array Offshore Wind Farm (ILNW 168/11)

10 **Approaches to River Crouch**

Insert pillar Lt buoys:

S card **Inner Whitaker** VQ(6)+LFI.10s in 51°40'·76N 1°08'·40E

W card **Swallowtail W** VQ(9)10s in 51°40'·04N 1°02'·65E

Delete buoys:

N card pillar **No6** Q in 51°40'·63N 1°08'·12E

G con **Swallowtail** in 51°40'·44N 1°04'·74E

R can **Ridge** FI.R.10s in 51°40'·15N 1°04'·92E

R can **Foulness** FI(2)R.10s in 51°39'·86N 1°03'·87E

Safe water pillar **Ron Pipe** in 51°40'·54N 1°03'·58E

G con **S Buxey** FI(3)G.15s in 51°39'·82N 1°02'·54E

Add lgd (*buoyed*) to lgd *Whitaker Channel* centred on 51°40'·23N 1°04'·75E

Insert lgd *Swallowtail* (buoyed channel) along an approx. 75° orientation, centred on 51°41'·34N 1°06'·37E
For full details of the buoyage revisions in the approaches to River Crouch, mariners are advised to consult larger-scale charts, as well as the chartlet on the Crouch Harbour Authority website (www.crouchharbour.org.uk) (ILNW 264/11)

11 South West Sunk

Substitute drying patch for depth 3·7m in 51°37'·38N 1°15'·89E (ILNW 273/11)

12 Gunfleet Sands Wind Farm

Amend duration of Lt Fl.Y.5s5M to 2·5s in 51°44'·74N 1°17'·43E (ILNW 406/11)

Chart 2000+2

Edition August 2011

Date of printing August 2011

No corrections are currently available for this chart.

Chart 2000+3

Edition August 2011

Date of printing August 2011

1 Orford Ness

The stated Lt range should read 17–12M at **LT HO** in 52°05'·04N 1°34'·44E (ILNW 463/11)

Chart 2000+4

Edition June 2010

Date of printing June 2010

1 Felixstowe South

Delete G con Lt buoys:

Q.G in 51°57'·05N 1°18'·67E

Fl.G.2·5s in 51°56'·62N 1°18'·91E

Insert minor Lts in:

51°57'·03N 1°18'·75E

51°56'·66N 1°18'·97E (ILNW 372/10)

2 Cobbolds Point southeastwards

Delete Y spar Lt buoy **17** Fl(5)Y.20s in 51°57'·61N 1°22'·86E (ILNW 38/11)

3 Walton Backwaters

Move buoys:

No16 to 51°53'·15N 1°15'·56E

No11 Fl.G.10s to 51°53'·04N 1°15'·60E

Insert G con buoy **No13** in 51°52'·89N 1°15'·77E [original position of No11]. (ILNW 106/11)

Chart 2000+5

Edition January 2011

Date of printing January 2011

No corrections are currently available for this chart.

Chart 2000+6

Edition August 2011

Date of printing August 2011

1 Bradwell Power Station

Works to remove the Baffle Wall near the entrance of Bradwell Creek (centred on 51°44'·73N 0°53'·45E) are underway. Completion is due in February 2012. (ILNW 369/11)

Chart 2000+7

Edition August 2011

Date of printing August 2011

1 Bradwell Power Station

Works to remove the Baffle Wall near the entrance of Bradwell Creek (centred on 51°44'·73N 0°53'·45E)

are underway. Completion is due in February 2012. (ILNW 369/11)

Chart 2000+8

Edition August 2011

Date of printing August 2011

1 Ray Sand

Insert:

RW safe water pillar buoy in 51°40'·70N 0°59'·50E

RW safe water spher buoy in 51°40'·00N 0°59'·50E (ILNW 307/11)

Chart 2000+9

Edition August 2011

Date of printing August 2011

No corrections are currently available for this chart.

Chart 2000+10

Edition January 2011

Date of printing January 2011

1 Lowestoft Approaches (Main chart & Plan A)

Delete Lt Fl.R.5s5m3M at Claremont Pier in 52°27'·91N 1°44'·88E (ILNW 322/11)

