

Imray Correction Notice IC2120-5

10 January 2022

Chart 2120 WGS 84 Edition 2020

*Versions available:
New Edition (corrected to February 2020)*

NOTES

*Below is a complete list of corrections issued since the 2020 edition of this chart was published.
Each correction is issued with an ILNW reference number and year.
Corrections are listed chronologically in ascending order.*

1 Westgat (2120.9)

Move Lt **KM/RA 1** Fl(5)Y.20s to 52°56'·26N 4°39'·30E (ILNW 141/20)

2 Westgat (2120.10)

Move Lt **KM/RA 1** Fl(5)Y.20s to 52°56'·26N 4°39'·30E (ILNW 141/20)

3 Den Helder W (2120.9)

Delete Lt F.WR.27m14-11M in 52°57'·14N 4°43'·30E (ILNW 182/20)

4 Den Helder W (2120.10)

Delete Lt F.WR.28m14-11M and assoc. Lt sector in 52°57'·14N 4°43'·30E (ILNW 182/20)

5 Ijmuiden (2120.8 Plan B)

Delete minor Lt F in 52°28'·11N 4°37'·12E (ILNW 191/20)

6 Zeebrugge N (2120.4)

Insert Marine Reserve restricted area bounded by:

51°31'·34N 3°08'·23E

51°29'·03N 3°12'·66E

51°26'·95N 3°17'·71E

51°26'·17N 3°18'·35E

51°25'·47N 3°11'·86E

51°30'·12N 3°06'·27E (ILNW 240/20)

7 Oostende N (2120.3 and 2120.4)

Insert mine laying practice area bounded by:

51°21'·00N 2°53'·00E

51°21'·00N 2°59'·49E

51°18'·53N 2°53'·00E

Delete existing mine laying practice area centred on 51°20'·00N 2°57'·5E (ILNW 241/20)

8 Zeebrugge (2120.4 & Plan B)

Delete restricted area, entry prohibited, marine reserve centred on 51°21'·5N 3°13'·5E (ILNW 242/20)

9 Zeebrugge (2120.4 Plan B)

Insert minor Lt:

F.G in 51°21'·61N 3°11'·25E

F.R in 51°21'·56N 3°12'·28E

Delete port hand Lt buoys:

ZA3 in 51°20'·97N 3°11'·25E

ZA5 in 51°20'·87N 3°11'·07E

ZA9 in 51°20'·80N 3°10'·91E (ILNW 262/20)

10 Oostende (2120.3 Plan B)

Insert Y spherical buoy **aKust5** in 51°14'·43N 2°55'·24E (ILNW 289/20)

11 Suikerplaat (2120.5)

Replace depth 0.5m with 0.1m in 51°23'·83N 3°43'·33E (ILNW 290/20)

12 Northwester 2 Wind Farm (2120.1)

Northwester 2 Wind Farm in 51°41'·10N 2°45'·00E is now fully operational. A no entry restriction applies within the wind farm boundary. (ILNW 319/20)

13 Vlieland Gronden, Texel NW (2120.11)

Delete lit platform:

53°29'·4N 4°11'·7E

53°24'·5N 4°12'·8E

53°23'·6N 4°12'·1E (ILNW 327/20)

14 Vlieland Gronden, Texel NW (2120.2)

Delete lit platform:

L10-D in 53°24'·5N 4°12'·8E

L10-C in 53°23'·6N 4°12'·1E (ILNW 327/20)

15 Marine Reserve (2120.3)

Delete MR linework joining:

51°09'·11N 2°32'·57E

51°16'·75N 2°52'·54E

51°14'·47N 2°54'·99E (ILNW 343/20)

16 Marine Reserve (2120.4)

Delete MR linework joining:

51°15'·63N 2°49'·63E (edge of chart)

51°16'·75N 2°52'·54E

51°14'·47N 2°54'·99E (ILNW 343/20)

17 Cadazand Bad W (2120.4)

Delete Y spar buoy:

NB A in 51°23'·55N 3°25'·30E

NB B in 51°23'·63N 3°25'·71E

Delete assoc magenta *Kite-surfing Area*

Insert Y spar buoy:

CV-A in 51°23'·23N 3°24'·24E

CV-B in 51°23'·41N 3°24'·85E

Add assoc Kite-surfing Area in:

51°23'·02N 3°24'·36E

51°23'·23N 3°24'·24E

51°23'·41N 3°24'·86E

51°23'·23N 3°24'·99E (ILNW 388/20)

18 Cadazand Bad W (2120.5)

Delete Y spar buoy:

NB A in 51°23'·55N 3°25'·30E

NB B in 51°23'·63N 3°25'·71E

Delete assoc magenta *Kite-surfing Area*

Insert Y spar buoy:

CV-A in 51°23'·23N 3°24'·24E

CV-B in 51°23'·41N 3°24'·85E

Add assoc Kite-surfing Area in:

51°23'·02N 3°24'·36E

51°23'·23N 3°24'·24E

51°23'·41N 3°24'·86E

51°23'·23N 3°24'·99E (ILNW 388/20)

19 Hoek van Holland W (2120.1)

Amend Lt at **Goeree** to Mo(U)15s and the fog signal to Horn Mo(U)30s in 51°55'·50N 3°40'·10E. The radar beacon remains unchanged (ILNW 396/20)

20 Hoek van Holland W (2120.7)

Amend Lt at **Goeree** to Mo(U)15s and the fog signal to Horn Mo(U)30s in 51°55'·50N 3°40'·10E. The radar beacon remains unchanged (ILNW 396/20)

21 Slijkgat (2120.7)

Insert:

G pillar buoy **SG 1** with triangular topmark in 51°51'·01N 3°53'·61E
R pillar buoy **SG 4** in 51°51'·19N 3°54'·49E
G pillar buoy **SG 9A** in 51°50'·85N 3°57'·90E
R pillar buoy **SG 10A** in 51°50'·97N 3°57'·87E
G con Lt buoy **SG 13** Iso.G.8s in 51°50'·96N 3°59'·26E
R con Lt buoy **SG 14** Iso.R.8s in 51°51'·07N 3°59'·16E
G pillar buoy **SG 15** in 51°51'·20N 3°59'·76E
R pillar buoy **SG 16** in 51°51'·32N 3°59'·61E
R pillar buoy **P 2A** in 51°51'·52N 4°00'·69E. Delete R spar buoy **P 2A** close E
G pillar buoy **P 5A** in 51°50'·63N 4°02'·02E
R pillar buoy **P 6A** in 51°50'·65N 4°02'·19E
G pillar Lt buoy **P 7** Iso.G.2s in 51°50'·34N 4°02'·11E
R pillar Lt buoy **P 8** Iso.R.2s in 51°50'·37N 4°02'·29E

Move Lt buoy:

SG 2 to 51°51'·31N 3°53'·63E
SG 3 to 51°51'·06N 3°54'·43E
SG 5 to 51°51'·01N 3°55'·28E
SG 6 to 51°51'·13N 3°55'·33E
SG 9 to 51°50'·87N 3°57'·26E
SG 10 to 51°51'·00N 3°57'·24E
SG 11 to 51°50'·83N 3°58'·53E
SG 12 to 51°50'·94N 3°58'·51E
P 4A to 51°51'·22N 4°01'·75E

Replace:

G spar with G pillar buoy **SG 7A** in 51°50'·77N 3°56'·73E
R spar with R pillar buoy **SG 8A** in 51°50'·91N 3°56'·72E
G spar with G pillar buoy **P 1A** in 51°51'·40N 4°00'·70E

Delete topmarks from buoys:

P 1 Iso.G.4s in 51°51'·40N 4°00'·19E
P 2 Iso.R.4s in 51°51'·51N 4°00'·13E
P 3 Q.G in 51°51'·37N 4°01'·23E
P 4 Q.R in 51°51'·47N 4°01'·30E
P 5 Iso.G.4s in 51°50'·90N 4°01'·90E
P 6 Iso.R.4s in 51°50'·95N 4°02'·08E

Delete:

SG 1 in 51°51'·00N 3°54'·02E
SG 4 in 51°51'·18N 3°54'·83E
SG 13 Iso.G.4s in 51°50'·87N 3°58'·97E
SG 14 Iso.R.4s in 51°51'·03N 3°58'·88E
SG 15 in 51°51'·13N 3°59'·58E
SG 16 in 51°51'·26N 3°59'·48E
P 7 in 51°50'·42N 4°02'·03E
P 8 in 51°50'·45N 4°02'·25E (ILNW 422/20)

22 Stellendam (2120.7 Plan A)

Insert:

G pillar buoy **P 5A** in 51°50'·63N 4°02'·02E
R pillar buoy **P 6A** in 51°50'·65N 4°02'·19E
G pillar Lt buoy **P 7** Iso.G.2s in 51°50'·34N 4°02'·11E
R pillar Lt buoy **P 8** Iso.R.2s in 51°50'·37N 4°02'·29E
R pillar buoy **P 12** in 51°49'·90N 4°02'·25E. Delete R can buoy **P 12** close W

Delete:

G spar buoy **P 7** in 51°50'·42N 4°02'·03E
R spar buoy **P 8** in 51°50'·45N 4°02'·25E (ILNW 422/20)

23 Approaches to Den Haag (2120.1)

Delete fish farm symbol centred on 52°10'·00N 4°06'·00E

Replace pecked linework for dangerline and add assoc lgd *Test Area (floating obstns) (buoyed)* (ILNW 449/20)

24 Approaches to Den Haag (2120.2)

Delete fish farm symbol centred on 52°10'·00N 4°06'·00E

Replace pecked linework for dangerline and add assoc lgd *Test Area (floating obstns) (buoyed)* (ILNW 449/20)

25 Lodewijkbank SW (2120.1)

Insert lit platform 2 Mo(U)15s with assoc AIS and Racon(D) in 51°34'·94N 2°52'·12E (ILNW 460/20)

26 Approaches to Zeebrugge (2120.4)

Amend Lt:

MOW 1 from Fl(5)Y.20s24m to Fl(5)20s24m in 51°21'·63N 3°07'·10E

MOW 2 from Fl(5)Y.20s17m to Fl(5)20s17m in 51°21'·77N 3°17'·41E

MOW 3 from Fl(5)Y.20s24m to Fl(5)20s24m in 51°23'·38N 3°11'·93E (ILNW 494/20)

27 Approaches to Den Helder (2120.10)

Insert drying height:

-0.4m in 52°59'·30N 4°41'·91E

-0.7m in 52°59'·14N 4°42'·30E

Extend 0m contour N and NW to enclose -0.4m & -0.7m.

Insert drying height -0.3m in 52°59'·22N 4°44'·31E. Extend 0m contour to enclose. (ILNW 515/20)

28 Ijmuiden SW (2120.1)

Insert lit platform symbol in 52°19'·17N 4°02'·59E (ILNW 554/20)

29 Ijmuiden SW (2120.2)

Insert lit platform symbol in 52°19'·17N 4°02'·59E (ILNW 554/20)

30 Ijmuiden SW (2120.8)

Insert lit platform symbol in 52°19'·17N 4°02'·59E (ILNW 554/20)

31 Ijmuiden SW (2120.11)

Insert lit platform symbol in 52°19'·17N 4°02'·59E (ILNW 554/20)

32 Oude Roomepot & Roompot (2120.6)

Delete:

G spar buoy **R 9** in 51°36'·06N 3°38'·30E

G starboard spar buoy **R 11** in 51°36'·18N 3°39'·30E

Insert:

G starboard pillar Lt buoy **R 9** Iso.G.4s in 51°36'·06N 3°38'·57E

YB S cardinal pillar buoy **CAISSON** in 51°36'·48N 3°38'·38E

G starboard pillar Lt buoy **R 11A** Q.G in 51°36'·74N 3°39'·29E

G pillar Lt buoy **R 11B** Iso.G.4s in 51°37'·00N 3°39'·82E

Replace:

BYB E cardinal spar buoy **CAISSON** with BYB E cardinal pillar Lt buoy **OR 13-R 14** VQ(3)5s in 51°36'·61N 3°38'·68E

BYB E cardinal pillar Lt buoy **OR-R** VQ(3)5s with G starboard pillar Lt buoy **R 11** Iso.G.8s in 51°36'·41N 3°38'·96E

The R port spar buoy **R 12** in 51°36'·29N 3°38'·28E is now lit add Lt desc. Iso.R.4s (ILNW 584/20)

33 Walcheren (2120.4)

Insert:

depth 0·3m in 51°31'·77N 3°24'·60E, extend 2m contour E to enclose

drying height -0·2m in 51°26'·25N 3°31'·39E

Replace depth 0·7m with depth 0·1m in 51°26'·62N 3°32'·58E (ILNW 587/20)

34 Walcheren (2120.6)

Insert depth 0·3m in 51°31'·77N 3°24'·60E, extend 2m contour E to enclose (ILNW 587/20)

35 Nolleplaat (2120.5)

Insert drying height -0·2m in 51°26'·25N 3°31'·39E

Replace depth 0·7m with depth 0·1m in 51°26'·62N 3°32'·58E (ILNW 587/20)

36 Ijmuiden (2120.8 Plan B)

Insert minor Lt F in 52°28'·06N 4°37'·42E (ILNW 592/20)

37 Ijmuiden (2120.8 Plan B)

Delete Y spar Lt buoy with RYR topmark in:

52°27'·91N 4°36'·95E

52°27'·92N 4°37'·04E

52°27'·95N 4°37'·04E (ILNW 609/20)

38 Rijnveld N (2120.11)

Insert lit platform in 52°22'·7N 3°23'·9E (ILNW 634/20)

39 Rijnveld N (2120.1 & 2120.2)

Insert lit platform **P11-Unity** with associated AIS in 52°22'·73N 3°23'·93E (ILNW 634/20)

40 Oostende (2120.3 Plan B)

Move R can Lt buoy **OH12** Q.R to 51°14'·10N 2°55'·50E (ILNW 14/21)

41 East Anglia One Wind Farm (2120.11)

Work on the East Anglia One Wind Farm is now complete centred on 52°15'·0N 2°30'·0E (ILNW 19/21)

42 Schaar, Wind Farm Borssele (2120.1)

Delete cardinal Lt buoy:

WF-BO 1 VQ in 51°46'·10N 2°48'·40E

WF-BO 2 Q in 51°47'·80N 2°56'·60E

WF-BO 3 VQ(3)5s in 51°47'·40N 3°06'·70E

WF-BO4 Q(3)10s in 51°42'·40N 3°09'·50E

WF-BO5 VQ(3)5s in 51°37'·80N 3°08'·40E
(ILNW 84/21)

43 Schaar (2120.6)

Delete E cardinal Lt buoy:

WF-BO4 Q(3)10s in 51°42'·40N 3°09'·50E

WF-BO5 VQ(3)5s in 51°37'·80N 3°08'·40E (ILNW 84/21)

44 Oostgat (2120.4)

Amend Lt sectors at Lt Oc.WRG.6s11m6M in 51°31'·59N 3°26'·05E to 311·5° - R - 330·5° - W - 348·5° - R - 000·5° - G - 034·5° - W - 036·5° - G - 124° - W - 167·5° - R - 198° (ILNW 102/21)

45 Oostgat (2120.6)

Amend Lt sectors at Lt Oc.WRG.6s11m6M in 51°31'·59N 3°26'·05E to 311·5° - R - 330·5° - W - 348·5° - R - 000·5° - G - 034·5° - W - 036·5° - G - 124° - W - 167·5° - R - 198° (ILNW 102/21)

46 Ijmuiden (2120.8 Plan B)

Replace R can buoy with R spar Lt buoy Iso.R.4s in 52°27'·87N 4°34'·30E

Move G con Lt buoy Iso.G.4s to 52°28'·02N 4°34'·74E (ILNW 105/21)

47 Oostende (2120.3 Plan B)

Insert Y spher. Ly buoy FI(5)Y.20s in 51°14'·43N 2°55'·24E

Delete legend (4·7m) at Mercator Marina centred on 51°13'·58N 2°55'·42E (ILNW 107/21)

48 Slijkgat (2120.7)

Insert depth 1·6m in 51°50'·81N 3°56'·85E (ILNW 157/21)

49 Mermaid & Seastar Wind Farms (2120.1)

Work is now complete on the:

Mermaid Wind Farm centred on 51°43'·20N 2°44'·38E

Seastar Wind Farm centred on 51°38'·06N 2°51'·73E

A no entry restriction applies within the wind farm boundaries (ILNW 173/21)

50 Zeebrugge NW (2120.11)

Work is now complete on the wind farms centred on:

51°43'·2N 2°44'·4E

51°38'·1N 2°51'·7E (ILNW 173/21)

51 Oudeschild SW (2120.10)

Insert Nature Reserve restricted area linework joining:

53°01'·78N 4°49'·83E

53°01'·46N 4°49'·82E

53°00'·42N 4°47'·87E (ILNW 276/21)

52 De Panne N (2120.3)

Insert Y can Lt buoy:

CB 07 FI.Y.14s in 51°06'·93N 2°34'·66E

CB 09 FI.Y.14s in 51°06'·98N 2°34'·80E

CB 10 FI.Y.14s in 51°07'·89N 2°33'·60E

CB 11 FI.Y.14s in 51°07'·99N 2°33'·83E (ILNW 302/21)

53 Scheveningense Pier (2120.8)

Delete Lt Iso.5s45m5M in 52°07'·07N 4°16'·79E (ILNW 305/21)

54 Noordwijk aan Zee W (2120.1)

Insert lit platform **HZB** Mo(U)15s Mo(U)30s in 52°15'·46N 4°05'·08E (ILNW 364/21)

55 Noordwijk aan Zee W (2120.2)

Insert lit platform **HZB** Mo(U)15s Mo(U)30s in 52°15'·46N 4°05'·08E (ILNW 364/21)

56 Noordwijk aan Zee W (2120.8)

Insert lit platform **HZB** Mo(U)15s Mo(U)30s in 52°15'·46N 4°05'·08E (ILNW 364/21)

57 Oostende (2120.3)

Move Lt buoy:

H8 to 51°14'·31N 2°48'·79E

HD1 to 51°14'·18N 2°48'·69E (ILNW 370/21)

58 Oostende (2120.4)

Delete Lt buoy:

H8 in 51°13'·31N 2°52'·17E

HD1 in 51°13'·20N 2°52'·07E

These buoys have been moved outside the extent of this chart. (ILNW 370/21)

59 Cromer NE (2120.11)

Insert lit platform with assoc racon sym and AIS in:

53°14'·5N 1°26'·8E

53°11'·0N 2°05'·8E (ILNW 374/21)

60 Noordwijk aan Zee W (2120.1)

Insert limit of restricted area, entry prohibited, joining:

52°15'·5N 3°56'·1E

52°15'·2N 3°56'·2E

52°15'·5N 3°58'·7E (ILNW 389/21)

61 Noordwijk aan Zee W (2120.2)

Insert limit of restricted area, entry prohibited, joining:

52°15'·5N 3°56'·1E

52°15'·2N 3°56'·2E

52°15'·5N 3°58'·7E (ILNW 389/21)

62 Noordwijk aan Zee W (2120.8)

Insert limit of restricted area, entry prohibited, joining:

52°15'·5N 3°56'·1E

52°15'·2N 3°56'·2E

52°15'·5N 3°58'·7E (ILNW 389/21)

63 MAAS NORTH TSS W (2120.1)

Insert YB S cardinal pillar Lt buoy VQ(6)+LFI.10s in 52°15'·28N 3°59'·93E (ILNW 400/21)

64 MAAS NORTH TSS W (2120.2)

Insert YB S cardinal pillar Lt buoy VQ(6)+LFI.10s in 52°15'·28N 3°59'·93E (ILNW 400/21)

65 MAAS NORTH TSS W (2120.8)

Insert YB S cardinal pillar Lt buoy VQ(6)+LFI.10s in 52°15'·28N 3°59'·93E (ILNW 400/21)

66 Haarlem W (2120.1)

Work has begun on the construction of the Hollandse Kust Zuid Wind Farm. Two restricted areas, entry prohibited, have been established.

Insert restricted area, no entry, joining:

52°23'·4N 4°11'·1E (E extent of chart)

52°21'·7N 4°09'·9E

52°20'·4N 4°00'·0E

52°20'·7N 3°55'·5E

52°23'·4N 3°56'·5E

52°23'·6N 4°02'·8E

52°24'·7N 4°03'·8E

52°25'·9N 4°11'·1E (E extent of chart)

and

52°19'·3N 3°55'·1E

52°19'·3N 4°02'·4E

52°16'·0N 4°03'·2E

52°15'·2N 3°56'·1E

Add associated lgd *Hollandse Kust Zuid Wind Farm under construction* (ILNW 405/21)

67 Haarlem W (2120.2)

Work has begun on the construction of the Hollandse Kust Zuid Wind Farm. Two restricted areas, entry prohibited, have been established.

Insert restricted area, no entry, joining:

52°23'·4N 3°56'·5E

52°23'·6N 4°02'·8E

52°24'·7N 4°03'·8E

52°26'·3N 4°13'·1E

52°21'·7N 4°09'·9E

52°20'·4N 4°00'·0E

52°20'·7N 3°55'·5E

and

52°19'·3N 3°55'·1E

52°19'·3N 4°02'·4E

52°16'·0N 4°03'·2E

52°15'·2N 3°56'·1E

Add associated lgd *Hollandse Kust Zuid Wind Farm under construction* (ILNW 405/21)

68 TSS IJmuiden West Outer S (2120.8)

Work has begun on the construction of the Hollandse Kust Zuid Wind Farm around Windfarm Luchterduinen. Two restricted areas, entry prohibited, have been established.

Insert restricted area, no entry, joining:

52°22'·10N 3°55'·97E (W extent of chart)

52°23'·41N 3°56'·40E

52°23'·60N 4°02'·77E

52°24'·70N 4°03'·84E

52°26'·28N 4°13'·12E

52°21'·71N 4°09'·93E

52°20'·36N 3°59'·95E

52°20'·67N 3°55'·97E (W extent of chart)

and

52°19'·33N 3°55'·97E (W extent of chart)

52°19'·26N 4°02'·39E

52°15'·93N 4°02'·84E

52°15'·22N 3°56'·15E

52°15'·86N 3°55'·97E (W extent of chart)

Add associated lgd *Hollandse Kust Zuid Wind Farm under construction* (ILNW 405/21)

69 TSS IJmuiden West Outer S (2120.9)

Work has begun on the construction of the Hollandse Kust Zuid Wind Farm around Windfarm Luchterduinen.

Insert restricted area, no entry, joining:

52°25'·22N 4°06'·94E (W extent of chart)

52°26'·28N 4°13'·12E

52°24'·36N 4°11'·78E (S extent of chart)

Add associated lgd *Hollandse Kust Zuid Wind Farm under construction* (ILNW 405/21)

70 Marsdiep (2120.10)

Insert *Obstn* sym. in 52°59'·28N 4°45'·72E (ILNW 406/21)

71 Wind Farm Borssele Pass (2120.1)

Insert Lt buoy:

G con **WFB 1** Iso.G.4s in 51°46'·00N 2°51'·00E

R can **WFB 2** Iso.R.4s in 51°46'·17N 2°51'·58E

G con **WFB 3** Iso.G.4s in 51°40'·40N 3°08'·65E

R can **WFB 4** Iso.R.4s in 51°41'·03N 3°08'·83E (ILNW 416/21)

72 Schaar (2120.6)

Insert Lt buoy:

G con **WFB 3** Iso.G.4s in 51°40'·40N 3°08'·65E

R can **WFB 4** Iso.R.4s in 51°41'·03N 3°08'·83E (ILNW 416/21)

73 Trapegeer (2120.3)

Insert limit of restricted area, no entry, joining:

51°07'·96N 2°33'·51E

51°08'·06N 2°33'·79E

51°07'·95N 2°33'·89E

51°07'·85N 2°33'·61E (ILNW 448/21)

74 Nieuw Zeeland Gronden S (2120.11)

Delete platform in 53°28'·6N 3°47'·2E (ILNW 484/21)

75 Thames Estuary (2120.11)

Replace superbuoy **Sunk Centre** Fl(2)20s16M Horn(2)60s with RW safewater pillar Lt buoy **Sunk Centre** Mo(A)15s in 51°50'·1N 1°46'·0E. Radar bn and AIS remain (ILNW 506/21)

76 Egmond aan Zee W (2120.2)

Work has begun on the construction of the Hollandse Kust Noord (HKN) Windfarm W of Egmond aan Zee.

Insert restricted area joining:

52°38'·49N 4°08'·48E

52°42'·59N 4°11'·28E

52°47'·04N 4°16'·74E

52°47'·31N 4°18'·89E

52°44'·69N 4°21'·63E

52°42'·74N 4°21'·55E

52°38'·96N 4°17'·15E

Add assoc lgd *HKN Windfarm under const'n* (ILNW 516/21)

77 Egmond aan Zee W (2120.9)

Work has begun on the construction of the Hollandse Kust Noord (HKN) Windfarm W of Egmond aan Zee.

Insert restricted area joining:

52°38'·49N 4°08'·48E

52°42'·59N 4°11'·28E

52°47'·04N 4°16'·74E

52°47'·31N 4°18'·89E

52°44'·69N 4°21'·63E

52°42'·74N 4°21'·55E

52°38'·96N 4°17'·15E

Add assoc lgd *HKN Windfarm under const'n* (ILNW 516/21)

78 Bol van Knokke

Delete Y special con Lt buoy **HD7** Fl.Y.5s in 51°25'·07N 3°18'·01E (ILNW 521/21)

79 Schouwenbank (2120.6)

Insert Y special spar Lt buoy:

MT3 Fl(5)Y.20s in 51°46'·26N 3°09'·65E

MT4 Fl(5)Y.20s in 51°42'·38N 3°16'·75E

MT5 Fl(5)Y.20s in 51°39'·06N 3°12'·73E (ILNW 525/21)

80 IJmuiden (2120.8 Plan B)

Insert Lt Iso.6s in:

52°27'·88N 4°36'·19E

52°27'·88N 4°36'·22E

Insert Y mooring buoy in 52°28'·34N 4°36'·19E (ILNW 654/21)

81 Oostende Bank (2120.3)

Amend duration of Lt Fl.G.5s to 4s at G con buoy **Oostendebank-E** in 51°17'·35N 2°51'·92E (ILNW 655/21)

82 Oostende Bank (2120.4)

Amend duration of Lt Fl.G.5s to 4s at G con buoy **Oostendebank-E** in 51°17'·35N 2°51'·92E (ILNW 655/21)

83 Maasgeul (2120.8)

Delete BY N cardinal pillar Lt buoy in 51°59'·40N 4°01'·31E (ILNW 657/21)

84 Maasgeul (2120.7)

Delete BY N cardinal pillar Lt buoy **NET-N** Q in 51°59'·40N 4°01'·31E (ILNW 657/21)

85 Marsdijk (2120.10)