

# Imray Correction Notice IC2140-2

5 February 2021

## Chart **2140** WGS 84 Edition 2019

*Versions available:*

*New Edition (corrected to April 2019)*

### NOTES

*Below is a complete list of corrections issued since the 2019 edition of this chart was published.*

*Each correction is issued with an ILNW reference number and year.*

*Corrections are listed chronologically in ascending order.*

#### 1 **Maasgeul (2140.2)**

Insert BY N cardinal pillar Lt buoy **NET-N** Q in 51°59'·41N 4°01'·31E (ILNW 283/19)

#### 2 **Maasgeul (2140.4)**

Insert:

BY N cardinal pillar Lt buoy **NET-N** Q in 51°59'·41N 4°01'·31E

YBY W cardinal pillar Lt buoy **NET-W** Q(9)15s in 51°59'·33N 4°01'·24E

BYB E cardinal pillar Lt buoy **NET-E** Q(3)10s in 51°59'·29N 4°01'·65E (ILNW 283/19)

#### 3 **Hoek van Holland (2140.2)**

Move BY N cardinal pillar Lt buoy **Indusbank-N** Q to 52°01'·82N 4°03'·60E (ILNW 295/19)

#### 4 **Haringvliet West (2140.14)**

Insert depth 4·9m in 51°47'·45N 4°10'·57E (ILNW 376/19)

#### 5 **Hollandsch Diep (2140.16 Panel 1)**

Insert depth 4·4m in 51°41'·90N 4°28'·74E

Replace depth 3·1 with depth 2·2m in 51°42'·39N 4°27'·74E (ILNW 377/19)

#### 6 **Spui (2140.11 Panel 2)**

Insert R spar buoy **SP 10A** in 51°49'·87N 4°23'·88E (ILNW 378/19)

#### 7 **Spui (2140.12 Panel 1)**

Insert R spar buoy **SP 10A** in 51°49'·87N 4°23'·88E (ILNW 378/19)

#### 8 **Zuid Hollandsch Diep (2140.13)**

Insert depth 0·9m in 51°41'·91N 4°35'·33E (ILNW 403/19)

#### 9 **Grote Zaag S (2140.9) correction amended see ILNW 391/20**

Insert R can Lt buoy **NM 4** Iso.R.2s in 51°53'·76N 4°35'·62E **Grote Zaag S** (ILNW 439/19)

#### 10 **Dordtsche Kil (2140.10)**

Insert R port can Lt buoy **D 2A** LFI.R.8s in 51°46'·27N 4°37'·69E (ILNW 546/19)

#### 11 **Harlingvliet Bridge (2140.15)**

Amend clearance height label to 8·7 (opens) centred on 51°43'·20N 4°24'·12E (ILNW 7/20)

#### 12 **Harlingvliet Bridge (2140.16)**

Amend clearance height label to 8·7 (opens) centred on 51°43'·20N 4°24'·12E (ILNW 7/20)

#### 13 **Maasgeul (2140.2)**

Delete Lt Fl.Y.5s17m6M in 51°59'·55N 4°00'·30E (ILNW 15/20)

#### 14 **Maasgeul (2140.4)**

Delete Lt Fl.Y.5s17m6M in 51°59'·55N 4°00'·30E (ILNW 15/20)

**15 Korendijkse Geul W (2140.14)**

A new island nature reserve named Bliëk is being established in the channel between Korendijkse Geul & the entrance to Middelharnis.

Insert Igd *Nature Reserve Works in Progress* centred on 51°46'·60N 4°13'·00E.

Yachtsmen are advised to navigate with caution in the vicinity. (ILNW 109/20)

**16 Korendijkse Geul W (2140.15)**

A new island nature reserve named Bliëk is being established in the channel between Korendijkse Geul & the entrance to Middelharnis.

Insert Igd *Nature Reserve Works in Progress* centred on 51°46'·60N 4°13'·00E.

Yachtsmen are advised to navigate with caution in the vicinity. (ILNW 109/20)

**17 Maasgeul (2140.2)**

Delete Lt Fl.Y.5s17m6M in 51°59'·55N 4°00'·30E (ILNW 110/20)

**18 Maasgeul (2140.4)**

Delete Lt Fl.Y.5s17m6M in 51°59'·53N 4°00'·50E (ILNW 110/20)

**19 Tolhuiskanaal (2140.20 Plan A)**

Delete entry prohibited area and associated Y can buoy:

Fl.Y.5s in 52°23'·69N 4°53'·76E

Fl(3)Y.10s in 52°23'·64N 4°53'·77E

Fl.Y.5s in 52°23'·59N 4°53'·78E

Fl(3)Y.10s in 52°23'·54N 4°53'·79E (ILNW 198/20)

**20 Eemhaven (2140.8)**

Amend duration of Lt Fl(4)Y.12 to 15s in 51°53'·02N 4°24'·37E (ILNW 227/20)

**21 Mississippihaven, Maasvlakte (2140.4)**

Insert R can Lt buoy:

**M8** in 51°56'·20N 4°03'·64E

**M6** in 51°56'·27N 4°03'·96E

Move R can Lt buoy **M4** from 51°56'·34N 4°04'·30E to 51°56'·37N 4°04'·49E (ILNW 296/20)

**22 Noordereiland, Nieuwe Maas (2140.8)**

Delete Y con Lt buoy:

**MK 1** in 51°54'·68N 4°29'·30E

**MK 7** in 51°54'·79N 4°29'·48E

**MK 13** in 51°54'·90N 4°29'·67E (ILNW 297/20)

**23 Ventjagersgaatje (2140.15)**

Replace Igd (*Passage allowed from 1/4 – 1/7*) with an entry prohibited sym in 51°42'·58N 4°20'·00E. This area is no longer a designated marine reserve. Amend associated restricted area linework from green to magenta (ILNW 344/20)

**24 Grote Zaag S (2140.9)**

Delete R can Lt buoy **NM 4** Iso.R.2s in 51°53'·76N 4°35'·62E (ILNW 391/20)

**25 Rede Brouwershaven, Den Osse (2140.18)**

Move:

R can buoy **RB 10** from 51°44'·61N 3°54'·88E to 51°44'·57N 3°55'·05E

GR spher buoy **GB25-RB14** from 51°44'·58N 3°54'·14E to 51°44'·67N 3°53'·94E

Delete R can buoy **RB 12** in 51°44'·59N 3°54'·50E

Insert R can buoy with topmark:

**RB 12** in 51°44'·73N 3°54'·71E

**RB 12A** in 51°44'·70N 3°54'·31E

Amend designation of R can buoy:

**RB 16** to **RB 26** in 51°44'·55N 3°53'·75E

**RB 18** to **RB 66** in 51°44'·65N 3°53'·50E. Add topmark (ILNW 392/20)

**26 Den Osse (2140.18 Plan B)**

Move GR spher buoy **GB25-RB14** from 51°44'·58N 3°54'·14E to 51°44'·67N 3°53'·94E

Amend designation of R can buoy:

**RB 16** to **RB 26** in 51°44'·55N 3°53'·75E

**RB 18** to **RB 66** in 51°44'·65N 3°53'·50E. Add topmark (ILNW 392/20)

27 **Slijkgat (2140.3)**

Insert depth:

1.2m in 51°51'·04N 3°55'·49E, extend 2m contour W to enclose

0.7m in 51°51'·17N 3°56'·71E

Insert drying height:

-0.1m in 51°51'·16N 3°58'·05E, extend 0m contour W to approx. 51°51'·19N 3°57'·81E

-0.8m in 51°51'·14N 3°58'·86E, extend 0m contour S to enclose

-0.1m in 51°51'·39N 4°02'·41E. Delete depth 0.2m close NW

Insert:

G pillar buoy **SG 1** with triangular topmark in 51°51'·01N 3°53'·61E

R pillar buoy **SG 4** in 51°51'·19N 3°54'·49E

G pillar buoy **SG 9A** in 51°50'·85N 3°57'·90E

R pillar buoy **SG 10A** in 51°50'·97N 3°57'·87E

G con Lt buoy **SG 13** Iso.G.8s in 51°50'·96N 3°59'·26E

R can Lt buoy **SG 14** Iso.R.8s in 51°51'·07N 3°59'·16E

G pillar buoy **SG 15** in 51°51'·20N 3°59'·76E

R pillar buoy **SG 16** in 51°51'·32N 3°59'·61E

G pillar buoy **P 1A** in 51°51'·40N 4°00'·70E. Delete G spar buoy **P 1A** close SE

R pillar buoy **P 2A** in 51°51'·52N 4°00'·69E. Delete R spar buoy **P 2A** close E

R can Lt buoy **P 6** Iso.R.4s in 51°50'·95N 4°02'·08E

G pillar buoy **P 5A** in 51°50'·63N 4°02'·02E

R pillar buoy **P 6A** in 51°50'·65N 4°02'·19E

G pillar Lt buoy **P 7** Iso.G.2s in 51°50'·34N 4°02'·11E

R pillar Lt buoy **P 8** Iso.R.2s in 51°50'·37N 4°02'·29E

Move Lt buoy:

**SG 2** to 51°51'·31N 3°53'·63E

**SG 3** to 51°51'·06N 3°54'·43E

**SG 5** to 51°51'·01N 3°55'·28E

**SG 6** to 51°51'·13N 3°55'·33E

**SG 9** to 51°50'·87N 3°57'·26E

**SG 10** to 51°51'·00N 3°57'·24E

**SG 11** to 51°50'·83N 3°58'·53E

**SG 12** to 51°50'·94N 3°58'·51E

**P 4A** to 51°51'·22N 4°01'·75E

Replace:

G spar with G pillar buoy **SG 7A** in 51°50'·77N 3°56'·73E

R spar with R pillar buoy **SG 8A** in 51°50'·91N 3°56'·72E

R can with R pillar buoy **P 12** in 51°49'·90N 4°02'·25E

Delete topmarks from buoys:

**P 1** Iso.G.4s in 51°51'·40N 4°00'·19E

**P 2** Iso.R.4s in 51°51'·51N 4°00'·13E

**P 3** Q.G in 51°51'·37N 4°01'·23E

**P 4** Q.R in 51°51'·47N 4°01'·30E

**P 5** Iso.G.4s in 51°50'·90N 4°01'·90E

Delete:

**SG 1** in 51°51'·00N 3°54'·02E

**SG 4** in 51°51'·18N 3°54'·83E

**SG 13** Iso.G.4s in 51°50'·87N 3°58'·97E

**SG 14** Iso.R.4s in 51°51'·03N 3°58'·88E

**SG 15** in 51°51'·13N 3°59'·58E

**SG 16** in 51°51'·26N 3°59'·48E

**P 6** in 51°50'·97N 4°02'·09E

**P 7** in 51°50'·42N 4°02'·03E

**P 8** in 51°50'·45N 4°02'·25E

Delete depth:

3.1m in 51°50'·94N 3°55'·78E

0.7m in 51°51'·16N 3°57'·86E (ILNW 422/20)

**28 Noord Pampus (2140.14)**

Insert:

R can Lt buoy **P 6** Iso.R.4s in 51°50'·95N 4°02'·08E. Delete R can buoy **P 6** close N

G pillar buoy **P 5A** in 51°50'·63N 4°02'·02E

R pillar buoy **P 6A** in 51°50'·65N 4°02'·19E

G pillar Lt buoy **P 7** Iso.G.2s in 51°50'·34N 4°02'·11E

R pillar Lt buoy **P 8** Iso.R.2s in 51°50'·37N 4°02'·29E

R pillar buoy **P 12** in 51°49'·90N 4°02'·25E. Delete R can buoy **P 12** close W

Delete topmark from G con Lt buoy **P 5** Iso.G.4s in 51°50'·90N 4°01'·90E

Delete:

G spar buoy **P 7** in 51°50'·42N 4°02'·03E

R spar buoy **P 8** in 51°50'·45N 4°02'·25E (ILNW 422/20)

**29 Approaches to Den Haag (2140.1)**

Insert dangerline between:

52°09'·90N 4°04'·68E

52°11'·03N 4°06'·32E

52°10'·49N 4°07'·69E

52°09'·32N 4°06'·15E

Add assoc lgd *Test Area (floating obstns) (buoyed)* (ILNW 449/20)

**30 Rede Brouwershaven (2140.18)**

Replace depth 2·5m with depth 1·4m in 51°44'·70N 3°54'·70E (ILNW 477/20)

**31 Yangtzekanaal (2140.4)**

Delete Y can buoy **YK-A** in 51°58'·67N 4°01'·18E (ILNW 512/20)

**32 Oude Maas (2140.11 Panel 1)**

Insert Y spar buoy in:

51°50'·12N 4°30'·40E

51°50'·11N 4°30'·45E

51°50'·11N 4°30'·49E (ILNW 513/20)

**33 Ijmuiden SW (2140.1)**

Insert lit platform symbol in 52°19'·17N 4°02'·59E (ILNW 554/20)

**34 Dordtsche Kil (2140.13)**

Delete Lt **11** Iso.G.4s in 51°45'·87N 4°37'·45E (ILNW 64/21)