

Imray Correction Notice

2000 Series small format charts

IC2600-2

17 February 2021

Chart Pack 2600

Edition Dec 2016

Chart 2600.1

Edition 2016

1 Scarweather Sands N

Delete Lt Mo(U)15s10M Mast (75) (R. Lts) in 51°28'·49N 3°50'·92W (ILNW 12/17)

2 Mumbles Head

Amend fog signal Horn(3)60s to Horn(1)30s at LtHo. in 51°34'·01N 3°58'·27W (ILNW 263/17)

3 Swansea Bay

Delete Y special spher Lt buoy FI(5)Y.20s in:

51°34'·5N 3°54'·3W

51°31'·1N 3°50'·1W (ILNW 55/18)

4 Approaches to Milford Haven

Insert Y spher Lt buoy FI(5)Y.20s in 51°27'·5N 5°14'·0W (ILNW 169/18)

5 Helwick Channel E

Replace *Wk* depth 2·4m with *Wk* depth 1·0m in 51°32'·00N 4°11'·97W (ILNW 194/18)

6 Bristol Channel

Move BY N cardinal pillar Lt buoy Q in 51°20'·9N 3°12'·2W to 51°20'·8N 3°13'·1W (ILNW 572/18)

7 TSS off Smalls

Delete Y spher. Lt buoy FI(5)Y.20s in 51°50'·3N 5°50'·4W (ILNW 644/19)

8 Approaches to Milford Haven

Insert Igd (2 buoys) at Y spher Lt buoy FI(5)Y.20s in 51°27'·5N 5°14'·0W (ILNW 656/19)

9 Bull Point N

Add Racon sym and assoc Igd A/S to N Card Lt buoy **Horseshoe** in 51°15'·03N 4°12'·95W (ILNW 457/20)

10 Milford Haven SW

Insert Y special spher Lt buoy FI(5)Y.20s (2 buoys) with assoc Racon sym & Igd A/S in 51°28'·8N 5°36'·1W (ILNW 534/20)

Chart 2600.2

Edition 2016

1 River Camel (Plan A)

Insert:

R pillar Lt buoy **Brae Spit** FI(2)R.5s in 50°33'·20N 4°56'·08W

Minor Lt star FI.Y.5s in 50°32'·15N 4°55'·32W (ILNW 459/17)

2 River Camel (Plan A) (correction amended ILNW 281/20)

Insert R pillar Lt buoy **Daymer** LFI.R.10s in 50°33'·50N 4°56'·12W

Move G con Lt buoy **Doom Bar** FI.G.5s in 50°33'·42N 4°56'·21W to 50°33'·40N 4°56'·28W (ILNW 622/19)

3 Approaches to Padstow (Plan A)

Insert:

G Lt con buoy **Gun Point** Fl.G.10s in 50°33'·26N 4°56'·24W

R Lt can buoy **Brea Beach** Fl.R.5s in 50°33'·04N 4°56'·03W

Move:

G Lt con buoy **Doom Bar** from 50°33'·40N 4°56'·28W to 50°33'·59N 4°56'·23W

R Lt pillar buoy **Brea Spit** from 50°33'·20N 4°56'·08W to 50°33'·30N 4°56'·12W

Insert Y spher buoy in:

50°32'·20N 4°54'·93W

50°32'·11N 4°54'·56W (ILNW 281/20)

4 Approaches to Padstow (Plan A)

Delete BRB Lt isolated danger buoy Fl(2) in 50°32'·50N 4°55'·61W

Insert BRB Lt isolated danger buoy Fl(2)10s in 50°33'·79N 4°56'·20W (ILNW 411/20)

Chart 2600.3

Edition 2016

1 Westward Ho! Sands (Main chart & Plan A)

Insert:

Wk sym. enclosed by circular limit of restricted area in:

51°02'·86N 4°14'·22W

51°02'·75N 4°14'·35W

assoc. lgd *Historic Wrecks* (see Note)

Delete 2x drying Wks enclosed by dangerline close W. (ILNW 625/16)

2 River Taw (Plan A)

Insert drying height:

-0.4m in 51°04'·21N 4°10'·74W

-0.7m in 51°04'·47N 4°10'·34W (ILNW 602/17)

3 River Torridge (Plan A)

Insert drying height:

-2m in 51°03'·32N 4°11'·32W

-2.3m in 51°03'·09N 4°11'·19W. Delete drying height -1.3m close W

-2.8m in 51°03'·04N 4°11'·33W

-2.3m in 51°01'·99N 4°12'·13W (ILNW 293/18)

4 Bull Point N

Add Racon sym and assoc lgd A/S to N Card Lt buoy **Horseshoe** in 51°15'·03N 4°12'·95W (ILNW 457/20)

Chart 2600.4

Edition 2016

1 Port Eynon Pt SE

Insert *Wk* depth 1.0m in 51°32'·00N 4°11'·97W. Delete *Wk PA* depth 2.4m close S (ILNW 194/18)

2 Burry Port

Insert Lt Fl.R.5s3M in 51°40'·49N 4°15'·01W (ILNW 346/18)

3 Bull Point N

Add Racon sym and assoc lgd A/S to N Card Lt buoy **Horseshoe** in 51°15'·03N 4°12'·95W (ILNW 457/20)

4 **Saundersfoot** (*correction amended see ILNW 627/20*)

Replace R can buoy with Y special can Lt buoy Q.Y in 51°42'·48N 4°41'·38W (ILNW 533/20)

5 **Saundersfoot**

Amend Lt buoy Q.Y to Fl.Y.5s in 51°42'·48N 4°41'·38W (ILNW 627/20)

Chart 2600.5

Edition 2016

1 **Scarweather Sands N**

Delete Lt Mast (75) Mo(U)15s14m10M Aero Fl.R.4s75m2M Horn Mo(U)30s in 51°28'·49N 3°50'·92W (ILNW 12/17)

2 **Hugo Bank SE**

Insert drying height -2·0m enclosed by 0m low water line in 51°28'·45N 3°47'·13W (ILNW 244/17)

3 **Mumbles Head (Main chart & Plan A)**

Amend fog signal Horn(3)60s to Horn(1)30s at LtHo. in 51°34'·01N 3°58'·27W (ILNW 263/17)

4 **Hugo Bank**

Delete R port can Lt buoy **Hugo** Q.R in 51°28'·55N 3°48'·03W (ILNW 322/17)

5 **Swansea Bay (Main chart & Plan A)**

Delete Y special spher Lt buoy Fl(5)Y.20s in:

51°34'·60N 3°57'·15W (Plan A)

51°34'·50N 3°54'·25W (Main chart)

51°31'·02N 3°50'·89W (Main chart) (ILNW 55/18)

6 **Swansea Bay**

Insert Y spher Lt buoy Fl(5)Y.20s in 51°34'·50N 3°54'·68W (ILNW 184/18)

7 **Approaches to River Neath**

Insert drying height -0·5m in 51°35'·72N 3°52'·64W, extend 0m contour S to enclose (ILNW 347/18)

8 **Swansea Bay (Main chart and Plans A & B)**

Amend label *Dredged to 1·0m (2016)* to *Maintained depth 0·5m* in:

51°35'·21N 3°56'·18W (Main chart)

51°34'·39N 3°56'·82W (Plan A)

51°36'·36N 3°55'·71W (Plan B) (ILNW 541/18)

9 **Mumbles Head E**

Insert BYB E cardinal pillar Lt buoy Q(3)10s Bell in 51°34'·21N 3°57'·12W

Delete YB S cardinal pillar Lt buoy Q(6)+LFl.15s Bell close SE (ILNW 59/19)

10 **Mumbles Head E (Plan A)**

Insert BYB E cardinal pillar Lt buoy **SW Inner Green Grounds** Q(3)10s Bell in 51°34'·21N 3°57'·12W

Delete YB S cardinal pillar Lt buoy **SW Inner Green Grounds** Q(6)+LFl.15s Bell in 51°34'·07N 3°57'·02W (ILNW 59/19)

Chart 2600.6

Edition 2016

1 **Hinkley Point NW** (*correction amended see ILNW 469/18*)

Insert lgd *Works in progress (2017)* centred on 51°12'·93N 3°09'·56W (ILNW 220/17)

2 **Burnham-on-Sea**

Insert leading line extending in direction 297° from 51°14'·39N 2°59'·93W and assoc. lgd 117°. Delete

existing leading line and assoc. lgd 112°. (ILNW 14/18)

3 Burnham-on-Sea

Amend Lt sectors at **LOWER LIGHT** DirF.WRG.4m12-10M in 51°14'·90N 3°00'·35W to 071° - G - 075° - W - 085° - R - 095°. The Fl.W Lt sector (074° - W - 164°) of Lt Fl.7·5s7m12M is unchanged. (ILNW 236/18)

4 Hinkley Point NW

Insert:

R port can Lt buoy **West Hinkley** Fl(3)R.10s in 51°13'·70N 3°10'·80W

G starboard con. Lt buoy **East Hinkley** Fl(4)G.10s in 51°13'·50N 3°09'·60W

Insert lgd *Works in progress (2018)* centred on 51°13'·93N 3°10'·48W

Amend date to (2018) of lgd *Works in progress (2017)* centred on 51°12'·93N 3°09'·56W

Delete RW safe water spher. Lt buoy **Gore** Iso.5s Bell in 51°13'·94N 3°09'·77W
(ILNW 469/18)

5 One Fathom Bank

Move BY N cardinal pillar Lt buoy **North One Fathom** Q in 51°20'·93N 3°12'·17W to 51°20'·84N 3°13'·13W (ILNW 572/18)

6 Hinkley Point NW

Move Y spher. Lt buoy Fl(5)Y.20s in 51°13'·99N 3°09'·52W to 51°13'·86N 3°10'·80W (ILNW 644/18)

7 Benhole Point

A jetty has been constructed between 51°12'·52N 3°09'·21W (shore) and 51°12'·72N 3°09'·42W and, joining the points marked by Lts listed below.

Insert Lt:

Q(2)G.6s in 51°12'·71N 3°09'·50W

Q(3)G.6s in 51°12'·73N 3°09'·34W

Delete Y con. Lt buoy Fl.Y.5s in:

51°12'·90N 3°09'·12W

51°12'·75N 3°09'·85W (ILNW 61/19)

8 Weston Bay & Minehead N

Move Y spher. Lt buoy Fl(5)Y.20s in:

51°21'·21N 3°01'·12W to 51°21'·13N 3°01'·23W

51°13'·70N 3°28'·32W to 51°13'·68N 3°28'·15W (ILNW 118/20)

9 Bridgwater Bay

Move R can Lt buoy **No1** Q.R from 51°14'·22N 3°04'·68W to 51°14'·00N 3°05'·0W (ILNW 379/20)

Chart 2600.7

Edition 2016

1 One Fathom Bank

Delete BY N cardinal pillar Lt buoy **North One Fathom** Q in 51°20'·93N 3°12'·19W. This buoy has moved outside the W extent of this chart. (ILNW 572/18)

2 Newport

There have been numerous changes to the **East Usk** Lt in 51°32'·40N 2°58'·01W. The changes are as follows:

Amend Lt desc. Fl(2)WRG.10s11m11-10M & Oc.WRG.10s 10m11-9M to Oc.WRG.10s10m11M (by day 2M).

Amend Oc.WRG Lt sectors to 021° - R - 017° - W - 015° - G - 011°

Delete Fl(2)WRG Lt desc. and assoc. inner Lt sectors (ILNW 129/19)

3 Weston Bay

Move Y spher. Lt buoy Fl(5)Y.20s in 51°21'·20N 3°01'·11W to 51°21'·13N 3°01'·23W (ILNW 118/20)

Chart 2600.8

Edition 2016

1 Slimeroad Sand

Insert lgd *Changing Depths* (see Note) centred on 51°37'·37N 2°38'·69W (ILNW 84/18)

2 Severn Bridge S

The pylon in 51°36'·16N 2°38'·00W is no longer lit. Delete Lt 2Q.G(vert)6M (ILNW 170/18)

3 Sharpness (Plan A)

Insert fog signal, Siren(1)5s at Lt 2F.R(vert) in 51°43'·07N 2°29'·11W

Delete fog signal, Siren(1)20s at Lt 2F.G(vert) in 51°42'·97N 2°29'·12W (ILNW 269/19)

4 River Severn Second Crossing

Delete racon symbol and assoc lgd Racon(O) in 51°34'·45N 2°42'·02W (ILNW 273/20)

Chart 2600.9

Edition 2016

1 Avonmouth South Dock

Amend Lt to:

F.R in 51°29'·99N 2°42'·32W

F.G in 51°29'·98N 2°42'·34W (ILNW 77/21)

Chart 2600.10

Edition 2016

1 Approaches to Milford Haven

Insert Y spher Lt buoy FI(5)Y.20s in 51°27'·5N 5°14'·0W (ILNW 169/18)

2 Approaches to Milford Haven

Insert lgd (2 buoys) at Y spher Lt buoy FI(5)Y.20s in 51°27'·5N 5°14'·0W (ILNW 656/19)

3 Saundersfoot (correction amended see ILNW 627/20)

Replace R can buoy with Y special can Lt buoy Q.Y in 51°42'·48N 4°41'·38W (ILNW 533/20)

4 Saundersfoot

Amend Lt buoy Q.Y to FI.Y.5s in 51°42'·48N 4°41'·38W (ILNW 627/20)

Chart 2600.11

Edition 2016

1 Pembroke Dock N

Move YB S cardinal Lt buoy Q(6)+LFI.15s in 51°41'·96N 4°57'·08W to 51°42'·00N 4°57'·09W (ILNW 465/17)

2 Thorn Island

Yachtsmen are advised that the charted boat passage between Thorn Island and Thorn Point is no longer available. Delete lgd *Boat Passage* centred on 51°41'·42N 5°07'·11W (ILNW 480/17)

3 Milford Docks Channel (Plan A)

Replace depth 2·1m with depth 1·8m in 51°42'·52N 5°02'·22W (ILNW 100/18)

4 Thorn Point N

Insert lgd *Scientific Instruments* centred on 51°41'·61N 5°06'·41W (ILNW 656/18)

5 Freshwater West (*correction amended see ILNW 73/21*)

Insert Y spher. Lt buoy Fl(5)Y.20s in 51°39'·63N 5°05'·92W (ILNW 123/19)

6 Wear Pt N

Delete:

CHY (141) and assoc sym in 51°42'·57N 4°59'·36W

Chimney sym in 51°42'·36N 4°58'·98W (ILNW 509/20)

7 Freshwater West

Delete Y spher Lt buoy Fl(5)Y.20s in 51°39'·63N 5°05'·92W (ILNW 73/21)

Chart 2600.12

Edition 2016

1 Pembroke Dock N

Move YB S cardinal Lt buoy Q(6)+LFl.15s in 51°41'·96N 4°57'·08W to 51°42'·00N 4°57'·09W (ILNW 465/17)