

# Imray Correction Notice

## 2000 Series small format charts

IC2700-2

05 June 2019

### Chart Pack 2700

*Edition May 2016*

#### Chart 2700.1

*Edition 2016*

##### 1 **Constable Bank N**

Delete BY North pillar Lt buoy **North Constable** in 53°23'·72N 3°41'·41W. (ILNW 384/16)

##### 2 **Rhyl N, Inner Passage**

Insert BY North pillar Lt buoy **Prestatyn Q** in 53°21'·37N 3°29'·00W. Delete G Lt buoy **Prestatyn** close S. (ILNW 476/16)

##### 3 **Liverpool Bay**

Construction work on the Burbo Bank Wind Farm extension is now complete. Delete lgd *Burbo Wind Farm Ext. Under Const'n (buoyed)* centred on 53°28'·9N 3°18'·1W (ILNW 613/17)

##### 4 **Caernarfon Bay, Careg Goch**

Replace underwater Rk depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

##### 5 **Blackpool W & Jordans Spit**

Move Y pillar Lt buoy FI(5)Y.20s in:

53°49'·00N 3°07'·58W to 53°47'·69N 3°08'·27W

53°34'·62N 3°12'·39W to 53°32'·31N 3°13'·71W (ILNW 69/18)

##### 6 **Caernarfon Bay**

Delete Y spher Lt buoy FI(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

##### 7 **Calder Gas Field SW**

Delete Y pillar Lt buoy Q.Y (2 buoys) in 53°45'·09N 4°00'·09W (ILNW 183/18)

##### 8 **Constable Bank**

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°22'·51N 3°43'·56W (ILNW 225/18)

##### 9 **Shell Flat**

Delete:

Lt Mast (81) FI.Y.2·5s11m&2F.R(vert) in 53°52'·38N 3°12'·17W

Lt Mast (51) FI.Y.2·5s11m&2F.R(vert) in 53°51'·61N 3°17'·75W (ILNW 292/18)

##### 10 **Holyhead Deep** (*correction amended – see ILNW 521/18*)

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

##### 11 **Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·43N 4°24'·98W to 53°07'·00N 4°25'·00W (ILNW 396/18)

##### 12 **Rhyl Flats**

Delete RW safe water pillar Lt buoy Mo(A)10s in 53°19'·60N 3°32'·00W (ILNW 470/18)

##### 13 **Holyhead Deep**

Amend Y superbuoy name **F** to Lt desc. FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

##### 14 **Holyhead Deep**

Insert racon sym & assoc. lgd *A/S* at Y Lt superbuoy FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

##### 15 **Holy Island SW**

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°15'48N 4°43'26W (ILNW 568/18)

#### 16 Holyhead (Plan A)

Holyhead Marina has suffered extensive storm damage and there are numerous obstructions in the area. The jetties are being reconstructed.

Delete Lt 2F.R(vert) in 53°19'32N 4°38'64W.

Yachtsmen are advised to contact the local Harbour Authority for further information. (ILNW 596/18)

#### 17 Holyhead Bay

Insert Y special spher. Lt buoy FI(5)Y.20s (2 buoys) in 53°22'37N 4°41'84W (ILNW 642/18)

#### 18 Blackpool NW

Replace depth 5.7m with Y special pillar Lt buoy FI.Y in 53°51'67N 3°06'20W. This buoy marks an obstn and seaward limit of an outfall. (ILNW 721/18)

### Chart 2700.2

Edition 2016

#### 1 Constable Bank N

Delete BY North pillar Lt buoy **North Constable** in 53°23'72N 3°41'41W. (ILNW 384/16)

#### 2 Rhyl Flats Wind Farm

Delete Lt buoy:

**RFWF1** in 53°23'10N 3°36'25W

**RFWF2** in 53°23'76N 3°39'10W (ILNW 386/16)

#### 3 Rhyl N, Inner Passage

Insert BY North pillar Lt buoy **Prestatyn Q** in 53°21'37N 3°29'00W. Delete G Lt buoy **Prestatyn** close S. (ILNW 476/16)

#### 4 Liverpool (Plan A)

Insert minor Lt 3F.R with assoc. fog signal Horn(3+3)15s in 53°24'31N 2°59'92W (ILNW 501/16)

#### 5 Birkenhead (Plan A)

Amend Lt to 2F.G & F.Y Bell(4)15s in 53°23'76N 3°00'49W (ILNW 508/16)

#### 6 Birkenhead (Plan A)

Delete:

Lt F.RW.5m and assoc. sectors in 53°24'10N 3°00'77W

Minor G Lt in 53°22'97N 3°00'31W (ILNW 527/16)

#### 7 Liverpool (Plan A)

Insert fog signal Horn(1)10s at Lt in 53°24'28N 2°59'91W (ILNW 610/16)

#### 8 River Mersey (Plan A)

Insert Lt 2F.R(vert) in:

53°27'31N 3°01'68W

53°27'00N 3°01'13W

Move R can Lt buoy **C22** Q.R from 53°27'29N 3°01'95W to 53°27'40N 3°02'00W (ILNW 14/17)

#### 9 Liverpool Bay

Add lgd (2 buoys) PA at Y pillar Lt buoy FI(5)Y.20s in 53°31'98N 3°21'79W

Delete GY spher. Lt buoy FI(5)Y.20s in 53°32'03N 3°21'26W (ILNW 69/17)

#### 10 Liverpool (Plan A)

Delete Y spec. spher. Lt buoy FI(3)Y.2s in 53°26'97N 3°01'31W (ILNW 105/17)

#### 11 Liverpool (Plan A)

Works are now complete at the new Liverpool Container Terminal. Insert coastline joining 53°27'30N 3°01'68W and 53°26'98N 3°01'11W

Replace *Works in Progress (2015)* centred on 53°27'19N 3°01'40W with lgd Liverpool Container Terminal 2 (ILNW 120/17)

#### 12 Burbo Wind Farm Extension

Delete Y spher. Lt buoy *Wave Recorder* FI(5)Y.20s in 53°29'·10N 3°15'·53W (ILNW 281/17)

**13 Crosby NW**

Insert G starboard Lt Bn FI.G.5s in 53°30'·30N 3°03'·94W (ILNW 574/17)

**14 Liverpool Bay**

Construction work on the Burbo Bank Wind Farm extension is now complete. Delete Igd *Wind Farm Extension Under Const'n (buoyed)* centred on 53°28'·90N 3°17'·66W (ILNW 613/17)

**15 Liverpool (Plan A)**

Delete fog signal Horn(3+3)15s at Lt 3F.R in 53°24'·31N 2°59'·92W (ILNW 54/18)

**16 Jordans Spit**

Move Y pillar Lt buoy FI(5)Y.20s in 53°34'·62N 3°12'·39W to 53°32'·31N 3°13'·71W (ILNW 69/18)

**17 Constable Bank**

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°22'·51N 3°43'·56W (ILNW 225/18)

**18 Rhyl Flats**

Delete RW safe water pillar Lt buoy Mo(A)10s in 53°19'·60N 3°32'·00W (ILNW 470/18)

**19 Seacombe (Plan A)**

Delete Lt Y in 53°24'·61N 3°00'·91W (ILNW 691/18)

**20 Queen's Channel**

Move R can Lt buoy **Q2** VQ.R in 53°31'·40N 3°14'·57W to 53°31'·48N 3°14'·95W (ILNW 164/19)

**Chart 2700.3**

*Edition 2016*

**1 Constable Bank N**

Delete BY North pillar Lt buoy **North Constable** in 53°23'·72N 3°41'·41W. (ILNW 384/16)

**2 Rhyl Flats Wind Farm**

Delete Lt buoy **RFWF2** in 53°23'·76N 3°39'·10W (ILNW 386/16)

**3 Caernarfon Bay, Careg Goch**

Replace depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

**4 Caernarfon Bay**

Delete Y spher Lt buoy FI(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

**5 Constable Bank**

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°22'·51N 3°43'·56W (ILNW 225/18)

**6 Holyhead Deep (correction amended – see ILNW 521/18)**

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

**7 Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·44N 4°24'·98W to 53°07'·00N 4°25'·00W (ILNW 396/18)

**8 Holyhead Deep**

Amend Y superbuoy name **F** to Lt desc. FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

**9 Holyhead Deep**

Insert racon sym & assoc. Igd *AIS* at Y Lt superbuoy FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

**10 Holy Island SW**

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 568/18)

**11 Holyhead Bay**

Insert Y special spher. Lt buoy FI(5)Y.20s (*2 buoys*) in 53°22'·37N 4°41'·84W (ILNW 642/18)

## Chart 2700.4

Edition 2016

### 1 Menai Suspension Bridge NE (Main chart & Plan B)

Delete:

W Bn sym. with diamond topmark in:

53°13'·30N 4°09'·81W (Plan B)

53°13'·16N 4°09'·69W (Plan B)

Submarine cable joining the above co-ordinates (Main chart & Plan B) (ILNW 180/17)

### 2 Caernarfon Bar (correction amended – see ILNW 483/17 & 396/18)

Move:

safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·45N 4°25'·00W to 53°06'·56N 4°24'·98W

R can Lt buoy **C2** FI.R.10s in 53°06'·97N 4°24'·31W to 53°06'·91N 4°24'·26W (ILNW 426/17)

### 3 Caernarfon Bar (correction amended – see ILNW 396/18 & ILNW 581/18)

Move Lt buoy:

**C1** in 53°06'·75N 4°24'·69W to 53°06'·87N 4°24'·31W

**C2** in 53°06'·91N 4°24'·26W to 53°07'·12N 4°24'·22W

**C3** in 53°07'·08N 4°23'·83W to 53°07'·13N 4°23'·91W

**C8** in 53°07'·62N 4°19'·41W to 53°07'·62N 4°19'·52W (ILNW 483/17)

### 4 Caernarfon Bar

Move Lt buoy:

**C7** in 53°08'·11N 4°17'·99W to 53°08'·19N 4°18'·13W

**C10** in 53°07'·96N 4°18'·27W to 53°08'·02N 4°18'·50W (ILNW 494/17)

### 5 Dutchman Bank NW

Amend Lt desc. at G con Lt buoy **B1** to FI(2)G.5s in 53°18'·12N 4°02'·36W (ILNW 391/18)

### 6 Caernarfon Bar (correction amended see ILNW 581/18)

Move:

safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·56N 4°24'·98W to 53°07'·00N 4°25'·00W

G con Lt buoy **C1** FI.G.5s in 53°06'·87N 4°24'·31W to 53°06'·96N 4°24'·47W (ILNW 396/18)

### 7 Caernarfon Bar

Move Lt buoy:

**C1** in 53°06'·96N 4°24'·47W to 53°07'·06N 4°24'·52W

**C3** in 53°07'·13N 4°23'·91W to 53°07'·17N 4°23'·95W plus amend Lt desc. Q.G to FI(3)G.10s

**C6** in 53°07'·22N 4°22'·01W to 53°07'·08N 4°21'·74W (ILNW 581/18)

### 8 Caernarfon Bar (Plan E)

Insert G con Lt buoy **C3** FI(3)G.10s in 53°07'·17N 4°23'·95W (ILNW 582/18)

### 9 The Swellies (Plan B)

Replace depth 2·8m with depth 0·5m in 53°12'·98N 4°10'·98W (ILNW 3/19)

### 10 Menai Strait

Insert:

depth 1·0m in 53°10'·42N 4°14'·87W

drying patch centred on 53°10'·14N 4°15'·49W

depth 0·1m in 53°08'·32N 4°17'·85W. Delete depth 6·2m close S (ILNW 4/19)

### 11 Menai Strait

Yachtsmen are advised to navigate with caution as a sandbank has developed between buoys **C11** and **C9** in the Menai Strait. Insert lgd *Less water* centred on 53°10'·3N 4°15'·0W (ILNW 226/19)

### 12 Bangor (Plan A)

Insert *Obstr* depth 2·8m in 53°14'·07N 4°08'·81W (ILNW 246/19)

## Chart 2700.5

*Edition 2016*

**1 Tidal Diamond**

Amend tidal diamond identifier from **B** to **K** in 53°07'·32N 4°25'·27W. The corresponding tidal stream data at the back of the atlas remains unchanged. (ILNW 301/17)

**2 Caernarfon Bay, Careg Goch**

Replace depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

**3 Caernarfon Bay**

Delete Y spher Lt buoy FI(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

**4 Approaches to Porthmadog**

Move RW Lt buoy **Fairway** LFI.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W (ILNW 342/18)

**5 Holyhead Deep** (*correction amended – see ILNW 521/18*)

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

**6 Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·44N 4°24'·98W to 53°07'·00N 4°25'·00W (ILNW 396/18)

**7 Holyhead Deep**

Amend Y superbuoy name **F** to Lt desc. FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

**8 Holyhead Deep**

Insert racon sym & assoc. lgd *A/S* at Y Lt superbuoy FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

**9 Holy Island SW**

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 568/18)

**Chart 2700.6**

*Edition 2016*

**1 Approaches to Porthmadog**

Move RW Lt buoy **Fairway** LFI.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W (ILNW 342/18)

**2 New Quay**

Move BY N cardinal pillar Lt buoy Q in 52°13'·27N 4°20'·75W to 52°13'·19N 4°20'·70W. This buoy is now lit. Add Lt desc. Q. (ILNW 440/18)

**3 Cardigan Bay**

Insert Y spher. Lt buoy **ODAS** FI(5)Y.20s in 56°26'·02N 4°47'·99W (ILNW 561/18)

**Chart 2700.7**

*Edition 2016*

**1 Approaches to Porthmadog**

Move RW Lt buoy **Fairway** LFI.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W (ILNW 342/18)

**Chart 2700.8**

*Edition 2016*

**1 Approaches to Aberdovey (Plan F)** (*correction amended – see ILNW 368/17*)

Move Lt buoy:

**Bar 1** from 52°32'·10N 4°04'·89W to 52°32'·18N 4°04'·91W

**No 2** from 52°32'·16N 4°04'·91W to 52°32'·22N 4°04'·92W

**No 3** from 52°32'·19N 4°04'·49W to 52°32'·22N 4°04'·63W (ILNW 272/16)

**2 Barmouth (Plan E)**

Insert G con. buoy in 52°43'·19N 4°04'·15W. This marks the outer extent of an outfall pipe. (ILNW 538/16)

**3 Pwllheli (Plan B)**

Delete:

Lt Fl.G.15s in 52°53'·04N 4°24'·23W

G starboard Lt Bn Fl.G.12·5s in 52°53'·05N 4°24'·04W (ILNW 103/17)

**4 Approaches to Aberdovey (Plan F)** (*correction amended – see ILNW 427/17*)

Move Lt buoy:

**Bar 1** from 52°32'·18N 4°04'·91W to 52°32'·22N 4°04'·96W

**No 2** from 52°32'·22N 4°04'·92W to 52°32'·26N 4°04'·99W

**No 3** from 52°32'·22N 4°04'·63W to 52°32'·29N 4°04'·64W (ILNW 368/17)

**5 Approaches to Aberdovey (Plan F)**

Move G con Lt buoy **Bar 1** from 52°32'·22N 4°04'·96W to 52°32'·26N 4°04'·91W (ILNW 427/17)

**6 New Quay (Plan I)**

Insert BY N cardinal pillar Lt buoy Q in 52°13'·19N 4°20'·70W. Delete BY N cardinal pillar buoy close NW. (ILNW 440/18)

**Chart 2700.9**

*Edition 2016*

**1 New Quay**

Move BY N cardinal pillar Lt buoy Q in 52°13'·27N 4°20'·75W to 52°13'·19N 4°20'·70W. This buoy is now lit. Add Lt desc. Q. (ILNW 440/18)

**Chart 2700.10**

*Edition 2016*

**1 Dundalk Bay**

Insert A/S and assoc. racon sym. to **Dunany** Lt buoy in 53°53'·53N 6°09'·48W. (ILNW 271/16)

**2 Codling Bank**

Replace depth 2·6m with 0·6m wreck enclosed by circular dangerline in 53°07'·49N 5°51'·21W. (ILNW 330/16)

**3 Bray Bank**

Insert depth 1·8m in 53°12'·57N 5°54'·44W. Delete depth 2·5m close SW. (ILNW 356/16)

**4 Caernarfon Bay, Careg Goch**

Replace underwater Rk depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

**5 Caernarfon Bay**

Delete Y spher Lt buoy Fl(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

**6 Dublin Bay (Plan A)**

Amend Lt descripts at buoys:

**No3** IQ.G to Q.G in 53°20'·56N 6°06'·80W

**No4** IQ.R to Q.R in 53°20'·37N 6°06'·84W (ILNW 198/18)

**7 Holyhead Deep** (*correction amended – see ILNW 521/18*)

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

**8 Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·44N 4°24'·97W to 53°07'·00N 4°25'·00W (ILNW 396/18)

**9 Dalkey Island N (Plan A)**

Insert R can Lt buoy Fl.(4)R.6s (*Apr-Oct*) in 53°16'·65N 6°05'·10W (ILNW 480/18)

**10 Baldoyle Spit (Plan A)**

Insert drying height -1·7m in 53°23'·84N 6°05'·07W (ILNW 484/18)

**11 Holyhead Deep**

Amend Y superbuoy name **F** to Lt desc. Fl(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

## 12 Holyhead Deep

Insert racon sym & assoc. lgd AIS at Y Lt superbuoy FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

## 13 Holy Island SW

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 568/18)

## 14 Holyhead Bay

Insert Y special spher. Lt buoy FI(5)Y.20s (2 buoys) in 53°22'·37N 4°41'·84W (ILNW 642/18)

## Chart 2700.11

*Edition 2016*

### 1 Codling Bank

Replace depth 2·6m with 0·6m wreck enclosed by circular dangerline in 53°07'·49N 5°51'·21W. (ILNW 330/16)

### 2 Bray Bank

Insert depth 1·8m in 53°12'·57N 5°54'·44W. Delete depth 2·5m close SW. (ILNW 356/16)

### 3 Holdens Bed

Insert depth 2·5m enclosed by 5m contour in 52°16'·31N 6°18'·39W (ILNW 187/17)

### 4 Tuskar Rock NW

Amend Lt descriptions at buoys:

**S Long** FI(2)G.6s to FI.G.6s (sync) in 52°14'·72N 6°15'·79W

**Splaugh** FI(2)R.6s to FI.R.6s (sync) in 52°14'·35N 6°16'·79W. AIS remains unchanged. (ILNW 463/17)

### 5 Caernarfon Bay, Careg Goch

Insert underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

### 6 Courtown

Insert Lt FI.R.5s3M&FI.G.5s3M in 52°38'·63N 6°13'·51W (ILNW 34/18)

### 7 Caernarfon Bay

Delete Y spher Lt buoy FI(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

### 8 Approaches to Porthmadog

Move RW Lt buoy **Fairway** LFI.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W. Amend topmark to a spherical topmark. (ILNW 342/18)

### 9 Caernarfon Bay

Move safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·44N 4°24'·99W to 53°07'·00N 4°25'·00W (ILNW 396/18)

### 10 Wicklow SE

Insert racon sym. & assoc. lgd AIS at Lt FI(3)15s37m23M in 52°57'·93N 5°59'·92W (ILNW 483/18)

### 11 Cardigan Bay

Insert Y spher. Lt buoy ODAS FI(5)Y.20s in 56°26'·02N 4°47'·99W (ILNW 561/18)

### 12 Wicklow SE

Amend range of Lt FI(3)15s37m23M to 18M in 52°57'·93N 5°59'·92W (ILNW 163/19)

### 13 Blackwater Bank NW, Rusk Channel

Insert racon sym. and assoc. lgd AIS at G con Lt buoy **No1** FI(2)G.5s (sync) in 52°28'·53N 6°11'·78W (ILNW 165/19)

## Chart 2700.12

*Edition 2016*

### 1 Holdens Bed

Insert depth 2·5m enclosed by 5m contour in 52°16'·31N 6°18'·39W (ILNW 187/17)

### 2 Tuskar Rock NW

Amend Lt descriptions at buoys:

**S Long** Fl(2)G.6s to Fl.G.6s (sync) in 52°14'·72N 6°15'·79W

**Splough** Fl(2)R.6s to Fl.R.6s (sync) in 52°14'·35N 6°16'·79W. AIS remains unchanged. (ILNW 463/17)

### 3 **Tuskar Rock S**

Delete racon sym. and assoc. lgd *A/S* at YB S cardinal pillar Lt buoy **S Rock** Q(6)+LFl.15s in 52°10'·81N 6°12'·83W (ILNW 151/18)