

# Imray Correction Notice

## 2000 Series small format charts

IC2700-2

08 December 2021

### Chart Pack 2700

*Edition May 2016*

#### Chart 2700.1

*Edition 2016*

##### 1 **Constable Bank N**

Delete BY North pillar Lt buoy **North Constable** in 53°23'·72N 3°41'·41W. (ILNW 384/16)

##### 2 **Rhyl N, Inner Passage**

Insert BY North pillar Lt buoy **Prestatyn Q** in 53°21'·37N 3°29'·00W. Delete G Lt buoy **Prestatyn** close S. (ILNW 476/16)

##### 3 **Liverpool Bay**

Construction work on the Burbo Bank Wind Farm extension is now complete. Delete Igd *Burbo Wind Farm Ext. Under Const'n (buoyed)* centred on 53°28'·9N 3°18'·1W (ILNW 613/17)

##### 4 **Caernarfon Bay, Careg Goch**

Replace underwater Rk depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

##### 5 **Blackpool W & Jordans Spit**

Move Y pillar Lt buoy FI(5)Y.20s in:

53°49'·00N 3°07'·58W to 53°47'·69N 3°08'·27W

53°34'·62N 3°12'·39W to 53°32'·31N 3°13'·71W (ILNW 69/18)

##### 6 **Caernarfon Bay**

Delete Y spher Lt buoy FI(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

##### 7 **Calder Gas Field SW**

Delete Y pillar Lt buoy Q.Y (2 buoys) in 53°45'·09N 4°00'·09W (ILNW 183/18)

##### 8 **Constable Bank**

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°22'·51N 3°43'·56W (ILNW 225/18)

##### 9 **Shell Flat**

Delete:

Lt Mast (81) FI.Y.2·5s11m&2F.R(vert) in 53°52'·38N 3°12'·17W

Lt Mast (51) FI.Y.2·5s11m&2F.R(vert) in 53°51'·61N 3°17'·75W (ILNW 292/18)

##### 10 **Holyhead Deep** (*correction amended – see ILNW 521/18*)

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

##### 11 **Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·43N 4°24'·98W to 53°07'·00N 4°25'·00W (ILNW 396/18)

##### 12 **Rhyl Flats**

Delete RW safe water pillar Lt buoy Mo(A)10s in 53°19'·60N 3°32'·00W (ILNW 470/18)

13 **Holyhead Deep** (*correction amended 566/18 & 358/21*)

Amend Y superbuoy name **F** to Lt desc. FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

14 **Holyhead Deep** (*correction amended 358/21*)

Insert racon sym & assoc. lgd AIS at Y Lt superbuoy FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

15 **Holy Island SW** (*Correction superseded see ILNW 530/19*)

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 568/18)

16 **Holyhead (Plan A)**

Holyhead Marina has suffered extensive storm damage and there are numerous obstructions in the area. The jetties are being reconstructed.

Delete Lt 2F.R(vert) in 53°19'·32N 4°38'·64W.

Yachtsmen are advised to contact the local Harbour Authority for further information. (ILNW 596/18)

17 **Holyhead Bay** (*correction amended see ILNW 629/21*)

Insert Y special spher. Lt buoy FI(5)Y.20s (2 buoys) in 53°22'·37N 4°41'·84W (ILNW 642/18)

18 **Blackpool NW**

Replace depth 5·7m with Y special pillar Lt buoy FI.Y in 53°51'·67N 3°06'·20W. This buoy marks an obstn and seaward limit of an outfall. (ILNW 721/18)

19 **Holy Island SW**

Delete Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 530/19)

20 **Aberffaw S**

Replace drying wk sym with wk depth 0.1m in 53°09'·52N 4°26'·92W (ILNW 280/20)

21 **Anglesey E**

Amend Trwyn-du Lt to FI.5s19m9M Horn(1)30s in 53°18'·77N 4°02'·45W (ILNW 524/20)

22 **Abergele N**

Insert drying height 0.0m enclosed by 0m contour in 53°18'·36N 3°35'·81W (ILNW 603/20)

23 **Liverpool Bay**

Insert AIS at Lt float **Bar** FI.5s11m12M in 53°31'·99N 3°21'·02W (ILNW 618/20)

24 **Caer Arianrhod N**

Insert depth 1.1m in 53°04'·52N 4°20'·82W (ILNW 9/21)

25 **Douglas Oil Field**

Insert racon sym and assoc. lgd AIS at platform in 53°32'·23N 3°34'·80W (ILNW 167/21)

26 **Constable Bank E**

Insert BY N cardinal pillar Lt buoy VQ in 53°23'·05N 3°35'·48W (ILNW 264/21)

27 **Holyhead Deep**

Delete Y superbuoy FI(4)Y.15s AIS and assoc. racon symbol in 53°17'·80N 4°47'·76W (ILNW 358/21)

28 **Holyhead Bay**

Delete Y special spher. Lt buoy FI(5)Y.20s (2 buoys) in 53°22'·37N 4°41'·84W (ILNW 629/21)

**Chart 2700.2**

*Edition 2016*

1 **Constable Bank N**

Delete BY North pillar Lt buoy **North Constable** in 53°23'·72N 3°41'·41W. (ILNW 384/16)

## 2 Rhyl Flats Wind Farm

Delete Lt buoy:

**RFWF1** in 53°23'·10N 3°36'·25W

**RFWF2** in 53°23'·76N 3°39'·10W (ILNW 386/16)

## 3 Rhyl N, Inner Passage

Insert BY North pillar Lt buoy **Prestatyn Q** in 53°21'·37N 3°29'·00W. Delete G Lt buoy **Prestatyn** close S. (ILNW 476/16)

## 4 Liverpool (Plan A)

Insert minor Lt 3F.R with assoc. fog signal Horn(3+3)15s in 53°24'·31N 2°59'·92W (ILNW 501/16)

## 5 Birkenhead (Plan A) (*correction amended see ILNW 90/21*)

Amend Lt to 2F.G & F.Y Bell(4)15s in 53°23'·76N 3°00'·49W (ILNW 508/16)

## 6 Birkenhead (Plan A)

Delete:

Lt F.RW.5m and assoc. sectors in 53°24'·10N 3°00'·77W

Minor G Lt in 53°22'·97N 3°00'·31W (ILNW 527/16)

## 7 Liverpool (Plan A)

Insert fog signal Horn(1)10s at Lt in 53°24'·28N 2°59'·91W (ILNW 610/16)

## 8 River Mersey (Plan A)

Insert Lt 2F.R(vert) in:

53°27'·31N 3°01'·68W

53°27'·00N 3°01'·13W

Move R can Lt buoy **C22 Q.R** from 53°27'·29N 3°01'·95W to 53°27'·40N 3°02'·00W (ILNW 14/17)

## 9 Liverpool Bay

Add lgd (2 buoys) PA at Y pillar Lt buoy FI(5)Y.20s in 53°31'·98N 3°21'·79W

Delete GY spher. Lt buoy FI(5)Y.20s in 53°32'·03N 3°21'·26W (ILNW 69/17)

## 10 Liverpool (Plan A)

Delete Y spec. spher. Lt Buoy FI(3)Y.2s in 53°26'·97N 3°01'·31W (ILNW 105/17)

## 11 Liverpool (Plan A)

Works are now complete at the new Liverpool Container Terminal. Insert coastline joining 53°27'·30N 3°01'·68W and 53°26'·98N 3°01'·11W

Replace *Works in Progress (2015)* centred on 53°27'·19N 3°01'·40W with lgd Liverpool Container Terminal 2 (ILNW 120/17)

## 12 Burbo Wind Farm Extension

Delete Y spher. Lt buoy *Wave Recorder* FI(5)Y.20s in 53°29'·10N 3°15'·53W (ILNW 281/17)

## 13 Crosby NW

Insert G starboard Lt Bn FI.G.5s in 53°30'·30N 3°03'·94W (ILNW 574/17)

## 14 Liverpool Bay

Construction work on the Burbo Bank Wind Farm extension is now complete. Delete lgd *Wind Farm Extension Under Const'n (buoyed)* centred on 53°28'·90N 3°17'·66W (ILNW 613/17)

## 15 Liverpool (Plan A)

Delete fog signal Horn(3+3)15s at Lt 3F.R in 53°24'·31N 2°59'·92W (ILNW 54/18)

**16 Jordans Spit**

Move Y pillar Lt buoy Fl(5)Y.20s in 53°34'·62N 3°12'·39W to 53°32'·31N 3°13'·71W (ILNW 69/18)

**17 Constable Bank**

Insert Y special pillar Lt buoy Fl(5)Y.20s in 53°22'·51N 3°43'·56W (ILNW 225/18)

**18 Rhyl Flats**

Delete RW safe water pillar Lt buoy Mo(A)10s in 53°19'·60N 3°32'·00W (ILNW 470/18)

**19 Seacombe (Plan A)**

Delete Lt Y in 53°24'·61N 3°00'·91W (ILNW 691/18)

**20 Queen's Channel**

Move R can Lt buoy Q2 VQ.R in 53°31'·40N 3°14'·57W to 53°31'·48N 3°14'·95W (ILNW 164/19)

**21 Burbo Wind Farm**

Amend fog signal Horn(1)10s to Horn(1)30s at wind turbine Fl.Y.5s5M in 53°28'·92N 3°09'·00W

Delete Lt & assoc. fog signal at wind turbine:

Fl.Y.5s Horn(1)10s in 53°30'·12N 3°13'·13W

Fl.Y.5s5M Horn(1)10s in 53°29'·70N 3°13'·33W

Fl.Y.5s5M Horn(1)10s in 53°28'·48N 3°11'·10W (ILNW 337/19)

**22 Llandudno Bay**

Insert rock which covers & uncovers plus assoc. drying height -0.2m & lgd *Rep.* (2019) in 53°19'·60N 3°48'·00W (ILNW 452/19)

**23 Rhyl Flats, Chester Flats & Middle Patch**

Insert depth:

0.3m in 53°20'·43N 3°29'·28W. Delete depth 1.5m close SE

1.5m in 53°22'·26N 3°29'·32W

0.7m in 53°22'·78N 3°24'·78W, extend 2m contour N

0.6m in 53°22'·67N 3°23'·86W, extend 2m contour N (ILNW 517/19)

**24 Abergele Road**

Insert drying height 0.0m enclosed by 0m contour in 53°18'·36N 3°35'·81W (ILNW 603/20)

**25 Liverpool Bay**

Insert A/S at Lt float Bar Fl.5s11m12M in 53°31'·99N 3°21'·02W (ILNW 618/20)

**26 Birkenhead (Plan A)**

Amend minor Lt from 2F.G&F.Y to 2F.G in 53°23'·76N 3°00'·49W. The fog signal remains unchanged (ILNW 90/21)

**27 Douglas Oil Field**

Insert racon sym and assoc. lgd AIS at platform in 53°32'·23N 3°34'·80W (ILNW 167/21)

**28 River Mersey (Plan A)**

Amend topmark on BYB cardinal Lt buoy Tower to an east cardinal topmark in 53°26'·12N 3°01'·48W (ILNW 198/21)

**29 Constable Bank E**

Insert BY N cardinal pillar Lt buoy VQ in 53°23'·05N 3°35'·48W (ILNW 264/21)

**Chart 2700.3**

*Edition 2016*

**1 Constable Bank N**

Delete BY North pillar Lt buoy **North Constable** in 53°23'·72N 3°41'·41W. (ILNW 384/16)

**2 Rhyl Flats Wind Farm**

Delete Lt buoy **RFWF2** in 53°23'·76N 3°39'·10W (ILNW 386/16)

**3 Caernarfon Bay, Careg Goch**

Replace depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

**4 Caernarfon Bay**

Delete Y spher Lt buoy FI(5)Y·20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

**5 Constable Bank**

Insert Y special pillar Lt buoy FI(5)Y·20s in 53°22'·51N 3°43'·56W (ILNW 225/18)

**6 Holyhead Deep** (*correction amended – see ILNW 521/18*)

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

**7 Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFI·10s in 53°06'·44N 4°24'·98W to 53°07'·00N 4°25'·00W (ILNW 396/18)

**8 Holyhead Deep** (*correction amended 566/18 & 358/21*)

Amend Y superbuoy name **F** to Lt desc. FI(4)Y·15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

**9 Holyhead Deep** (*correction amended 358/21*)

Insert racon sym & assoc. lgd *AIS* at Y Lt superbuoy FI(4)Y·15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

**10 Holy Island SW** (*Correction superseded see ILNW 530/19*)

Insert Y special pillar Lt buoy FI(5)Y·20s in 53°15'·48N 4°43'·26W (ILNW 568/18)

**11 Holyhead Bay** (*correction amended see ILNW 629/21*)

Insert Y special spher. Lt buoy FI(5)Y·20s (*2 buoys*) in 53°22'·37N 4°41'·84W (ILNW 642/18)

**12 Llandudno Bay**

Insert rock which covers & uncovers plus assoc. drying height -0·2m & lgd *Rep. (2019)* in 53°19'·60N 3°48'·00W (ILNW 452/19)

**13 Conwy Bay W**

Replace depth 0·8m with *Wk*, drying height -0·3m in 53°18'·52N 4°01'·15W (ILNW 492/19)

**14 Dulas Bay**

Yachtsmen are advised that less water than charted exists in Dulas Bay. Insert label *Less water* centred on 53°22'·8N 4°15'·2W. Delete depth 2m close W. (ILNW 524/19)

**15 Holy Island SW**

Delete Y special pillar Lt buoy FI(5)Y·20s in 53°15'·48N 4°43'·26W (ILNW 530/19)

**16 Conwy Bay (Plan A)**

Insert drying height -2m in 53°17'·85N 3°53'·95W, extend approx. 0m contour SW to enclose plus delete depth 2·1m & assoc. 2m contour close S. (ILNW 594/19)

**17 Conwy Bay (Plan A)**

Insert lgd *Less water* centred on:

53°19'·00N 3°53'·00W

53°17'·36N 3°55'·20W (ILNW 640/19)

**18 Aberffaw S**

Replace drying wk sym with wk depth 0.1m in 53°09'·52N 4°26'·92W (ILNW 280/20)

**19 Anglesey E**

Amend Trwyn-du Lt to Fl.5s19m9M Horn(1)30s in 53°18'·77N 4°02'·45W (ILNW 524/20)

**20 Conwy (Plan B)**

Insert G con buoy in 53°17'·29N 3°49'·89W (ILNW 531/20)

**21 Holyhead Deep**

Delete Y superbuoy Fl(4)Y.15s A/S and assoc. racon symbol in 53°17'·80N 4°47'·76W (ILNW 358/21)

**22 Holyhead Bay**

Delete Y special spher. Lt buoy Fl(5)Y.20s (2 buoys) in 53°22'·37N 4°41'·84W (ILNW 629/21)

**Chart 2700.4**

*Edition 2016*

**1 Menai Suspension Bridge NE (Main chart & Plan B)**

Delete:

W Bn sym. with diamond topmark in:

53°13'·30N 4°09'·81W (Plan B)

53°13'·16N 4°09'·69W (Plan B)

Submarine cable joining the above co-ordinates (Main chart & Plan B) (ILNW 180/17)

**2 Caernarfon Bar** (*correction amended – see ILNW 483/17, 396/18 & 235/20*)

Move:

safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·45N 4°25'·00W to 53°06'·56N 4°24'·98W

R can Lt buoy **C2** Fl.R.10s in 53°06'·97N 4°24'·31W to 53°06'·91N 4°24'·26W (ILNW 426/17)

**3 Caernarfon Bar** (*correction amended - see ILNW 396/18, 581/18, 556/19 & 235/20*) (*correction amended see ILNW 151/21 & 318/21*)

Move Lt buoy:

**C1** in 53°06'·75N 4°24'·69W to 53°06'·87N 4°24'·31W

**C2** in 53°06'·91N 4°24'·26W to 53°07'·12N 4°24'·22W

**C3** in 53°07'·08N 4°23'·83W to 53°07'·13N 4°23'·91W

**C8** in 53°07'·62N 4°19'·41W to 53°07'·62N 4°19'·52W (ILNW 483/17)

**4 Caernarfon Bar**

Move Lt buoy:

**C7** in 53°08'·11N 4°17'·99W to 53°08'·19N 4°18'·13W

**C10** in 53°07'·96N 4°18'·27W to 53°08'·02N 4°18'·50W (ILNW 494/17)

**5 Dutchman Bank NW**

Amend Lt desc. at G con Lt buoy **B1** to Fl(2)G.5s in 53°18'·12N 4°02'·36W (ILNW 391/18)

**6 Caernarfon Bar** (*correction amended see ILNW 581/18 & 235/20*)

Move:

safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·56N 4°24'·98W to 53°07'·00N 4°25'·00W

G con Lt buoy **C1** Fl.G.5s in 53°06'·87N 4°24'·31W to 53°06'·96N 4°24'·47W (ILNW 396/18)

**7 Caernarfon Bar** (*correction amended - see ILNW 556/19 & 235/20*)

Move Lt buoy:

**C1** in 53°06'·96N 4°24'·47W to 53°07'·06N 4°24'·52W

**C3** in 53°07'·13N 4°23'·91W to 53°07'·17N 4°23'·95W plus amend Lt desc. Q.G to Fl(3)G.10s

**C6** in 53°07'·22N 4°22'·01W to 53°07'·08N 4°21'·74W (ILNW 581/18)

**8 Caernarfon Bar (Plan E)** (*correction amended see ILNW 557/19*)

Insert G con Lt buoy **C3** Fl(3)G.10s in 53°07'·17N 4°23'·95W (ILNW 582/18)

**9 The Swellies (Plan B)**

Replace depth 2·8m with depth 0·5m in 53°12'·98N 4°10'·98W (ILNW 3/19)

**10 Menai Strait**

Insert:

depth 1·0m in 53°10'·42N 4°14'·87W

drying patch centred on 53°10'·14N 4°15'·49W

depth 0·1m in 53°08'·32N 4°17'·85W. Delete depth 6·2m close S (ILNW 4/19)

**11 Menai Strait**

Yachtsmen are advised to navigate with caution as a sandbank has developed between buoys **C11** and **C9** in the Menai Strait. Insert lgd *Less water* centred on 53°10'·3N 4°15'·0W (ILNW 226/19)

**12 Bangor (Plan A)**

Insert *Obstr* depth 2·8m in 53°14'·07N 4°08'·81W (ILNW 246/19)

**13 Midlake Swatch**

Insert *Wk*, drying height -0·3m in 53°18'·52N 4°01'·15W (ILNW 492/19)

**14 Menai Strait**

Yachtsmen are advised that less water exists in the channel to the E of Puffin Island. Insert lgd *Less water* centred on 53°18'·99N 4°01'·45W (ILNW 523/19)

**15 Caernarfon Bar (Plan E)** (*correction amended - see ILNW 151/21*)

Move G con Lt buoy **C3** in 53°07'·17N 4°23'·95W to 53°07'·20N 4°24'·01W plus amend Lt desc. Fl(3) G.10s to Q.G (ILNW 557/19)

**16 Beaumaris (Plan A)**

Insert depth 1·6m in 53°15'·53N 4°05'·21W & extend 2m contour N to enclose. Delete depth 3·2m close SW (ILNW 639/19)

**17 Caernarfon Bar** (*correction amended - see ILNW 557/19 & 151/21*)

Move Lt buoy:

**C1** from 53°07'·04N 4°24'·43W to 53°07'·21N 4°24'·49W

**C2** from 53°07'·14N 4°24'·38W to 53°07'·30N 4°24'·51W (ILNW 235/20)

**18 Caernarfon Bar (Plan E)** (*correction amended - see ILNW 557/19 & 151/21*)

Insert:

G con Lt buoy **C1** Fl.G.5s in 53°07'·21N 4°24'·49W

R can Lt buoy **C2** Fl.R.10s in 53°07'·30N 4°24'·51W (ILNW 235/20)

**19 Aberffaw S**

Replace drying wk sym with wk depth 0·1m in 53°09'·52N 4°26'·92W (ILNW 280/20)

**20 Anglesey E**

Amend Trwyn-du Lt to Fl.5s19m9M Horn(1)30s in 53°18'·77N 4°02'·45W (ILNW 524/20)

**21 Caernarfon Bar (Main chart & Plan E)**(*correction amended see ILNW 318/21*)

**Main chart**

Move:

G con Lt buoy **C1** from 53°07'·21N 4°24'·49W to 53°07'·04N 4°24'·42W

R can Lt buoy **C2** from 53°07'·30N 4°24'·51W to 53°07'·14N 4°24'·36W

G con Lt buoy **C3** from 53°07'·20N 4°24'·01W to 53°07'·25N 4°23'·87W

#### **Plan E**

Move G con Lt buoy **C3** from 53°07'·20N 4°24'·01W to 53°07'·25N 4°23'·87W

Delete:

G con Lt buoy **C1** from 53°07'·21N 4°24'·49W

R can Lt buoy **C2** from 53°07'·30N 4°24'·51W

These two buoys have been moved and now fall off the plan (ILNW 151/21)

## **22 Caernarfon Bar (Main chart & Plan E)**

### **Main Chart**

Move:

G con Lt buoy **C1** from 53°07'·04N 4°24'·42W to 53°07'·18N 4°24'·60W

R can Lt buoy **C2** from 53°07'·14N 4°24'·36W to 53°07'·38N 4°24'·33W

R can Lt buoy **C8** from 53°07'·62N 4°19'·52W to 53°07'·68N 4°19'·33W

### **Plan E**

Insert:

G con Lt buoy **C1** in 53°07'·18N 4°24'·60W

R can Lt buoy **C2** in 53°07'·38N 4°24'·33W (ILNW 318/21)

## **23 Menai Strait**

Insert lgd *Less Water* centred on 53°08'·39N 4°17'·84W (ILNW 459/21)

## **24 Bangor, Garth Pt (Main chart & Plan A)**

Delete Lt Fl.R.3s at the end of New Pier in 53°14'·44N 4°07'·57W (ILNW 572/21)

## **Chart 2700.5**

*Edition 2016*

### **1 Tidal Diamond**

Amend tidal diamond identifier from **B** to **K** in 53°07'·32N 4°25'·27W. The corresponding tidal stream data at the back of the atlas remains unchanged. (ILNW 301/17)

### **2 Caernarfon Bay, Careg Goch**

Replace depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

### **3 Caernarfon Bay**

Delete Y spher Lt buoy Fl(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

### **4 Approaches to Porthmadog**

Move RW Lt buoy **Fairway** LFl.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W (ILNW 342/18)

### **5 Holyhead Deep (correction amended – see ILNW 521/18)**

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

### **6 Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·44N 4°24'·98W to 53°07'·00N 4°25'·00W (ILNW 396/18)

### **7 Holyhead Deep (correction amended 566/18 & 358/21)**

Amend Y superbuoy name **F** to Lt desc. Fl(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

### **8 Holyhead Deep (correction amended 358/21)**

Insert racon sym & assoc. lgd *AIS* at Y Lt superbuoy Fl(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

9 **Holy Island SW** (*Correction superseded see ILNW 530/19*)

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 568/18)

10 **Holy Island SW**

Delete Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 530/19)

11 **Aberffaw S**

Replace drying wk sym with wk depth 0.1m in 53°09'·52N 4°26'·92W (ILNW 280/20)

12 **Caer Arianrhod N**

Insert depth 1.1m in 53°04'·52N 4°20'·82W (ILNW 9/21)

13 **Holyhead Deep**

Delete Y superbuoy FI(4)Y.15s A/S and assoc. racon symbol in 53°17'·80N 4°47'·76W (ILNW 358/21)

14 **Cardigan Bay**

Insert Y spher. buoy in 52°46'·84N 4°18'·85W (ILNW 397/21)

**Chart 2700.6**

*Edition 2016*

1 **Approaches to Porthmadog**

Move RW Lt buoy **Fairway** LFI.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W (ILNW 342/18)

2 **New Quay**

Move BY N cardinal pillar Lt buoy Q in 52°13'·27N 4°20'·75W to 52°13'·19N 4°20'·70W. This buoy is now lit. Add Lt desc. Q. (ILNW 440/18)

3 **Cardigan Bay**

Insert Y spher. Lt buoy **ODAS** FI(5)Y.20s in 56°26'·02N 4°47'·99W (ILNW 561/18)

4 **Aberdaron Bay**

Insert depth 1.1m in 52°47'·70N 4°41'·73W. (ILNW 382/20)

5 **Cardigan Bay**

Insert Y spherical buoy in:

52°26'·39N 4°40'·52W

52°14'·43N 4°22'·27W (ILNW 334/21)

6 **Cardigan Bay**

Insert Y spher. buoy in:

52°46'·84N 4°18'·85W

52°36'·16N 4°12'·59W

52°23'·14N 4°17'·76W (ILNW 397/21)

**Chart 2700.7**

*Edition 2016*

1 **Approaches to Porthmadog**

Move RW Lt buoy **Fairway** LFI.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W (ILNW 342/18)

2 **Approaches to Barmouth**

Move RW safewater Lt buoy **Barmouth Outer** LFI.10s to 52°42'·81N 4°04'·89W (ILNW 8/21)

3 **Sarn Badrig NW**

Insert Y spher. buoy in 52°46'·84N 4°18'·85W (ILNW 397/21)

## Chart 2700.8

Edition 2016

### 1 Approaches to Aberdovey (Plan F) *(correction amended – see ILNW 368/17)*

Move Lt buoy:

**Bar 1** from 52°32'·10N 4°04'·89W to 52°32'·18N 4°04'·91W

**No 2** from 52°32'·16N 4°04'·91W to 52°32'·22N 4°04'·92W

**No 3** from 52°32'·19N 4°04'·49W to 52°32'·22N 4°04'·63W (ILNW 272/16)

### 2 Barmouth (Plan E)

Insert G con. buoy in 52°43'·19N 4°04'·15W. This marks the outer extent of an outfall pipe. (ILNW 538/16)

### 3 Pwllheli (Plan B)

Delete:

Lt Fl.G.15s in 52°53'·04N 4°24'·23W

G starboard Lt Bn Fl.G.12·5s in 52°53'·05N 4°24'·04W (ILNW 103/17)

### 4 Approaches to Aberdovey (Plan F) *(correction amended – see ILNW 427/17)*

Move Lt buoy:

**Bar 1** from 52°32'·18N 4°04'·91W to 52°32'·22N 4°04'·96W

**No 2** from 52°32'·22N 4°04'·92W to 52°32'·26N 4°04'·99W

**No 3** from 52°32'·22N 4°04'·63W to 52°32'·29N 4°04'·64W (ILNW 368/17)

### 5 Approaches to Aberdovey (Plan F)

Move G con Lt buoy **Bar 1** from 52°32'·22N 4°04'·96W to 52°32'·26N 4°04'·91W (ILNW 427/17)

### 6 New Quay (Plan I)

Insert BY N cardinal pillar Lt buoy Q in 52°13'·19N 4°20'·70W. Delete BY N cardinal pillar buoy close NW. (ILNW 440/18)

### 7 Barmouth (Plan E)

Insert G con buoy in 52°42'·11N 4°03'·77W. This marks the outer extent of an outfall pipe. (ILNW 469/19)

### 8 Aberaeron (Plan H)

Insert drying height:

-0·1m in 52°14'·80N 4°15'·99W

-1·0m in 52°14'·64N 4°15'·96W (ILNW 657/19)

### 9 Carreg Tomas N, Fishguard Bay (Plan M)

Insert rock depth 1.7m in 52°00'·18N 4°57'·92W (ILNW 254/20)

### 10 Approaches to Barmouth (Plan E)

Move RW safewater Lt buoy **Barmouth Outer** LFl.10s to 52°42'·81N 4°04'·89W (ILNW 8/21)

### 11 Approaches to Cardigan (Plan K)

Insert drying height -0.6m in 52°06'·85N 4°41'·60W. Extend 0m contour W to enclose (ILNW 252/21)

## Chart 2700.9

Edition 2016

### 1 New Quay

Move BY N cardinal pillar Lt buoy Q in 52°13'·27N 4°20'·75W to 52°13'·19N 4°20'·70W. This buoy is now lit. Add Lt desc. Q. (ILNW 440/18)

### 2 Strumble Head S

Insert depth 0.5m in 51°58'·78N 5°05'·36W. Delete depth 9.8 close S

Replace depth 8.8m with 3.9m in 52°00'·03N 5°05'·59W (ILNW 428/20)

### 3 **Cardigan Bay**

Insert Y spherical buoy in 52°14'·43N 4°22'·27W (ILNW 334/21)

### 4 **Cardigan Island NE**

Insert Y spher. buoy in 52°09'·02N 4°39'·74W (ILNW 397/21)

### 5 **Strumble Head SW, Bola Bleiddyn**

Replace depth:

3.7m with 2.2m in 51°58'·36N 5°08'·36W

13m with 3.4m in 51°58'·67N 5°06'·12W (ILNW 571/21)

## **Chart 2700.10**

*Edition 2016*

### 1 **Dundalk Bay**

Insert A/S and assoc. racon sym. to **Dunany** Lt buoy in 53°53'·53N 6°09'·48W. (ILNW 271/16)

### 2 **Codling Bank**

Replace depth 2·6m with 0·6m wreck enclosed by circular dangerline in 53°07'·49N 5°51'·21W. (ILNW 330/16)

### 3 **Bray Bank**

Insert depth 1·8m in 53°12'·57N 5°54'·44W. Delete depth 2·5m close SW. (ILNW 356/16)

### 4 **Caernarfon Bay, Careg Goch**

Replace underwater Rk depth 1·7m with underwater Rk depth 1·1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

### 5 **Caernarfon Bay**

Delete Y spher Lt buoy Fl(5)Y·20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

### 6 **Dublin Bay (Plan A)**

Amend Lt descripts at buoys:

**No3** IQ.G to Q.G in 53°20'·56N 6°06'·80W

**No4** IQ.R to Q.R in 53°20'·37N 6°06'·84W (ILNW 198/18)

### 7 **Holyhead Deep** (*correction amended – see ILNW 521/18*)

Insert Y superbuoy **F** enclosed by restricted area line plus assoc. label *Tidal Energy Device* in 53°17'·80N 4°47'·76W (ILNW 387/18)

### 8 **Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFl.10s in 53°06'·44N 4°24'·97W to 53°07'·00N 4°25'·00W (ILNW 396/18)

### 9 **Dalkey Island N (Plan A)**

Insert R can Lt buoy Fl.(4)R.6s (*Apr-Oct*) in 53°16'·65N 6°05'·10W (ILNW 480/18)

### 10 **Baldoyle Spit (Plan A)**

Insert drying height -1·7m in 53°23'·84N 6°05'·07W (ILNW 484/18)

### 11 **Holyhead Deep** (*correction amended 566/18 & 358/21*)

Amend Y superbuoy name **F** to Lt desc. Fl(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 521/18)

### 12 **Holyhead Deep** (*correction amended 358/21*)

Insert racon sym & assoc. lgd A/S at Y Lt superbouy FI(4)Y.15s in 53°17'·80N 4°47'·76W (ILNW 566/18)

**13 Holy Island SW** (*Correction superseded see ILNW 530/19*)

Insert Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 568/18)

**14 Holyhead Bay** (*correction amended see ILNW 629/21*)

Insert Y special spher. Lt buoy FI(5)Y.20s (2 buoys) in 53°22'·37N 4°41'·84W (ILNW 642/18)

**15 Holy Island SW**

Delete Y special pillar Lt buoy FI(5)Y.20s in 53°15'·48N 4°43'·26W (ILNW 530/19)

**16 Dublin Bay (Main chart & Plan A)**

Amend RW safewater lt buoy desc from Mo(A)10s to Iso.4s in 53°19'·91N 6°04'·64W. Racon and AIS remain unchanged (ILNW 420/20)

**17 Mughlins (Main chart & Plan A)**

Insert racon sym and assoc lgd AIS at Lt Fl.R.5s.14m11M in 53°16'·53N 6°04'·57W (ILNW 20/21)

**18 Codling Bank E** (*correction amended see ILNW 440/21*)

Insert Y spher Lt buoy FI(5)Y.20s in 53°06'·77N 5°49'·12W (ILNW 338/21)

**19 Holyhead Deep**

Delete Y superbouy FI(4)Y.15s A/S and assoc. racon symbol in 53°17'·80N 4°47'·76W (ILNW 358/21)

**20 Bray Bank**

Insert depth 2.9m in 53°09'·96N 5°54'·45W. Extend 5m contour S to enclose (ILNW 377/21)

**21 Codling Bank E**

Insert racon sym and assoc. lgd A/S at Y spher Lt buoy FI(5)Y.20s in 53°06'·77N 5°49'·12W (ILNW 440/21)

**22 Dublin Bay, Drumleck Pt (Plan A)**

Insert Y special purpose spar Lt buoy Q(5)20s with associated racon symbol and lgd A/S in 53°21'·32N 6°05'·37W (ILNW 570/21)

**23 Holyhead Bay**

Delete Y special spher. Lt buoy FI(5)Y.20s (2 buoys) in 53°22'·37N 4°41'·84W (ILNW 629/21)

**Chart 2700.11**

*Edition 2016*

**1 Codling Bank**

Replace depth 2.6m with 0.6m wreck enclosed by circular dangerline in 53°07'·49N 5°51'·21W. (ILNW 330/16)

**2 Bray Bank**

Insert depth 1.8m in 53°12'·57N 5°54'·44W. Delete depth 2.5m close SW. (ILNW 356/16)

**3 Holdens Bed**

Insert depth 2.5m enclosed by 5m contour in 52°16'·31N 6°18'·39W (ILNW 187/17)

**4 Tuskar Rock NW**

Amend Lt descriptions at buoys:

**S Long** FI(2)G.6s to Fl.G.6s (sync) in 52°14'·72N 6°15'·79W

**Splaugh** FI(2)R.6s to Fl.R.6s (sync) in 52°14'·35N 6°16'·79W. AIS remains unchanged. (ILNW 463/17)

**5 Caernarfon Bay, Careg Goch**

Insert underwater Rk depth 1.1m in 53°12'·37N 4°32'·50W (ILNW 626/17)

**6 Courtown**

Insert Lt FI.R.5s3M&FI.G.5s3M in 52°38'·63N 6°13'·51W (ILNW 34/18)

**7 Caernarfon Bay**

Delete Y spher Lt buoy FI(5)Y.20s in 53°13'·00N 4°43'·44W (ILNW 171/18)

**8 Approaches to Porthmadog**

Move RW Lt buoy **Fairway** LFI.10s from 52°52'·35N 4°10'·01W to 52°52'·97N 4°11'·20W. Amend topmark to a spherical topmark. (ILNW 342/18)

**9 Caernarfon Bay**

Move safe water pillar Lt buoy **Caernarfon Bar** LFI.10s in 53°06'·44N 4°24'·99W to 53°07'·00N 4°25'·00W (ILNW 396/18)

**10 Wicklow SE**

Insert racon sym. & assoc. lgd AIS at Lt FI(3)15s37m23M in 52°57'·93N 5°59'·92W (ILNW 483/18)

**11 Cardigan Bay**

Insert Y spher. Lt buoy **ODAS** FI(5)Y.20s in 56°26'·02N 4°47'·99W (ILNW 561/18)

**12 Wicklow SE**

Amend range of Lt FI(3)15s37m23M to 18M in 52°57'·93N 5°59'·92W (ILNW 163/19)

**13 Blackwater Bank NW, Rusk Channel**

Insert racon sym. and assoc. lgd AIS at G con Lt buoy **No1** FI(2)G.5s (sync) in 52°28'·53N 6°11'·78W (ILNW 165/19)

**14 Aberffaw S**

Replace drying wk sym with wk depth 0.1m in 53°09'·52N 4°26'·92W (ILNW 280/20)

**15 Caer Arianrhod N**

Insert depth 1.1m in 53°04'·52N 4°20'·82W (ILNW 9/21)

**16 Blackwater Bank**

Insert depth:

1.9m in 52°31'·12N 6°09'·79W

2.0m in 52°30'·07N 6°10'·22W

2.3m in 52°27'·56N 6°09'·90W

3.5m in 52°26'·94N 6°10'·32W

3.4m in 52°25'·77N 6°12'·78W (ILNW 194/21)

**17 Wexford E**

Insert racon symbol and assoc. lgd AIS at BY N cardinal Lt buoy **N Long** in 52°21'·44N 6°16'·96W (ILNW 202/21)

**18 Approaches to Arklow**

Replace depth

3.6m *Rep (1986)* with depth 3.0m enclosed by a dangerline in 52°43'·53N 6°08'·47W

3.7m with 1.5m in 52°52'·06N 6°03'·41W (ILNW 216/21)

**19 Cardigan Bay**

Insert Y spherical buoy in:

52°26'·39N 4°40'·52W

52°14'·43N 4°22'·27W (ILNW 334/21)

20 **Wicklow NE** (*correction amended see ILNW 440/21*)

Insert Y spher Lt buoy FI(5)Y.20s in:

53°01'·89N 5°44'·63W

53°06'·77N 5°49'·12W (ILNW 338/21)

21 **Bray Bank**

Insert depth 2.9m in 53°09'·96N 5°54'·45W. Extend 5m contour S to enclose (ILNW 377/21)

22 **Cardigan Bay**

Insert Y spher. buoy in:

52°46'·84N 4°18'·92W

52°36'·16N 4°12'·58W

52°23'·14N 4°17'·76W

52°16'·78N 4°49'·39W (ILNW 397/21)

23 **Wicklow NE**

Insert racon sym and assoc. lgd A/S at Y spher Lt buoy FI(5)Y.20s in:

53°01'·89N 5°44'·63W

53°06'·77N 5°49'·12W (ILNW 440/21)

**Chart 2700.12**

*Edition 2016*

1 **Holdens Bed**

Insert depth 2.5m enclosed by 5m contour in 52°16'·31N 6°18'·39W (ILNW 187/17)

2 **Tuskar Rock NW**

Amend Lt descriptions at buoys:

**S Long** FI(2)G.6s to FI.G.6s (sync) in 52°14'·72N 6°15'·79W

**Splaugh** FI(2)R.6s to FI.R.6s (sync) in 52°14'·35N 6°16'·79W. AIS remains unchanged. (ILNW 463/17)

3 **Tuskar Rock S**

Delete racon sym. and assoc. lgd A/S at YB S cardinal pillar Lt buoy **S Rock** Q(6)+LFI.15s in 52°10'·81N 6°12'·83W (ILNW 151/18)

4 **Off Smalls TSS**

Delete Y spher. Lt buoy FI(5)Y.20s in 51°50'·3N 5°50'·4W (ILNW 644/19)

5 **Kilmore S (Plan A)**

Insert obstruction with a depth of:

1.2m in 52°09'·80N 6°35'·21W

1.4m in 52°09'·59N 6°35'·25W (ILNW 194/21)

6 **Wexford E**

Insert racon symbol and assoc. lgd A/S at BY N cardinal Lt buoy **N Long** in 52°21'·44N 6°16'·96W (ILNW 202/21)

7 **Kilmore Spit S (Plan A)**

Insert depth 0.6m in 52°09'·86N 6°34'·48W. Extend dangerline S to enclose (ILNW 472/21)

8 **Strumble Head SW, Bola Bleiddyn**

Replace depth:

3.7m with 2.2m in 51°58'·36N 5°08'·36W

13m with 3.4m in 51°58'·67N 5°06'·12W (ILNW 571/21)