

Imray Correction Notice ICC29-3

11 August 2021

Chart **C29** WGS 84 Edition 2016

Versions available:

New Edition (corrected to September 2016)

Update (corrected to January 2018)

NOTES

Below is a complete list of corrections issued since the 2016 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.

Any further corrections will be applicable from that point onwards.

1 **Mablethorpe S**

Delete obstn & assoc. lgd in 53°17'·52N 0°19'·30E (ILNW 500/16)

2 **Well Bank Flat**

Insert Y spher. Lt buoy FI(5)Y.20s in 53°54'·93N 1°36'·87E (ILNW 544/16)

3 **Outer Gabbard E**

Insert Y pillar Lt buoy FI(5)Y.20s (4buoys) PA in 51°57'·22N 2°06'·56E

Delete Y spec. pillar Lt buoy FI(5)Y.20s:

East Gabbard North close N

East Gabbard South close S (ILNW 80/17)

4 **River Humber (Plan E)** (correction superseded – see ILNW 516/17)

Move R can Lt buoy **28** FI.R in 53°43'·47N 0°21'·93W to 53°43'·37N 0°22'·39W (ILNW 99/17)

5 **New Sand Hole (Main chart & Plan E)**

Insert lgd A/S at G Lt vessel **Humber** in 53°38'·70N, 0°21'·24E (ILNW 104/17)

6 **River Humber (Plan E)**

Move G con Lt buoy **21A** FI.G.2s in 53°43'·70N 0°16'·40W to 53°43'·69N 0°16'·69W (ILNW 154/17)

7 **Race Bank NW**

Delete Lt Mo(U)15s12m10M Horn Mo(U)30s in 53°18'·82N 0°44'·85E (ILNW 181/17)

8 **River Humber (Plan E)** (correction superseded – see ILNW 516/17)

Move G con Lt buoy **23** FI.G.2s in 53°42'·97N 0°22'·59W to 53°43'·01N 0°23'·50W (ILNW 198/17)

9 **Sizewell Bank**

Delete Lt:

FI(2)R.7·5s in 52°12'·83N 1°37'·61E

FI.R.10s in 52°12'·49N 1°37'·52E (ILNW 241/17)

10 **Indefatigable Banks NW & W**

Delete Y spec. pillar Lt buoy:

FI.Y.10s in 53°43'·06N 2°03'·38E

49/11a-4 FI.Y.2·5s in 53°30'·60N 2°10'·40E (ILNW 277/17)

11 **River Humber (Plan E)** (correction superseded – see ILNW 516/17)

Move G con Lt buoy **23** FI.G.2s in 53°43'·01N 0°23'·50W to 53°42'·74N 0°23'·72W (ILNW 372/17)

12 **Approaches to Blakeney**

Move RW safe water pillar buoy **Fairway** in 52°59'·28N 0°57'·86E to 52°59'·22N 0°58'·53E (ILNW 428/17)

13 River Humber (Plan E)

Delete Y spher Lt buoy FI(5) in 53°43'·72N 0°17'·29W (ILNW 464/17)

14 Wells-next-the-Sea

Move west pillar Lt buoy Q(9)15s from 52°59'·67N 0°50'·36E to 52°59'·73N 0°50'·52E. Amend Lt desc. to VQ(9)15s (ILNW 478/17)

15 River Humber (Plan E) (correction superseded – see ILNW 516/17)

Move G con Lt buoy **23** Fl.G.2s in 53°42'·74N 0°23'·72W to 53°42'·82N 0°23'·13W (ILNW 482/17)

16 East Dudgeon Shoals

Replace depth 4·3m with depth 3·3m in 53°18'·39N 0°58'·78E (ILNW 492/17)

17 River Humber (Plan E)

Depths in the River Humber are subject to constant change; buoyage and other aids to navigation are adjusted accordingly.

Delete:

R can Lt buoy **22A** Fl.R.2s in 53°42'·33N 0°23'·07W

G con Lt buoy **23** Fl.G.2s in 53°42'·82N 0°23'·13W

R can Lt buoy **28** Fl.R. in 53°43'·37N 0°22'·39W

The Harbourmaster, Humber, should be consulted for the latest information. (ILNW 516/17)

18 Spurn Head E (Plan E)

Move BYB E cardinal Lt float **Spurn** Q(3)10s8M Racon(M) in 53°33'·55N 0°14'·20E to 53°33'·42N 0°14'·15E (ILNW 517/17)

19 Approaches to Lowestoft (correction superseded - see ILNW 2/18)

Insert *Wk* depth 5·1m in 52°25'·23N 1°49'·67E (ILNW 529/17)

20 Approaches to Harwich

Replace Whis with Bell at YB S card pillar Lt buoy **S Bawdsey** Q(6)+LFl.15s in 51°57'·23N 1°30'·22E (ILNW 650/17)

21 Humber Gateway Wind Farm (Plan E)

Insert Y spher Lt buoy FI(5)Y.20s in 53°38'·19N 0°15'·84E (ILNW 658/17)

22 Amethyst Gas Field E (correction amended see ILNW 74/19)

Insert BYB E card pillar Lt buoy VQ(3)5s (4 buoys) in 53°37'·59N 0°56'·62E (ILNW 678/17)

23 Grimsby NW (Plan E)

Delete **CHIMNEY** (104) (R Lts) in 53°34'·96N 0°06'·24W (ILNW 704/17)

24 Inner Well Bank Rough E

Construction works are about to commence on the Hornsea Project One Offshore Wind Farm.

Insert limit of restricted area joining:

53°55'·00N 2°09'·27E

53°49'·00N 2°15'·81E

53°49'·54N 1°37'·04E

53°59'·21N 1°40'·22E

53°58'·27N 1°55'·07E

Add assoc. lgd *Hornsea Project One Offshore Wind Farm under const'n (2017) (buoyed)*.

Cable laying operations will also take place between the wind farm and the shore.

Yachtsmen are advised that a safety zone of 500m becomes operational around the turbines under construction. (ILNW 711/17)

25 Clipper Gas Field SE

Insert racon sym. and assoc. lgd AIS at lit platform **Clipper South** in 53°24'·23N 1°46'·99E (ILNW 712/17)

26 Approaches to Lowestoft

Delete *Wk* depth 5·1m in 52°25'·23N 1°49'·67E (ILNW 2/18)

27 River Humber (Plan E)

Move Lt float **SE Chequer** VQ(6)+LFl.10s6m6M in 53°33'·27N 0°12'·33E to 53°33'·36N 0°12'·86E (ILNW 93/18)

28 Cromer Knoll SE

Construction work on the Dudgeon Wind Farm is now complete. Delete lgd *under construction (2016-2017) (buoyed)* centred on 53°16'·5N 1°21'·8E (ILNW 106/18)

29 **Outer Dowsing E** (*Correction superseded see ILNW 87/20*)

Insert racon sym. plus assoc. lgd AIS at platform 48/17b-GA in 53°24'·84N 1°16'·33E (ILNW 153/18)

30 **Hornsea NE**

Insert dangerous wreck symbol and assoc. lgd PA in 53°57'·60N 0°01'·00W (ILNW 209/18)

31 **North Ridge**

Construction work on the Race Bank Wind Farm is now complete. Delete lgd *under const'n* (2016-18) (*buoyed*) centred on 53°16'·4N 0°50'·0E (ILNW 239/18)

32 **Holm Channel**

Move YB S card pillar Lt buoy **S Corton** in 52°32'·90N 1°48'·97E to 52°33'·24N 1°48'·47E (ILNW 435/18)

33 **River Humber (Plan E)**

Insert drying Wk sym. in 53°42'·44N 0°21'·37W (ILNW 481/18)

34 **Dudgeon Wind Farm S**

Insert YB S cardinal pillar Lt buoy VQ(6)+LFI.10s in 53°12'·5N 1°25'·6E (ILNW 570/18)

35 **Hornsea Project One Wind Farm W**

Delete Y spher. Lt buoy FI(5)Y.20s in 53°54'·93N 1°36'·87E (ILNW 24/19)

36 **Outer Dowsing NW** (*correction amended see ILNW 132/19*)

Insert YBY W cardinal pillar Lt buoy VQ(9)10s (2 buoys) in 53°37'·75N 0°55'·69E

Delete BYB E cardinal pillar Lt buoy VQ(3)5s (4 buoys) in 53°37'·58N 0°56'·62E (ILNW 74/19)

37 **Outer Dowsing NW**

Delete YBY W cardinal pillar Lt buoy VQ(9)10s (2 buoys) in 53°37'·75N 0°55'·69E (ILNW 132/19)

38 **Inner Well Bank Rough W**

Delete Lt Mo(U)22m15M Horn Mast(106) (R Lt) in 53°53'·15N 1°59'·50E (ILNW 154/19)

39 **Outer Gabbard E**

Construction work on the Galloper Wind Farm is now complete. Delete lgd (*under const'n*) (*buoyed*) centred on 51°57'·5N 2°04'·5E (ILNW 166/19)

40 **Trent Falls, Automatic Identification System (Plan F)**

Insert racon sym & assoc. lgd AIS at Lt FI(3)5s5M & FI(3)RG.5s10M HornMo(A)15s in 53°42'·02N 0°41'·45W (ILNW 388/19)

41 **Malory Gas Field**

Insert lgd AIS at lit platform **Pickerill 'B'** 48/11-A in 53°31'·45N 1°09'·55E (ILNW 450/19)

42 **Whitby (Plan A)**

Insert dangerous Wk sym & assoc. lgd *Rep* (2019) PA in 54°29'·83N 0°36'·65W (ILNW 491/19)

43 **Amethyst Gas Field E**

Insert lit platform & assoc. racon sym. & lgd AIS in 53°37'·66N 0°56'·17E (ILNW 573/19)

44 **Triton Knoll**

Construction works are about to commence on the Triton Knoll Offshore Wind Farm. Insert limit of restricted area joining:

53°24'·1N 0°57'·9E

53°28'·9N 0°41'·2E

53°32'·2N 0°44'·3E

53°32'·4N 0°52'·0E

53°24'·4N 1°00'·2E

Add assoc. lgd *Triton Knoll Offshore Wind Farm under const'n* (*buoyed*).

Yachtsmen are advised that a safety zone of 500m becomes operational around the turbines under construction. (ILNW 688/19)

45 **Outer Dowsing Shoal E**

Insert lgd *Gas Field Decommissioning* (*see Note*) centred on 53°25'·6N 1°15'·9E

Replace note **VIKING GAS FIELD – DECOMMISSIONING** with note:

GAS FIELD DECOMMISSIONING

Production platforms and associated structures are in the process of being decommissioned. During this period, navigational aids on the platforms may not be reliable. Underwater obstructions may exist following the removal of platforms and associated structures. Consult local notices to mariners issued by the gas field operator for full details. (ILNW 3/20)

46 Viking & Vulcan Gas Fields

Delete lit platform sym. in:

48/25-PUR in 53°15'46N 1°58'27E

49/12-KD in 53°31'67N 2°13'25E

49/17-LD in 53°28'53N 2°13'88E

Delete lit platform sym. 49/16-ED plus racon sym & assoc. lgd AIS in 53°26'01N 2°09'24E

Delete lit platform sym. plus racon sym. & assoc. lgd V-AIS:

49/17-GD in 53°26'82N 2°15'27E

49/17-HD in 53°29'82N 2°19'55E (ILNW 9/20)

47 Outer Dowsing E

Delete lit platform sym. 48/17b-GA in 53°24'87N 1°16'36E (ILNW 87/20)

48 Inner Dowsing W & Sheringham Shoal NW

Insert Y spher. Lt buoy FI(5)Y.20s in 53°14'69N 0°26'82E

Move Y spher. Lt buoy FI(5)Y.20s in 53°03'36N 1°06'61E to 53°03'45N 1°06'21E (ILNW 120/20)

49 Pickerill Gas Field

Insert lgd *Gas Field Decommissioning* (see Note) centred on 53°32'70N 1°09'30E

Insert racon sym. & assoc. lgd AIS at lit platform **Pickerill 'A'** 48/11-B in 53°32'95N 1°04'55E (ILNW 121/20)

50 Well Hole S

Delete Y special pillar Lt buoy FI.Y.10s in 53°37'7N 1°52'1E plus assoc. *Well* close S (ILNW 151/20)

51 Ancholme Channel (Plan F)

Delete R port Bn in 53°40'72N 0°31'85W

Delete minor R Lt in 53°40'68N 0°31'48W (ILNW 179/20)

52 Lowestoft correction superseded ILNW 488/20

Amend W Lt sector at Lt Dir.WRG.17m10M in 52°27'71N 1°44'54E from 224°-W-229° to 226°-W-230°. (ILNW 202/20)

53 Great Yarmouth E (correction amended see ILNW 285/21)

Move YB S cardinal Lt buoy **Barley** to 52°38'50N 1°52'96E (ILNW 264/20)

54 Flamborough Head E

Construction work has commenced on the Hornsea Project Two Offshore Wind Farm which adjoins Hornsea Project One Offshore Wind Farm. Work is now complete at Hornsea Project One.

Insert limit of restricted area joining:

53°49'54N 1°37'05E

53°50'05N 1°27'07E

54°00'94N 1°26'60E

54°00'20N 1°55'02E

Insert wind turbine sym centred on 53°55'0N 1°32'5E

Add assoc. lgd *Hornsea Project Two Offshore Wind Farm under const'n* (buoyed).

Yachtsmen are advised that a safety zone of 500m becomes operational around the turbines under construction. (ILNW 278/20)

55 Haisborough Sand

Insert depth 0.4m in 52°52'80N 1°46'20E

Replace depth:

0.9m with 0.2m in 52°55'10N 1°41'80E

3.7m with 2.7m in 52°57'60N 1°40'40E (ILNW 282/20)

56 Flamborough Head E

A development area has been established. Insert maritime limit pecked linework joining:

55°04'36N 0°22'80E

55°00'28N 0°23'08E

54°00'43N 0°29'85E

54°04'50N 0°29'61E

Add assoc. lgd *Development Area*.

This area encloses potential activity relating to oil or gas fields. Surface vessels, subsea craft and divers may be engaged in construction or servicing installations within this area (ILNW 331/20)

57 Ganymede Field

Insert lgd *Gas Field Decommissioning* (see Note) centre on 53°17'0N 2°15'0E (ILNW 339/20)

58 Ordford Ness

Delete tower svm in 52°05'03N 1°34'45E (ILNW 451/20)

59 **Lowestoft**

Amend Lt sectors at Lt Dir.WRG.17m10M in 52°27'·71N 1°44'·54E from 222°-G-226°-W-230°-R-232° to 220°-G-224°-W-229°-R-232° (ILNW 488/20)

60 **Approaches to Lowestoft**

Move YB S Card Lt buoy **S Holm** from 52°26'·85N 1°47'·15E to 52°26'·63N 1°47'·25E (ILNW 489/20)

61 **Humber Bridge W (Plan F)**

Delete Chalderness Tide Gauge and assoc. Lt in 53°41'·84N 0°28'·51W (ILNW 568/20)

62 **Great Yarmouth W, Middle Cross Sand**

Insert depth:

2.5m in 52°40'·42N 1°51'·96E

2.1m in 52°39'·88N 1°52'·42E (ILNW 637/20)

63 **Westermost Rough & Race Bank**

Delete Y special spher Lt buoy:

WMR20 Fl(5)Y.20s (3 buoys) in 53°47'·32N 0°08'·92E

Fl(5)Y.20s in 53°19'·54N 0°48'·21E (ILNW 1/21)

64 **Approaches to Lowestoft**

Insert depth 2.3m enclosed by 5m contour in 52°30'·29N 1°46'·88E (ILNW 21/21)

65 **Scarborough SE**

Insert marine farm sym and assoc. lgd (4 buoys) in 54°15'·75N 0°17'·32W.

Add assoc. chart note:

Marine Farms

Marine farms which may be floating or fixed structures and their associated moorings should be avoided. The charted positions of the farms are approximate and further farms may be established without notice. The farms are generally marked by buoys or beacons, which may be lit. (ILNW 82/21)

66 **Amethyst Gas Field**

Insert racon sym and assoc. lgd AIS at lit platform:

47/14-A2D in 53°37'·35N 0°47'·35E

47/14-A1D in 53°36'·64N 0°43'·36E

47/14-B1D in 53°33'·66N 0°52'·64E (ILNW 83/21)

67 **Cleeton Gas Field W**

Insert lit platform symbol **42/28d** in 54°02'·41N 0°26'·39E (ILNW 91/21)

68 **Spurn Head E (Main chart & Plan E)**

Insert drying height -0.3m enclosed by 0m contour in 53°34'·96N 0°10'·43E

Delete depth 2.4m close N (Plan E) (ILNW 122/21)

69 **Saturn Gas Field**

Insert racon sym and assoc. lgd AIS at platform 48/10-ND in 53°43'·46N 1°53'·77E (ILNW 167/21)

70 **Spurn Head W (Plan E)**

Replace BYB E cardinal light float with **Hawke** VQ(3)5s with GRG light float **Hawke** Fl(2+1)G.6s in 53°34'·55N 0°05'·54E (ILNW 195/21)

71 **North Valiant Gas Field**

Gas platform **Loggs** has begun decommissioning works. Add assoc. lgd *Gas Field Decommissioning (see Note)* in 53°23'·38N 2°00'·18E (ILNW 284/21)

72 **Great Yarmouth NE**

Move:

YB S cardinal Lt buoy **Barley** from 52°38'·50N 1°52'·96E to 52°38'·76N 1°52'·95E

R can Lt buoy **E Cross Sand** from 52°40'·05N 1°53'·80E to 52°40'·33N 1°53'·70E (ILNW 285/21)

73 **Inner Cromer Knoll & Inner Bank**

Insert lit platform with assoc racon sym and AIS in:

Blythe 53°14'·48N 1°26'·77E

Southwark 53°11'·00N 2°05'·81E (ILNW 374/21)

74 River Humber (Plan E)

Insert foul sym. in:

53°36'·15N 0°01'·78E

53°36'·03N 0°01'·99E (ILNW 396/21)

75 Amethyst Gas Field

Insert racon sym and assoc lgd AIS at platform 47/14-C1D in 53°38'·70N 0°36'·13E (ILNW 410/21)