

# Imray Correction Notice ICC54-2

5 November 2024

## Chart **C54** WGS 84

*Edition 2018*

*Versions available:*

*New Edition (corrected to August 2018)*

*Update (corrected to August 2019)*

*Update (corrected to March 2021)*

*Update (corrected to March 2022)*

*Update (corrected to March 2023)*

*Update (corrected to February 2024)*

### NOTES

*Below is a complete list of corrections issued since the 2018 edition of this chart was published.*

*Each correction is issued with an ILNW reference number and year.*

*Corrections are listed chronologically in ascending order.*

*For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.*

*Any further corrections will be applicable from that point onwards.*

#### 1 **Galway Bay**

An Ocean Energy Test Site has been established in Galway Bay.

Insert limit of restricted area joining:

53°13'·90N 9°16'·15W

53°13'·90N 9°15'·55W

53°13'·60N 9°15'·55W

53°13'·60N 9°16'·15W

Add assoc. lgd *Ocean Energy Test Site (buoyed)*.

Delete Y spec. pillar Lt buoy FI.Y.8s in 53°13'·63N 9°15'·97W.

Testing of renewable energy installations both above and below the surface takes place in this area. Yachtsmen should avoid passing inside the cardinal buoys marking the test area. (ILNW 556/18)

#### 2 **Doonagore Bay N**

Insert Lt Ldg 2Oc in 53°00'·90N 9°24'·29W (ILNW 722/18)

#### 3 **North Sound**

Delete Y spher. Lt buoy FI(5)Y.20s in 53°10'·11N 9°43'·61W (ILNW 180/20)

#### 4 **Blacksod Point**

Insert racon symbol and assoc. lgd AIS at Lt FI(2)WR.7.5s12/9M in 54°05'·95N 10°03'·63W. (ILNW 205/20)

#### 5 **Killala Bay**

Insert racon sym. and assoc. lgd AIS at BYB E cardinal Lt buoy **Carrickpatrick** in 54°15'·56N 9°09'·17W (ILNW 226/20)

#### 6 **Aran Islands E**

Delete Y spec pillar Lt buoy FI(2)Y.8s in 53°08'·09N 9°30'·66W (ILNW 236/20)

#### 7 **Black Rock, Sligo Bay (Main chart & Plan A)**

Insert racon sym and assoc lgd AIS at Lt FI.WR.5s10/8M in 54°18'·45N 8°37'·05W (ILNW 315/20)

#### 8 **Killala**

Amend Lt to 2xLdg.Iso.Bu.2s in 54°12'·96N 9°12'·97W (ILNW 426/20)

#### 9 **Annagh Head W**

Move Y spec pillar Lt buoy FI.Y from:

54°13'·92N 10°08'·86W to 54°13'·62N 10°09'·30W. Del assoc. lgd (2 buoys)

54°17'·22N 10°16'·98W to 54°16'·69N 10°18'·19W. Del assoc. lgd (2 buoys)

Insert Y spher Lt buoy FI.Y in 54°13'·87N 10°08'·65W (ILNW 525/20)

**10 Gubacashel (Main chart & Plan B)**

Insert racon sym and assoc. lgd AIS at Lt Iso.WR.4s27m17/12M in 54°16'·06N 9°53'·32W (ILNW 92/21)

**11 Clare Island N**

Delete Y spher Lt buoy FI(5)Y.20s A/S and assoc racon sym in 53°51'·87N 10°03'·11W (ILNW 345/21)

**12 Darby's Pt (Plan D)**

Amend Lt Ldg2Oc to Ldg2Oc.Bu in 53°52'·50N 9°56'·90W (ILNW 460/21)

**13 Murvey Rocks**

Insert underwater rock symbol enclosed by dangerline in 53°21'·99N 10°01'·24W (ILNW 569/21)

**14 Aran Islands, Skerd Rocks & Namackan Rocks N**

Numerous depths less than charted exist between Cromwell Shoal & Inisheer. The most significant are as follows:

Insert depth:

4·5m in 53°15'·40N 9°59'·29W

4·3m in 53°14'·95N 9°58'·34W

2·9m in 53°08'·48N 9°50'·29W

Replace depth:

4·3m with depth 2·7m in 53°15'·85N 9°56'·27W

7·3m with depth 3·7m in 53°15'·55N 9°51'·10W

Yachtsmen are advised to navigate with caution throughout the area. (ILNW 398/22)

**15 Hen I. S**

Insert depth 4·7m in 53°22'·04N 10°04'·64W (ILNW 417/22)

**16 Inisheer N, Aran Islands**

Insert Lt FI.WRG.5s8M in 53°04'·10N 9°31'·34W (ILNW 554/22)

**17 Approaches to Ballyconneely Bay & Big Sound (Main chart & Plan I)**

**Main chart**

Insert:

Depth 1·0m in 53°23'·12N 10°02'·83W. Delete depth 5·2m close N

Drying rock sym in 53°24'·20N 10°04'·03W

Replace depth 1·5m with 0·7m in 53°24'·12N 10°04'·48W

**Main chart & Plan I**

Replace depth 6·4m with 4·4m in 53°21'·46N 9°58'·08W (ILNW 94/23)

**18 Croaghnaकेela W**

Replace depth:

9·8m with 4·0m in 53°20'·37N 10°03'·31W

8·2m with 5·3m in 53°19'·55N 10°02'·43W

Insert lgd *Less Water Rep.* (2023) centred on 53°19'·83N 10°03'·54W (ILNW 153/23)

**19 Skerd Rocks**

Insert depth:

5·2m in 53°16'·05N 9°57'·65W

1·5m in 53°15'·90N 9°58'·98W

3·2m in 53°15'·71N 9°58'·65W

3·4m in 53°15'·36N 9°57'·94W

2·2m in 53°15'·00N 9°57'·30W. Delete depth 42m close S

Replace depth 9·4m with 4·2m in 53°16'·37N 9°57'·76W (ILNW 194/23)

**20 Mweenish I. to Rossaveel**

Numerous depths less than charted exist between Mweenish I. and Rossaveel. The most significant are as follows:

Insert depth:

1·4m in 53°17'·08N 9°49'·44W

0·9m in 53°14'·75N 9°45'·70W

Insert drying patch in:

53°16'·78N 9°49'·03W

53°17'·08N 9°48'·87W

Replace depth 2·1m with drying patch in 53°17'·22N 9°48'·69W

Replace depth 3·0m with drying height -0·8m in 53°16'·50N 9°33'·87W (ILNW 263/23)

**21 Gorumna Island W**

Replace depth:

5·8m with 3·7m enclosed by 5m contour in 53°16'·50N 9°45'·50W

0·6m with 0·2m in 53°17'·41N 9°49'·93W (ILNW 145/24)

**22 Clew Bay**

Insert depths:

5.1m in 53°48'·57N 9°43'·94W and delete depth 6.2m close NW

7.4m in 53°48'·16N 9°43'·79W and delete depth 9m close SE

8.2m in 53°48'·35N 9°45'·17W enclosed by 10m contour (ILNW 501/24)

**23 Killala Bay**

Insert Lt DirOc.WRG.4s3M in 54°16'·06N 9°03'·69W (ILNW 518/24)

**24 Killala Bay**

Insert dangerous wk sym in 54°15'·86N 9°08'·47W (ILNW 537/24)