

Imray Correction Notice

ICC25-6

24 November 2025

Chart C25^{WGS 84}

Edition 2023

Versions available:

New Edition (corrected to January 2023)

Update (corrected to February 2024)

NOTES

Below is a complete list of corrections issued since the 2023 edition of this chart was published. Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction. Any further corrections will be applicable from that point onwards.

1 Off Botney Grounds TSS S

Delete Y sphere Lt buoy **ODAS NW B1** in 53°22'74N-3°06'95E (ILNW 23/23)

2 Hornsea Project Two Wind Farm

Work on the Hornsea Project Two Wind Farm is complete. Delete lgd *under const'n (buoyed)* centred on 53°53'45N-1° 30'08E. Amend assoc magenta restricted area linework to black packed line (ILNW 63/23)

3 Approaches to IJmuiden

Delete YBY W cardinal pillar Lt buoy **Eveline** VQ(9)10s in 52°25'47N-4°24'76E (ILNW 128/23)

4 IJmuiden (Plan C)

Amend minor Lt Iso.G.6s to F.G in 52°27'75N-4°33'81E Insert minor Lt F in 52°27'88N-4°35'22E (ILNW 171/23)

5 Binnenspuikanaal (Plan C)

Delete minor Lt F in 52°28'14N-4°36'94E (ILNW 178/23)

6 The Wash

Amend fog signal, Whistle, to Bell at RW safewater Lt buoy **N-Well** LFL.10s in 53°03'02N-0°27'90E (ILNW 185/23)

7 The Broad Fourteens

Delete Y sphere. Lt buoy **AM 3** Fl.Y.5s in 52°33'66N-3°42'98E (ILNW 190/23)

8 Smiths Knoll NW

Insert *Obstr* sym. in 52°57'97N-2°05'73E (ILNW 230/23)

9 TSS Off Vlieland W (correction amended see ILNW 48/24 & 191/24)

Insert Y Lt superbuoy with x topmark Fl(5)Y.20s plus racon sym. & assoc. lgd AIS:

Accurasea 1 in 53°20'4N-4°04'7E

Accurasea 2 in 53°20'4N-4°03'0E (ILNW 239/23)

10 Vlieland W

Delete YBY W card pillar Lt buoy **Baden** Q(9)15s in 53°13'62N-4°41'29E (ILNW 273/23)

11 Platforms

Delete lit platform:

P11-E in 52°21'3N-3°35'1E **P6-D** in 52°42'0N-3°43'5E **P6-B** in 52°44'2N-3°48'2E

HavenA in 52°58'3N-4°06'4E

L8-H in 53°33'8N-4°34'0E

L8-A in 53°35'0N-4°28'2E

Delete racon sym and assoc lgd Racon(T) from lit platform **Goeree** in 51°55'5N-3°40'1E (ILNW 329/23)

12 OFF Texel TSS

Delete lit platform **HoornA** in 52°55'48N-4°08'94E (ILNW 338/23)

13 Hollandse Kust Zuid Wind Farm

A passage through Hollandse Kust Zuid Wind Farm has been established bounded by: 52°20'63N-3°55'51E

52°20'60N-3°59'98E

52°22'43N-4°14'07E

52°21'34N-4°13'24E

52°19'24N-3°55'06E

Add assoc lgd (*buoyed channel*)

The use of AIS and VHF Ch 16 is compulsory when navigating this channel. Outside of the passage remains a prohibited area (ILNW 352/23)

14 **Off Botney Ground TSS S**

Delete YBY W cardinal pillar Lt buoy **Shell 17** Q(9)15s in 53°13'63N-2°48'70E (ILNW 41/24)

15 **TSS Off Vlieland W**

Delete Y Lt superbuoy **Accurasea 1** Fl(5)Y.20s A/S in 53°20'50N-4°04'76E (ILNW 48/24)

16 **Off Vlieland TSS W** (correction amended see ILNW 131/25)

Insert Y special purpose superbuoy **Accurasea 6** Fl(5)Y.20s with assoc racon sym and lgd A/S in 53°20'92N-4°04'67E Delete Y spher Lt buoy **PEN-7** Fl(4)Y.12s in 53°27'62N-4°09'24E (ILNW 159/24)

17 **TSS Off Vlieland W** (correction amended see ILNW 112/25)

Rename Y special purpose superbuoy **Accurasea 2** to **Accurasea 4** in 53°20'44N-4°02'71E (ILNW 191/24)

18 **Den Haag NW**

Insert entry prohibited symbol assoc with the *Test Area* centred on 52°10'0N-4°06'1E (ILNW 216/24)

19 **Docking Shoal**

Insert depth 4.7m in 53°10'47N-0°48'32E. Delete depth 5.8m close SE. (ILNW 290/24)

20 **Hollandse Kust Zuid Wind Farm**

Insert lit platform **HKW-B** plus assoc. racon sym and lgd AIS in 52°36'82N-3°44'22E (ILNW 292/24)

21 **Rijnveld N**

Delete lit platform **P12-SW** in 52°24'39N-3°45'52E (ILNW 294/24)

22 **Long Sand Head**

Insert BY N-cardinal pillar Lt buoy **Long Sand Head** VQ plus assoc. fog signal Bell in 51°48'37N-1°38'16E

Replace BY N-cardinal pillar Lt buoy **Long Sand Head** VQ with BYB E cardinal pillar Lt buoy **East Long Sand Head** Q(3) 10s plus racon sym and assoc. lgd AIS in 51°48'12N-1°39'39E (ILNW 326/24)

23 **Newarp Banks & Middle Cross Sand E**

Insert depth:

9m, enclosed by 10m contour, in 52°46'6N-1°52'3E. Delete depth 10.1m close S 9.3m enclosed by 10m contour, in 52°42'9N-1°58'3E. Delete depth 10.4m close SW Replace depth 8.7m with depth 7m in 52°43'7N-1°57'9E (ILNW 360/24)

24 **South Cross Sand**

Insert depth 6.1m in 52°37'70N-1°51'55E and delete depth 8m close by (ILNW 373/24)

25 **Windermere Field**

Delete:

Lit platform **49/9b** in 53°49'89N-2°46'28E

Y pillar Lt buoy Fl.Y.10s in 53°50'64N-2°52'08E (ILNW 380/24)

26 **Spurn Head SE**

Replace radar beacon Racon(M) with Racon(T) at **Spurn** Lt float in 53°33'42N-0°14'15E (ILNW 397/24)

27 **Anglia Gas Field**

Delete lit platform **48/19b-A** and associated radar bn Racon(Q) in 53°22'1N-1°39'1E (ILNW 401/24)

28 **Wintershall Field**

Delete lit platform **L5-B** in 53°42'26N-4°36'14E (ILNW 419/24)

29 **Nieuw Zeeland Gronden N**

Insert platform sym. **Noble Resolute** in 53°45'7N-3°52'1E (ILNW 492/24)

30 **Petroland Field**

Delete lit platform **L7-A** and assoc AIS in 53°36'0N-4°04'9E (ILNW 512/24)

31 **Terschelling NW**

Delete dangerous wk sym in 53°23'0N-5°03'0E (ILNW 525/24)

32 **TSS Off Texel SW**

Delete Y spher Lt buoy **MO 12** Fl.Y.5s in 52°44'0N-3°50'0E (ILNW 526/24)

33 **East Anglia Three Offshore Wind Farm**

Work has commenced on the East Anglia Three Offshore Wind Farm. Insert magenta maritime limit joining: 52°31'81N-2°45'15E

52°34'64N-2°44'90E

52°37'47N-2°44'87E

52°40'30N-2°44'85E

52°43'12N-2°45'09E

52°44'64N-2°47'48E

52°45'50N-2°50'96E

52°45'71N-2°55'56E

52°45'92N-3°00'15E

52°43'69N-3°00'75E

52°40'79N-2°59'02E

52°38'17N-2°56'53E

52°35'54N-2°54'04E
52°32'92N-2°51'56E
52°31'15N-2°48'25E

Add lgd *East Anglia Three Wind Farm under construction* within this limit. All vessels should navigate with caution in the area (ILNW 535/24)

34 Docking Shoal & Race Bank

Insert depth:

4.9m in 53°12'43N-0°43'16E

1.9m in 53°11'31N-0°53'41E and delete depth 2.3m close NW

2m in 53°10'63N-0°54'08E and delete depth 2.5m close SW (ILNW 539/24)

35 Off Texel TSS NW

Insert Y spher Lt buoy **W-D** LFl.Y.10s in 53°03'98N-4°03'63E (ILNW 540/24)

36 Off Brown Ridge TSS E

Delete Y spher Lt buoy **BP7** LFl.Y.10s in 52°54'55N-3°24'39E (ILNW 541/24)

37 East Anglia Three Offshore Wind Farm N-& S

Insert Y pillar Lt buoy Fl(5)Y.20s in:

52°32'88N-2°46'96E

52°32'82N-2°58'45E (ILNW 551/24)

38 Noordwinning Field SE

Delete lit platform **Allseas Test** in 53°14'03N-3°14'53E (ILNW 563/24)

39 Petroland Field *(correction amended see ILNW 1/25)*

Replace lit platform **L7-N** and associated AIS with Virtual AIS sym with special topmark in 53°34'4N-4°10'5E Replace lit platform **L7-H** and associated AIS with Virtual AIS sym with special topmark in 53°37'5N-4°08'6E Insert Virtual AIS sym with special topmark in 53°36'0N-4°04'9E (ILNW 591/24)

40 The Broad Fourteens

Delete lit platform **Horizon P9-6** and assoc. AIS in 52°33'15N-3°44'46E (ILNW 610/24)

41 Helm Field & Helder Field

Delete lit platform and assoc. racon sym. Helm A Racon (T) in 52°52'30N-4°08'44E Delete lit platform Helder A in 52°55'24N-4°05'83E (ILNW 611/24)

42 Petroland Gas Field

Insert Y spher Lt buoy:

Fl(4)Y.10s in 53°38'5N-4°08'6E Fl.Y.5s in 53°34'9N-4°05'0E LFl.Y.10s in 53°34'8N-4°08'9E

Delete Virtual AIS sym with special topmark in:

53°34'4N-4°10'5E

53°37'5N-4°08'6E

53°36'0N-4°04'9E (ILNW 1/25)

43 Rijnveld N

Insert racon sym and lgd AIS at Y spar Lt buoy Fl.Y.6s in 52°22'2N-3°21'2E Delete AIS at lit platform **P11-B** in 52°21'6N-3°20'5E (ILNW 3/25)

44 The Broad Fourteens NW

Delete lit platform **P6-A** plus associated AIS in 52°45'3N-3°45'4E (ILNW 13/25)

45 Off Brown Ridge TSS E

Delete Y spher Lt buoy Fl.Y.5s in 52°53'54N-3°25'96E (ILNW 22/25)

46 Galloper Wind Farm E

Insert Y Lt superbuoy Fl(5)Y.20s plus assoc AIS in 51°55'74N-2°07'28E (ILNW 28/25)

47 Hewett Ridges

Insert depth 6.9m in 52°57'75N-2°03'24E (ILNW 74/25)

48 TSS Off Vlieland W

Delete Y Lt superbuoy **Accurasea 4** Fl(5)Y.20s and associated AIS in 53°20'44N-4°02'71E (ILNW 112/25)

49 Off Vlieland TSS W *(correction amended see ILNW 214/25)*

Delete lgd **Accurasea 6** at Y superbuoy in 53°20'92N-4°04'67E (ILNW 131/25)

50 Off Vlieland TSS W

Amend Lt:

NAM 17 Y spher Lt buoy to Fl.Y.5s in 53°10'96N-3°35'31E

NAM 53 Y spher Lt buoy to Fl.Y.5s in 53°14'29N-4°05'64E (ILNW 132/25)

51 Wintershall Field

Delete lit platform **L8-P** in 53°38'41N-4°33'76E (ILNW 189/25)

52 Off Vlieland TSS W

Delete Y superbuoy Fl(5)Y.20s and assoc AIS in 53°20'92N-4°04'67E (ILNW 214/25)

53 North Sea

Insert $Q12_{\alpha}, F(5)Y.20s$ in 52°55'70N-4°09'02E (ILNW 235/25)

54 North Sea - Dutch Sector

Insert AIS  HW-R1 in 52°41'13N-3°48'98E (ILNW 302/25)

55 North Sea

Wind farm, *IJmuiden Ver (IJVER)*, construction works are taking place, within an area bounded by the following positions:

53°01'06N-3°29'16E.

52°52'58N-3°44'36E.

52°37'11N-3°24'47E.

52°37'13N-3°11'23E.

52°38'04N-3°11'28E.

52°53'20N-3°24'56E.

Mariners are advised to navigate with caution in the area (ILNW 307/25)

56 North Sea - Dutch Sector

Insert limit of anchorage area, pecked line joining:

52°10'92N-3°34'10E (a)

52°15'45N-3°34'16E

52°15'46N-3°40'16E

52°12'45N-3°40'12E

52°10'87N-3°44'79E

Delete former limit of anchorage area, pecked line, joining (a) above and 52°10'90N-3°44'79E

Insert $T AQ A \int_{\theta} VQ$ in 52°13'98N-3°54'16E

Move  from 52°09'31N-3°38'86E to 52°09'31N-3°38'86E (ILNW 314/25)

57 Hollandse Kust West Wind Farm

Insert AIS  HW-R1 in 52°42'1N-3°49'0E

Delete AIS  close S (ILNW 315/25)

58 Outer Dowsing Shoal N

Amend legend to (4 buoys) centred on 53° 31'55N-1° 04'82E (ILNW 379/25)

59 North Sea - Dutch Sector Deep Water Route

Insert $Obstns$  in 53°14'94N-3°30'72E (ILNW 399/25)