

# Imray Correction Notice ICC63-2

23 May 2024

## Chart **C63** WGS 84 Edition 2016

*Versions available:*

*New Edition (corrected to September 2016)*

*Update (corrected to May 2018)*

*Update (corrected to May 2019)*

*Update (corrected to April 2020)*

*Update (corrected to March 2021)*

*Update (corrected to March 2022)*

*Update (corrected to April 2024)*

### NOTES

*Below is a complete list of corrections issued since the 2016 edition of this chart was published.*

*Each correction is issued with an ILNW reference number and year.*

*Corrections are listed chronologically in ascending order.*

*For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.*

*Any further corrections will be applicable from that point onwards.*

#### 1 **Troon (Main chart & Plan R)**

##### **Main chart & Plan R**

The R can buoy in 55°33'·32N 4°40'·69W is now lit. Add desc. Fl.R.2s

##### **Plan R**

Delete Y spec. spher. Lt buoy Fl.Y.2s in 55°33'·19N 4°40'·98W

Insert depth 1·6m enclosed by 2m contour in 55°33'·07N 4°41'·00W

Delete G con. Lt buoy Fl.G.4s in 55°33'·06N 4°41'·34W. This buoy now plots outside the W extent of this plan. (ILNW 26/17)

#### 2 **Loch Goil**

Delete Lt F.5M in 56°07'·17N 4°54'·69W plus assoc. ldg line and lgd 318° extending in direction 138° (ILNW 207/17)

#### 3 **Sanda Sound**

Delete Y spec. pillar Lt buoy Fl.Y.5s in 55°18'·17N 5°35'·86W (ILNW 221/17)

#### 4 **Rothesay Harbour (Plan H)**

Insert Lt 2Fl.Y(vert)5s9m5M in 55°50'·34N 5°03'·19W (ILNW 253/17)

#### 5 **Isle of Bute**

Delete wind turbine sym. in 55°50'·16N 5°08'·05W (ILNW 348/17)

#### 6 **North Channel**

Insert depth 1·9m in 54°52'·52N 5°09'·44W (ILNW 570/17)

#### 7 **Portpatrick (Plan V)**

Replace underwater Rk depth 0·6m with underwater Rk depth 0·1m in 54°50'·51N 5°07'·38W (ILNW 571/17)

#### 8 **Finnarts Point NW & Genoch Rocks**

Insert:

Rk which covers/uncovers sym. enclosed by dangerline in 54°59'·24N 5°10'·92W

Depth 0·9m in 55°01'·64N 5°03'·73W (ILNW 603/17)

#### 9 **Brodick Bay**

Insert minor Lt star 2F.R(vert) marking the end of the new pier in 55°34'·69N 5°08'·11W

Delete G Lt flash at Lt 2F.R(vert) in 55°34'·63N 5°08'·29W (ILNW 627/17)

#### 10 **North Channel, East Maiden**

Amend Lt Fl(3)15s29m23M&Fl.R.5s15m8M to Fl(3)15s32m18M&Fl.R.5s15m8M in 54°55'·74N 5°43'·65W. Radar beacon and AIS remain unchanged. (ILNW 632/17)

**11 Ayr (Plan S)**

The pontoon on the S shore of the River Ayr near the fish quay has been removed.

Delete:

Y minor Lt F in 52°28'·04N 4°38'·26W

Pontoon, line, joining:

52°28'·04N 4°38'·26W

55°28'·00N 4°38'·18W

and

55°28'·00N 4°38'·19W

55°28'·00N 4°38'·21W (shore)

Lgd *Pontoon* centred on 55°28'·02N 4°38'·23W (ILNW 522/18)

**12 Girvan (Plan T)**

Amend dredged depth:

2·6m (2001) to 0·8m (2018) centred on 55°14'·72N 4°51'·79W

1·7m (2014) to 1·2m (2018) centred on 55°14'·64N 4°51'·55W (ILNW 527/18)

**13 Lamlash Harbour (Plan I)**

Delete Bn sym in:

55°30'·84N 5°04'·23W

55°30'·64N 5°05'·07W (ILNW 619/18)

**14 Ardrossan (Plan P)**

Insert lit signal station sym. SS(Traffic) in:

55°38'·42N 4°49'·57W

55°38'·49N 4°49'·38W

Delete lgd SS(Traffic) at Control Tr in 55°38'·49N 4°49'·23W (ILNW 731/18)

**15 Isle of Bute, Rothesay NE**

Delete church sym. TR in 55°50'·63N 5°02'·25W (ILNW 41/19)

**16 Kintyre, Claonaig Bay**

Amend Lt Iso.WRG.3s5m4M to Iso.WRG.3s5m2M (seasonal) in 55°45'·04N 5°23'·28W (ILNW 420/19)

**17 Ardrishaig (Plan B)**

Move Lt 2F.G.(vert)3m4M in 56°00'·80N 5°26'·67W to 56°00'·80N 5°26'·64W (ILNW 434/19)

**18 Glenmallan Jetty, Loch Long**

Delete minor G Lt in 56°07'·88N 4°49'·10W (ILNW 436/19)

**19 Irvine (Main chart & Plan Q)**

**Main chart**

Delete Lt Fl.G in 55°36'·17N 4°42'·04W

**Plan Q**

Amend lgd (*see note*) to (*see Caution*) centred on 55°36'·15N 4°42'·30W

Replace existing note **DEPTHS** with:

**CAUTION**

Irvine harbour is not currently being maintained, there are reports of numerous underwater obstructions. Entry is not advised without local knowledge.

Replace G Lt Bn Fl.G.3s6m5M with Bn sym. plus assoc. lgd (ru) in 55°36'·17N 4°42'·04W

Delete:

minor Lt star in 55°36'·46N 4°41'·52W

Lt F.R.15m5M in 55°36'·43N 4°41'·50W

Lt F.G.10m5M in 55°36'·40N 4°41'·57W

plus assoc. leading line & lgd Ldg Lts 051° extending in direction 231° (ILNW 626/19)

**20 Hunterston Channel W (Plan M)**

Delete mooring buoy sym. in:

55°46'·66N 4°53'·77W

55°46'·62N 4°53'·73W

55°46'·48N 4°53'·75W

Delete pontoon & assoc. lgd, *Pontoon (lit)*, centred on 55°46'·64N 4°53'·75W (ILNW 86/20)

**21 Ayr (Main chart & Plan S)**

Insert depth 0·4m in 55°28'·06N 4°39'·13W (ILNW 119/20)

**22 Firth of Clyde (Main chart & Plan R)**

Numerous depths less than charted exist between Irvine and Turnberry Point. The most significant are as follows:

Insert depth:

1.1m in 55°33'·85N 4°40'·38W

1.7m in 55°32'·67N 4°41'·28W (Plan R)

2.8m in 55°31'·86N 4°44'·20W

0.2m in 55°22'·62N 4°46'·65W

Replace depth 4.4m with depth 0.5m in 55°26'·99N 4°40'·05W

Yachtsmen are advised to navigate with caution in the vicinity. (ILNW 128/20)

**23 Ayr South Pier (Plan S)**

Amend Lt to Q.7m7M&Fl.G.4s5m5M in 55°28'·17N 4°38'·74W. (ILNW 204/20)

**24 Largs S (Plan M)**

Insert:

Y special bn in 55°47'·13N 4°52'·08W

Obstn sym with assoc. lgd *Diffuser* with a drying height -0.2m in 55°47'·13N 4°52'·00W

Outfall joining 55°47'·17N 4°51'·83W and 55°47'·13N 4°52'·00W

Delete depth 0.4m close N (ILNW 253/20)

**25 Mull of Kintyre**

Amend range of Lt to 18M in 55°18'·62N 5°48'·20W (ILNW 410/20)

**26 Irvine (Plan Q)**

Amend bridge vertical clearance height to 4.0m in 55°36'·45N 4°41'·55W (ILNW 418/20)

**27 Lower Loch Fyne, Beaufort Rk**

Replace depth 4.3m with 2.7m in 55°59'·47N 5°24'·06W (ILNW 565/20)

**28 Upper Loch Fyne**

Delete Lt bn F (occas) in:

56°08'·52N 5°08'·20W

56°07'·78N 5°08'·92W (ILNW 619/20)

**29 Ayr (Plan S)**

Insert depth:

1.6m in 55°28'·08N 4°38'·31W

3.6m in 55°28'·18N 4°38'·73W, Delete depth 4.5m close N (ILNW 10/21)

**30 Holy Island S (Main chart & Plan I)**

Delete Lt Fl.G.3s14m6M (Fl.G.6M on main chart) in 55°30'·73N 5°04'·21W (ILNW 41/21)

**31 Loch Long**

Delete:

Lt Q.10M in 56°07'·41N 4°49'·96W

RW Lt bn F in 56°07'·45N 4°49'·91W

Insert minor Lt Fl(2)Y.2M & DirWRG in:

56°07'·52N 4°49'·22W

56°07'·20N 4°49'·58W

56°06'·80N 4°51'·10W

56°07'·38N 4°50'·19W (ILNW 89/21)

**32 Loch Long, Ravenrock Pt**

Insert racon sym and assoc. lgd AIS at Lt Fl.10M & DirWRG in 56°02'·15N 4°54'·38W (ILNW 167/21)

**33 Rhu Narrows (Plan J)**

Insert R can Lt buoy:

**No 6** Fl.R.2s in 56°00'·42N 4°47'·08W

**No 4** Fl.R.4s in 56°00'·16N 4°46'·15W (ILNW 170/21)

**34 Largs (Plan M)**

Insert Lt Fl.R.6s in 55°47'·73N 4°52'·27W (ILNW 610/21)

**35 Arran SW**

Insert depth:

2·9m in 55°32'·86N 5°21'·17W. Del depth 3·7m close S

2·1m in 55°29'·69N 5°20'·44W

Replace depth 3·5m with 1·8m in 55°27'·08N 5°17'·96W

Insert drying rk sym in 55°27'·54N 5°18'·41W (ILNW 86/22)

**36 Canal Basin, Ardrishaig (Plan B)**

Delete Lt F.G in 56°00'·73N 5°26'·77W (ILNW 160/22)

**37 Campbeltown Loch (Plan D)**

Insert depth:

0·8m in 55°25'·88N 5°33'·60W

0·1m in 55°25'·79N 5°33'·85W

Delete *obstr* 8·5m in 55°25'·59N 5°35'·64W (ILNW 177/22)

**38 Isle of Arran S** (*correction superseded see ILNW 261/23*)

Insert Y special purpose pillar Lt buoy Fl(5)Y.20s in 55°24'·91N 5°11'·71W (ILNW 276/22)

**39 Brodick, Arran**

Delete minor Lt 2F.R(vert) in 55°34'·64N 5°08'·37W (ILNW 293/22)

**40 Approaches to Ayr (Plan S)**

Insert G con Lt buoy **Inner St Nicolas** Iso.G.1s in 55°28'·12N 4°39'·06W (ILNW 413/22)

**41 Largs (Main chart & Plan M)**

Delete Y unlit bn in:

55°48'·49N 4°52'·79W (with diamond topmark) (main chart)

55°48'·19N 4°52'·73W (with triangular topmark) (main chart & Plan M) (ILNW 517/22)

**42 Troon (Plan R)**

Delete G con Lt buoy Q.G in 55°32'·82N 4°40'·63W (ILNW 5/23)

**43 Approaches to Troon (Plan R)**

Insert Y can Lt buoy Fl.Y.4s:

**1** in 55°33'·03N 4°40'·70W

**2** in 55°33'·08N 4°40'·76W

**3** in 55°33'·15N 4°40'·84W

**4** in 55°33'·19N 4°40'·98W

This marks the northern edge of the maintained depth area (ILNW 85/23)

**44 Bridge, Irvine (Plan Q)**

Insert:

R Lt in 55°36'·46N 4°41'·52W

G Lt in 55°36'·45N 4°41'·51W

Add assoc lgd Q(2)R&G.15s (ILNW 108/23)

**45 Lamlash Harbour (Plan I)**

Replace depth 3·7m with *obstr* depth 3·0m in 55°31'·98N 5°07'·28W (ILNW 177/23)

**46 Isle of Arran S**

Delete Y special purpose pillar Lt buoy Fl(5)Y.20s in 55°24'·91N 5°11'·71W (ILNW 261/23)

**47 Ayr (Plan S)**

Insert depth:

0·5m in 55°28'·18N 4°38'·57W. Extend 2m contour to enclose

1·4m in 55°28'·15N 4°38'·77W. Extend 2m contour W

2·5m in 55°28'·22N 4°38'·26W. Delete depth 4m close NE

2·8m in 55°28'·16N 4°38'·62W

2·9m in 55°28'·18N 4°38'·76W. Delete depth 3·6m close E (ILNW 296/23)

**48 Millport (Main chart & Plan O)**

**Main chart**

Delete:

R Lt in 55°45'·10N 4°55'·91W

G Lt in 55°45'·89N 4°55'·59W

**Plan O**

Work has begun on a new breakwater at Millport.

The following lights are now extinguished:

F.R.9m5M in 55°45'·10N 4°55'·91W

F.R.7m5M in 55°45'·03N 4°55'·85W. The assoc ldg line is discontinued.

Q.G.5m2M (*Sept-April*) in 55°44'·89N 4°55'·59W

Insert lgd *Works in Progress* centred on 55°44'·97N 4°55'·82W

Temporary buoys have been placed to mark the work area.

Entry to and from Millport Harbour is to the East of Millport Bay whilst work is in progress.

Consult the local port authorities for the latest information (ILNW 353/23)

**49 Approaches to Dumbarton (Plan K)**

Insert lgd *Less water* centred on 55°56'·01N 4°34'·29W (ILNW 376/23)

**50 Great Cumbrae Island N (Plan M)**

Insert Obsn sym with assoc lgd *Rep (PA)* in 55°47'·55N 4°54'·55W (ILNW 36/24)

**51 Troon (Plan R)**

Depths shown within Troon Harbour are subject to siltation and liable to change. For the latest information, consult the Harbour Master. (ILNW 86/24)

**52 Loch Ryan**

Delete lgd (Marked by light beacons) centred on 54°55'·68N 5°01'·75W (ILNW 112/24)

**53 Kintyre S**

Replace depth 5·5m with 1·1m in 55°18'·33N 5°37'·71W (ILNW 143/24)

**54 Scientific Instruments**

Insert lgd *Scientific Instruments* in 55°24'·09N 5°06'·40W (ILNW 172/24)

**55 Largs Channel (Plan M)**

Delete G con Lt buoy **Hun 5** Fl.G.5s in 55°45'·87N 4°52'·52W (ILNW 212/24)

**56 Mermaid Shoal N**

Insert lgd *Scientific Instruments* in 55°11'·52N 5°22'·48W (ILNW 215/24)