

# Imray Correction Notice IC2900-2

23 May 2024

## Chart 2900 WGS 84

*Edition 2020*

*Versions available:*

*New Edition (corrected to May 2020)*

### NOTES

*Below is a complete list of corrections issued since the 2020 edition of this chart was published.*

*Each correction is issued with an ILNW reference number and year.*

*Corrections are listed chronologically in ascending order.*

#### 1 **Largs S (2900.6)**

Insert:

Y special bn in 55°47'·13N 4°52'·08W

Obstn sym with assoc. lgd *Diffuser* with a drying height -0.2m in 55°47'·13N 4°52'·00W

Outfall joining 55°47'·17N 4°51'·83W and 55°47'·13N 4°52'·00W (ILNW 253/20)

#### 2 **Mull of Kintyre (2900.2)**

Amend range of Lt to 18M in 55°18'·62N 5°48'·20W (ILNW 410/20)

#### 3 **Irvine (2900.4 Plan B)**

Insert bridge vertical clearance height 4.5m in 55°36'·45N 4°41'·55W (ILNW 418/20)

#### 4 **Grogport SE (2900.13 & 14)**

Insert depth 0.4m in 55°38'·29N 5°28'·58W. Delete depths 1.3, close NW & 5.1m close SE. (ILNW 552/20)

#### 5 **Lower Loch Fyne (2900.11 & 2900.1)**

Replace depth 4.3m with 2.7m in 55°59'·47N 5°24'·06W (ILNW 565/20)

#### 6 **Loch Long (2900.8)**

Replace Lt F.G.42m13M (occas) with Lt 3F.R(vert) in 56°03'·98N 4°52'·54W (ILNW 597/20)

#### 7 **Upper Loch Fyne (2900.1)**

Delete Lt in:

56°08'·52N 5°08'·20W

56°07'·78N 5°08'·92W (ILNW 619/20)

#### 8 **Upper Loch Fyne (2900.12)**

Delete Lt in:

56°08'·52N 5°08'·20W

56°07'·78N 5°08'·92W. Del assoc. ldg line 209° (ILNW 619/20)

#### 9 **Ayr (2900.3 Plan B)**

Insert depth:

1.6m in 55°28'·08N 4°38'·31W

3.6m in 55°28'·18N 4°38'·73W, Delete depth 4.5m close N (ILNW 10/21)

#### 10 **Holy Island S (2900.1)**

Delete Lt Fl.G.6M in 55°30'·73N 5°04'·21W (ILNW 41/21)

#### 11 **Holy Island S (2900.4 & 2900.5)**

Delete Lt and assoc. Lt sector Fl.G.3s14m6M in 55°30'·73N 5°04'·21W (ILNW 41/21)

**12 Loch Long (2900.8)**

Delete:

Lt Q.8m10M in 56°07'·41N 4°49'·96W and assoc. leading line 031° and light halo

Minor Lt F.13m in 56°07'·45N 4°49'·91W

Insert minor Lt F(2)Y.2M & DirWRG in:

56°07'·52N 4°49'·22W

56°07'·20N 4°49'·58W

56°06'·80N 4°51'·10W

56°07'·38N 4°50'·19W (ILNW 89/21)

**13 Loch Long (2900.1)**

Delete Lt Q.10M in 56°07'·41N 4°49'·96W (ILNW 89/21)

**14 Lower Loch Fyne (2900.11)**

Amend variation value of compass rose in 55°49'·0N 5°17'·0W to 2° 25' W (2020) (ILNW 147/21)

**15 Loch Long, Ravenrock Pt (2900.8)**

Insert racon sym and assoc. lgd AIS at Lt Fl.10M & DirWRG in 56°02'·15N 4°54'·38W (ILNW 167/21)

**16 Loch Long, Ravenrock Pt (2900.1)**

Insert racon sym and assoc. lgd AIS at Lt Fl.10M & DirWRG in 56°02'·15N 4°54'·38W (ILNW 167/21)

**17 Rhu Narrows (2900.8 Plan E)**

Insert R can Lt buoy:

**No 6** Fl.R.2s in 56°00'·42N 4°47'·08W

**No 4** Fl.R.4s in 56°00'·16N 4°46'·15W (ILNW 170/21)

**18 Rathlin Island (2900.2)**

Amend range of Lt to 18M in:

55°18'·05N 6°16'·81W

55°18'·09N 6°10'·28W (ILNW 344/21)

**19 Largs (2900.6)**

Replace bn with Lt Fl.R.6s in 55°47'·73N 4°52'·27W (ILNW 610/21)

**20 Loch Long, Glenmallan Jetty (2900.8)**

Work is now complete at Glenmallan Jetty. Delete assoc lgd along with the no entry area centred on 56°07'·84N 4°49'·15W

Insert Lt Fl.G.5s in:

56°07'·94N 4°49'·07W

56°07'·75N 4°49'·13W

Insert minor G Lt in:

56°07'·86N 4°49'·10W

56°07'·79N 4°49'·13W (ILNW 627/21)

**21 Gareloch N (2900.8)**

Insert dangerous wk sym in 56°04'·50N 4°50'·17W (ILNW 54/22)

**22 Kilbrannan Sound (2900.14)**

Replace depth:

3·5 with 2·9m in 55°32'·86N 5°21'·17W

3·5 with 1·8m in 55°27'·08N 5°17'·96W

1·2 with 0·6m in 55°28'·57N 5°31'·47W

Insert depth:

2·1m in 55°29'·69N 5°20'·44W

3·3m in 55°28'·85N 5°20'·01W

Insert drying rk sym in 55°27'·54N 5°18'·41W (ILNW 86/22)

**23 Ardrishaig (2900.11 Plan C)**

Delete Lt F.G in 56°00'·73N 5°26'·77W (ILNW 160/22)

**24 Garracheroit Bàgh (2900.13)**

Replace depth 4·3m with 3·0m in 55°38'·58N 5°28'·80W (ILNW 176/22)

**25 Campbeltown Loch (2900.14 Plan A)**

Insert depth:

1·7m in 55°26'·32N 5°33'·03W. Extend 2m contour E to enclose and del depth 2·5m close E

0·8m in 55°25'·88N 5°33'·60W

Replace depth:

1·7m with 0·1m in 55°25'·79N 5°33'·85W

2·6m with 2·1m in 55°24'·91N 5°35'·04W

Delete *obstn* 8·5m in 55°25'·59N 5°35'·64W (ILNW 177/22)

**26 Campbeltown Loch (2900.14 Plan B)**

Delete *obstn* 8·5m in 55°25'·59N 5°35'·64W (ILNW 177/22)

**27 Largs Yacht Haven (2900.6 Plan B)**

The minute latitude border labels should read 46' not 56' (ILNW 241/22)

**28 Isle of Arran S (2900.1 & 2900.3) (correction superseded see ILNW 261/23)**

Insert Y special purpose pillar Lt buoy Fl(5)Y.20s in 55°24'·91N 5°11'·71W (ILNW 276/22)

**29 Brodick, Arran (2900.1 & 2900.4)**

Delete Lt F.R.4m4M (minor R Lt 2900.1) in 55°34'·64N 5°08'·37W (ILNW 293/22)

**30 Lochranza, Arran (2900.13 Main chart & Plan A)**

Insert Lt Fl(2)G.8s2M in 55°42'·46N 5°17'·95W (ILNW 317/22)

**31 Approaches to Ayr (2900.3 Plan B)**

Insert G con Lt buoy **Inner St Nicolas** Iso.G.1s in 55°28'·12N 4°39'·06W (ILNW 413/22)

**32 Greenock Bay (2900.8)**

Delete Y special spher. Lt buoy Fl(4)Y.10s in 55°57'·53N 4°48'·68W (ILNW 468/22)

**33 Largs (2900.6)**

Delete Y unlit bn with triangular topmark in 55°48'·19N 4°52'·73W (ILNW 517/22)

**34 Largs (2900.7)**

Delete Y unlit bn in:

55°48'·49N 4°52'·79W (with diamond topmark)

55°48'·19N 4°52'·73W (with triangular topmark) (ILNW 517/22)

**35 Troon (2900.4 Plan A)**

Delete G con Lt buoy Q.G in 55°32'·82N 4°40'·63W (ILNW 5/23)

**36 Approaches to Troon (2900.4 Plan A)**

Insert Y can Lt buoy Fl.Y.4s:

**1** in 55°33'·03N 4°40'·70W

**2** in 55°33'·08N 4°40'·76W

**3** in 55°33'·15N 4°40'·84W

**4** in 55°33'·19N 4°40'·98W

This marks the northern edge of the maintained depth area (ILNW 85/23)

**37 Bridge, Irvine (2900.4 Plan B)**

Insert:

R Lt in 55°36'·46N 4°41'·52W

G Lt in 55°36'·45N 4°41'·51W

Add assoc lgd Q(2)R&G.15s (ILNW 108/23)

**38 Clauchlands Point S (2900.5)**

Insert *obstn* depth 2·4m in 55°32'·83N 5°05'·26W. Delete depth 3·7m close W (ILNW 120/23)

**39 Lamlash Harbour (2900.5)**

Insert *obstn* depth 3·0m in 55°31'·98N 5°07'·28W (ILNW 177/23)

**40 Holy Loch Marina (2900.8 Plan F)**

Insert:

depth 1·4m in 55°59'·10N 4°56'·96W. Delete depth 0·7m close SW

*Obstn* 2·2m in 55°59'·00N 4°56'·45W. Delete depth 3·4m close SW (ILNW 208/23)

**41 Isle of Arran S**

Delete Y special purpose pillar Lt buoy Fl(5)Y.20s in 55°24'·91N 5°11'·71W (ILNW 261/23)

**42 Ayr (2900.3 Plan B)**

Insert depth:

0.5m in 55°28'·18N 4°38'·57W. Extend 2m contour S  
1.4m in 55°28'·15N 4°38'·77W. Extend 2m contour W  
2.5m in 55°28'·22N 4°38'·26W. Delete depth 4m close NE  
2.8m in 55°28'·16N 4°38'·62W (ILNW 296/23)

**43 Millport (2900.1)**

Delete:

R Lt in 55°45'·10N 4°55'·91W  
G Lt in 55°45'·89N 4°55'·59W (ILNW 353/23)

**44 Millport (2900.6, 2900.6A & 2900.7)**

Work has begun on a new breakwater at Millport.

The following lights are now extinguished:

F.R.9m5M in 55°45'·10N 4°55'·91W  
F.R.7m5M in 55°45'·03N 4°55'·85W. The assoc ldg line is discontinued.  
Q.G.5m2M in 55°44'·89N 4°55'·59W

Replace visitor moorings lgd with *Works in Progress* centred on 55°44'·97N 4°55'·82W (2600.6 & 2600.6A only)

Temporary buoys have been placed to mark the work area.

Entry to and from Millport Harbour is to the East of Millport Bay whilst work is in progress.

Consult the local port authorities for the latest information (ILNW 353/23)

**45 White Bay, Great Cumbrae Island N (2900.6)**

Insert Obstrn sym with assoc lgd *Rep (PA)* in 55°47'·55N 4°54'·55W (ILNW 36/24)

**46 Troon (2900.4 Plan A)**

Depths shown within Troon Harbour are subject to siltation and liable to change. For the latest information, consult the Harbour Master. (ILNW 86/24)

**47 Holy Loch (2900.8)**

Insert wk awash sym in 55°59'·52N 4°56'·65W (ILNW 87/24)

**48 Clauchlands Point S (2900.5)**

Insert depth 1.4m in 55°32'·90N 5°05'·05W. Extend 2m contour S to enclose and delete depth 2.1m close E (ILNW 100/24)

**49 Loch Ryan (2900.15)**

Delete Lt:

**No 1** Oc.G.6s in 54°56'·68N 5°01'·32W  
**No 3** Q.G in 54°55'·88N 5°01'·59W  
**No 5** Fl.G.3s in 54°55'·09N 5°01'·86W (ILNW 112/24)

**50 Brunerican Bay (2900.14)**

Replace depth 5.5m with 1.1m in 55°18'·33N 5°37'·71W

Insert depth 4.3m in 55°18'·22N 5°37'·40W. Delete depth 7.3m close SE (ILNW 143/24)

**51 Isle of Arran S (2900.3)**

Insert lgd *Scientific Instruments* in 55°24'·09N 5°06'·40W (ILNW 172/24)

**52 Largs Channel (2900.6 & 2900.7)**

Delete G con Lt buoy **Hun 5** Fl.G.5s in 55°45'·87N 4°52'·52W (ILNW 212/24)

**53 Mermaid Shoal N (2900.2)**

Insert lgd *Scientific Instruments* in 55°11'·52N 5°22'·48W (ILNW 215/24)