

Imray Correction Notice

ICC1-8

15 April 2025

Chart C1

WGS 84

Edition 2024

Versions available:

New Edition (corrected to January 2024)

NOTES

Below is a complete list of corrections issued since the 2024 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

1 Sunk Centre

Replace R light vessel FI(2)20s16M Horn(2)60s with RW safewater pillar Lt buoy **Sunk Centre** Mo(A)15s with assoc racon sym and lgd Racon(C) AIS in 51°50'·11N 1°46'·03E (ILNW 163/24)

2 Long Sand & Kentish Knock

Insert depth:

1·0m in 51°42'·46N 1°33'·17E and extend 2m contour SE to enclose. Delete depth 3·7m close N

0·9m in 51°42'·16N 1°32'·86E and extend 2m contour SE to enclose

1·1m in 51°41'·93N 1°32'·42E and extend 2m contour S to enclose

0·7m in 51°36'·49N 1°35'·44E and extend 2m contour N to enclose

0·1m in 51°36'·42N 1°35'·15E and extend 2m contour N to enclose

0·9m in 51°36'·17N 1°34'·69E and extend 2m contour W to enclose. Delete depth 8·1m close SW (ILNW 185/24)

3 Gunfleet Sand & Long Sand (correction amended see ILNW 2/25)

Insert Wk depth:

1·1m in 51°45'·60N 1°18'·32E

0·6m in 51°45'·44N 1°17'·41E

Insert depth:

0·5m in 51°42'·62N 1°30'·92E. Delete depth 1·7m close SE

0·6m in 51°42'·52N 1°30'·62E. Delete depth 4·0m close S (ILNW 194/24)

4 Kentish Knock & Long Sand Head

Insert depths:

0·5m enclosed by 2m contour in 51°43'·65N 1°33'·91E

0·7m enclosed by 2m contour in 51°43'·09N 1°33'·52E

0·6m in 51°41'·49N 1°38'·17E and extend 2m contour SE to enclose. Delete depth 0·7m close NW

0·5m in 51°38'·07N 1°37'·44E and extend 2m contour N to enclose (ILNW 284/24)

5 Long Sand Head

Insert BY N cardinal pillar Lt buoy **Long Sand Head** VQ plus assoc. fog signal Bell in 51°48'·37N 1°38'·16E

Replace BY N cardinal pillar Lt buoy **Long Sand Head** VQ with BYB E cardinal pillar Lt buoy **East Long Sand Head** Q(3)

10s plus racon sym and assoc. lgd AIS in 51°48'·12N 1°39'·39E (ILNW 326/24)

6 Margate Sand

Depths less than charted exist around Margate Sand. The most significant are as follows:

Insert depth 1·3m in 51°24'·13N 1°17'·34E

Replace depth 1·8m with depth 0·4m in 51°24'·15N 1°13'·60E

Navigate with caution in the area. (ILNW 337/24)

7 Copperas Ground S

Insert depth 4·9m, enclosed by 5m contour in 51°48'·30N 1°15'·49E. Delete depth 6·2 close S (ILNW 340/24)

8 Spitway E

Insert Wk depth 3·7m in 51°42'·84N 1°08'·71E

Insert depth:

1·6m, enclosed by 2m contour, in 51°42'·53N 1°10'·53E

1·4m, enclosed by 2m contour, in 51°42'·57N 1°11'·03E (ILNW 342/24)

9 Barrow Swatchway

Insert drying height:

-0.1m enclosed by 0m contour in 51°36'·71N 1°09'·29E. Delete depth 0.5m close E
-0.3m in 51°36'·21N 1°09'·45E. Extend 0m contour N to enclose. (ILNW 355/24)

10 Gunfleet Sand

Insert depths:

5m in 51°49'·02N 1°25'·44E
1.6m in 51°48'·11N 1°24'·13E and extend 2m contour NE to enclose
9.1m in 51°47'·43N 1°20'·02E and extend 10m contour SE to enclose (ILNW 372/24)

11 Kentish Knock & Long Sand Head E (*correction amended see ILNW 524/24*)

Insert depths:

0.6m in 51°36'·39N 1°36'·82E. Extend 2m contour E & delete depth 1.6m close W
3.5m in 51°42'·59N 1°38'·60E. Extend 5 contour NE to enclose
8.7m in 51°41'·99N 1°37'·87E. Extend 10m contour NW to enclose & delete depth 7.3m close SE
4.3m in 51°43'·23N 1°33'·76E. Extend approx. 5m contour E & delete depth 6m close NE
9.4m enc. by 10m contour in 51°44'·26N 1°36'·94E. Delete depth 11m close W
Replace depth 2.8m with depth 1.9m in 51°42'·35N 1°38'·55E. Extend 2m contour N to enclose (ILNW 388/24)

12 Gunfleet Sand

Insert depths:

0.9m in 51°46'·81N 1°19'·67E and extend 2m contour NW to enclose
1.3m enclosed by 2m contour in 51°48'·23N 1°23'·33E
1.4m in 51°48'·21N 1°23'·86E and extend 2m contour NW to enclose
4m in 51°48'·74N 1°25'·11E and extend 5m contour NW to enclose. Delete depth 4.5m close SW. (ILNW 395/24)

13 Kentish Knock (*correction amended see ILNW 524/24*)

Insert depths:

1.1m in 51°40'·94N 1°37'·61E and extend 2m contour NW to enclose
1.1m in 51°39'·95N 1°37'·86E and extend 2m contour E to enclose
1.4m in 51°37'·43N 1°37'·44E and extend 2m contour SE to enclose (ILNW 402/24)

14 Spitway

Insert drying heights:

-1.2m in 51°41'·97N 1°07'·10E
-0.2m in 51°42'·05N 1°07'·40E and extend 0m contour E to enclose

Insert depths:

1.3m in 51°42'·22N 1°08'·49E
1.3m in 51°42'·60N 1°09'·40E and delete depth 1.8m close N
4.9m in 51°42'·28N 1°10'·07E and extend 5m contour SE to enclose (ILNW 430/24)

15 Gunfleet Sands Wind Farm

Delete G con Lt buoy **GFS-WF5** Fl.G.5s in 51°41'·95N 1°11'·70E (ILNW 437/24)

16 South-West Sunk

Insert drying height:

-0.8m in 51°38'·01N 1°16'·63E. Extend 0m contour NW to enclose
-0.9m in 51°38'·10N 1°16'·97E. Extend 0m contour N to enclose
Insert depth 0.7m in 51°38'·22N 1°17'·68E. Extend 2m contour N to enclose (ILNW 458/24)

17 Knoll

Insert lgd *Less Water Reported (2024)* centred on 51°43'·79N 1°02'·20E (ILNW 476/24)

18 Tankerton Bay

Insert R con buoy in 51°22'·53N 1°03'·91E. Delete former R con buoy close SE

Insert outfall pipeline joining:

51°22'·00N 1°03'·85E
51°22'·49N 1°03'·90E (ILNW 483/24)

19 Gunfleet Sand & Sunk Sand (*correction amended see ILNW 19/25*)

Depths less than charted exist around Gunfleet Sand and Sunk Sand. The most significant are as follows:

Insert depth:

1.3m in 51°45'·59N 1°20'·72E
1.5m in 51°45'·27N 1°28'·29E
3.8m in 51°45'·56N 1°28'·60E
7.7m in 51°41'·23N 1°22'·36E
Navigate with caution in the area. (ILNW 493/24)

20 Kentish Knock & Long Sand

Insert depths:

1.5m in 51°42'·33N 1°38'·55E and delete depth 1.9m close N

1.4m in 51°41'·89N 1°38'·27E and extend 2m contour W to enclose. Delete depth 1.7m close SE

0.8m in 51°41'·18N 1°38'·16E and extend 2m contour NE to enclose

0.1m in 51°40'·01N 1°37'·94E and extend 2m contour NE to enclose. Delete depth 1.1m close SW

1.9m enclosed by 2m contour in 51°38'·71N 1°37'·33E

Insert wreck depth 3m in 51°37'·77N 1°35'·43E

Insert drying height -0.1m enclosed by 0m contour in 51°42'·25N 1°31'·14E

Replace depths:

3.7m with 0.8m enclosed by 2m contour in 51°42'·72N 1°33'·24E

6.3m with 4.1m enclosed by 5m contour in 51°38'·51N 1°37'·54E

2.8m with 1m enclosed by 2m contour in 51°36'·95N 1°37'·07E

1.4m with 0.6m in 51°40'·35N 1°37'·65E (ILNW 524/24)

21 West Barrow

Insert depths:

5m in 51°32'·03N 1°00'·15E and extend 5m contour SW to enclose

0.7m in 51°32'·41N 1°00'·45E and extend 2m contour S to enclose (ILNW 580/24)

22 Margate, Gore & South Channels

Replace depth 1.8m with depth 0.5m in 51°24'·12N 1°13'·62E

Amend wreck depth 7.8m to 7.2m in 51°24'·09N 1°21'·95E (ILNW 593/24)

23 Black Deep

Add lgd (see Note) next to lgd *Black Deep* centred on 51°40'·24N 1°26'·50E

Add accompanying chart note:

BLACK DEEP CHANNEL

Vessels with a draught of less than 6m (which includes leisure craft) must not use the Black Deep Channel except with the permission of London VTS. (ILNW 599/24)

24 Wallet, Gunfleet Sand, Naze Ledge S & Cork Sand

Insert:

depth 2.4m in 51°46'·27N 1°09'·48E. Delete depth 3.2m close S

wreck sym depth 6.6m in 51°45'·67N 1°10'·95E. Delete wreck depth 7.2m close S

wreck sym depth 0.6m in 51°44'·90N 1°15'·56E

Obstrn sym depth 0.1m in 51°45'·51N 1°17'·64E

depth 0m enclosed by 0m contour in 51°45'·84N 1°21'·30E

depth 1.3m in 51°47'·78N 1°23'·73E. Delete depth 1.9m close S

depth 3.3m in 51°48'·55N 1°24'·87E. Delete depth 4.5m close SW

wreck depth 1.2m in 51°53'·91N 1°23'·99E

Replace:

wreck depth 1.1m with 0.5m in 51°45'·60N 1°18'·33E

wreck depth 9.1m with 8.5m in 51°50'·03N 1°25'·19E

depth 5.8m with 5.2m in 51°50'·34N 1°19'·63E (ILNW 2/25)

25 Sunk Head

Insert depth 2.5m in 51°45'·50N 1°28'·50E and extend 5m contour NW to enclose. Delete depth 3.8m close NE (ILNW 19/25)

26 Galloper Wind Farm E

Insert Y Lt superbuoy FI(5)Y.20s plus assoc AIS in 51°55'·74N 2°07'·28E (ILNW 28/25)

27 Woodbridge Haven

Move RW safe water buoy **Woodbridge Haven** Mo(A)15s to 51°58'·46N 1°24'·19E (ILNW 48/25)

28 Orford Haven

Move RW safe water buoy **Orford Haven** LFI.10s to 52°01'·84N 1°27'·98E (ILNW 49/25)