

Imray Correction Notice IC2120-6

23 May 2024

Chart 2120 WGS 84

Edition 2022

Versions available:

New Edition (corrected to January 2022)

NOTES

Below is a complete list of corrections issued since the 2022 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

1 Vlissingen (2120.4) (correction amended see ILNW 115/22)

Amend:

De Nolle Lt Oc.WRG.9s10m6-4M to Oc.9s12m2M in 51°26'·95N 3°33'·12E

Lt Iso.WRG.3s17m8M to Iso.R.3s17m2M in 51°26'·37N 3°34'·52E

Lt Oc.WR.5s10m5M to Oc.5s10m2M in 51°26'·30N 3°34'·55E (ILNW 59/22)

2 Vlissingen (2120.5 Main chart & Plan B) (correction amended see ILNW 115/22)

Amend:

De Nolle Lt Oc.WRG.9s10m6-4M to Oc.9s12m2M in 51°26'·95N 3°33'·12E. Delete associated It sectors (Main chart only)

Lt Iso.WRG.3s17m8M to Iso.R.3s17m2M in 51°26'·37N 3°34'·52E. Delete associated It sectors

Lt Oc.WR.5s10m5M to Oc.5s10m2M in 51°26'·30N 3°34'·55E. Delete associated It sectors (ILNW 59/22)

3 Geul van de Walvischstaart (2120.4 & 5)

Move R spar buoy:

GvW 4 from 51°30'·35N 3°21'·77E to 51°30'·55N 3°21'·82E

GvW 6 from 51°29'·89N 3°23'·36E to 51°30'·15N 3°23'·35E

GvW 8 from 51°28'·52N 3°25'·52E to 51°28'·82N 3°25'·44E

GvW 10 from 51°27'·44N 3°26'·81E to 51°27'·39N 3°26'·56E

Move virtual aid to navigation:

GvW 3 from 51°29'·85N 3°22'·63E to 51°29'·89N 3°23'·02E

GvW 5 from 51°29'·30N 3°23'·73E to 51°29'·50N 3°23'·77E (ILNW 78/22)

4 Deurloo E (2120.6)

Move R spar buoy:

GvW 4 from 51°30'·35N 3°21'·77E to 51°30'·55N 3°21'·82E

GvW 6 from 51°29'·89N 3°23'·36E to 51°30'·15N 3°23'·35E

Move virtual aid to navigation **GvW 3** from 51°29'·85N 3°22'·63E to 51°29'·89N 3°23'·02E

Insert virtual aid to navigation **GvW 5** with racon sym and assoc lgd V-AIS in 51°29'·50N 3°23'·77E (ILNW 78/22)

5 Approaches to Nieuwpoort (2120.3)

A fish farm has been established in the approaches to Nieuwpoort.

Insert restricted area between points:

51°10'·58N 2°36'·78E

51°10'·96N 2°38'·14E

51°09'·79N 2°38'·94E

51°09'·40N 2°37'·59E

Add assoc fish farm sym and lgd (buoyed) (ILNW 88/22)

6 Monster-Ter Heijde N (2120.8)

Move **ZM A** S card Lt buoy from 52°02'·67N 4°10'·05E to 52°02'·56N 4°09'·45E (ILNW 92/22)

7 Vlissingen (2120.4)

Amend:

Height of De Nolle Lt Oc.9s12m2M to 6m in 51°26'·95N 3°33'·12E

Lt from Iso.R.3s17m2M to Iso.R.9s11m2M in 51°26'·37N 3°34'·52E (ILNW 115/22)

8 Vlissingen (2120.5 Main chart & Plan B)

Amend:

Height of De Nolle Lt Oc.9s12m2M to 6m in 51°26'·95N 3°33'·12E (Main chart only)

Lt from Iso.R.3s17m2M to Iso.R.9s11m2M in 51°26'·37N 3°34'·52E (ILNW 115/22)

9 Oostende (2120.3 Plan B)

Amend Lt F.R.11m3M to F.R.19m11M in 51°14'·52N 2°55'·18E. Q.Y Lt is unchanged (ILNW 156/22)

10 Zeebrugge (2120.4 Plan B)

Move Y spher. Lt buoy Fl(5)Y.20s in 51°21'·34N 3°11'·57E to 51°21'·06N 3°11'·82E (ILNW 157/22)

11 Approaches to Blankenberge (2120.4 Main chart & Plan A)

Insert Y special pillar Lt buoy HBL Fl.Y.5s in 51°19'·03N 3°06'·09E (ILNW 158/22)

12 Noordwijk aan Zee (2120.2 & 2120.11)

Work has begun on the construction of a further phase of the Hollandse Kust Zuid Wind Farm W of Noordwijk aan Zee.

Insert restricted area joining:

52°26'·0N 4°12'·9E (existing limit)

52°25'·4N 4°16'·2E

52°16'·2N 4°08'·8E

52°10'·5N 3°59'·6E

52°12'·1N 3°57'·1E

52°15'·3N 3°56'·1E (existing limit)

and

52°19'·3N 3°55'·1E (existing limit)

52°20'·7N 3°55'·5E (existing limit) (ILNW 159/22)

13 Hollandse Kust Zuid Wind Farm (2120.1)

Work has begun on the construction of a further phase of the Hollandse Kust Zuid Wind Farm, E of TSS Maas North. Insert restricted area, no entry, joining:

52°19'·2N 4°11'·1E (E extent of chart)

52°16'·2N 4°08'·8E

52°10'·5N 3°59'·6E

52°12'·1N 3°57'·1E

52°15'·3N 3°56'·1E (existing limit)

and

52°19'·3N 3°55'·1E (existing limit)

52°20'·7N 3°55'·5E (existing limit) (ILNW 159/22)

14 Noordwijk aan Zee (2120.8)

Work has begun on the construction of a further phase of the Hollandse Kust Zuid Wind Farm W of Noordwijk aan Zee.

Insert restricted area, no entry, joining:

52°26'·13N 4°12'·20E (existing limit)

52°25'·59N 4°13'·63E

52°25'·40N 4°16'·20E

52°16'·24N 4°08'·80E

52°13'·15N 4°04'·05E

52°10'·48N 3°59'·60E

52°12'·10N 3°57'·05E

52°15'·30N 3°56'·10E (existing limit)

Insert:

BY N cardinal pillar Lt buoy **WF-HZ-2N** VQ in 52°25'·75N 4°14'·01E

BYB E cardinal pillar Lt buoy **WF-HZ-3E** VQ(3)5s in 52°11'·91N 4°03'·50E

YBY W cardinal pillar Lt buoy **WF-HZ-3W** VQ(9)10s in 52°12'·77N 3°56'·71E

Move BYB E cardinal pillar Lt buoy:

WF-HZ-1E in 52°21'·87N 4°10'·23E to 52°22'·48N 4°14'·50E

WF-HZ-2E in 52°17'·73N 4°03'·59E to 52°17'·21N 4°10'·17E

Delete YB S cardinal pillar Lt buoy:

WF-HZ-1S VQ(6)+LFl.10s in 52°20'·83N 4°04'·48E

WF-HZ-2S VQ(6)+LFl.10s in 52°15'·28N 3°59'·93E

Add assoc. lgd *Hollandse Kust Wind Farm Under Construction* (ILNW 159/22)

15 Ijmuiden Junction S (2120.9)

Work has begun on the construction of a further phase of the Hollandse Kust Zuid Wind Farm W of Noordwijk aan Zee.

Insert restricted area, no entry, joining:

52°25'·61N 4°08'·92E (existing limit)

52°26'·13N 4°12'·20E

52°25'·59N 4°13'·63E

52°25'·40N 4°16'·20E

52°24'·36N 4°15'·36E (S extent of chart)

Insert BY N cardinal pillar Lt buoy **WF-HZ-2N** VQ in 52°25'·75N 4°14'·01E

Add assoc. lgd *Hollandse Kust Wind Farm Under Construction* (ILNW 159/22)

16 Approaches to Oostende (2120.3)

Delete Y special purpose con Lt buoy **HD3** Fl.Y.5s in 51°14'·78N 2°55'·59E (ILNW 181/22)

17 Approaches to Oostende (2120.4)

Delete Y special purpose con Lt buoy **HD3** Fl.Y.5s in 51°14'·78N 2°55'·59E

Insert Y special purpose con Lt buoy Fl.Y.5s in 51°12'·74N 2°50'·55E (ILNW 181/22)

18 Oostende (2120.3 Plan B)

Delete R can Lt buoy:

OH8 in 51°14'·25N 2°55'·36E

OH12 in 51°14'·10N 2°55'·50E

Insert minor Lt Q.R in:

51°14'·25N 2°55'·41E

51°14'·09N 2°55'·57E (ILNW 197/22)

19 Great Yarmouth NE (2120.11)

Delete RW safewater Lt buoy **Newarp** in 52°48'·4N 1°55'·3E (ILNW 204/22)

20 Nieuwpoort Bank (2120.3)

Replace Y special can Lt buoy **SYM2** Fl.Y.5s with BY N cardinal Lt buoy **SYM-N** Q in 51°11'·12N 2°39'·99E (ILNW 234/22)

21 Ravelingen NE (2120.3 & 2120.4)

Amend Lt desc. at G con buoy **Oostendebank-BK E** Fl.G.4s to Fl(4)G.20s in 51°17'·35N 2°51'·92E (ILNW 235/22)

22 Wenduine Bank SE (2120.3 & 2120.4)

Delete BY N cardinal Lt buoy **DC1** Q in 51°18'·68N 3°03'·74E (ILNW 239/22)

23 TSS Off Texel W (2120.2) (*correction amended see ILNW 1/23*)

Insert Y special purpose spher Lt buoy Fl(5)Y.20s in:

52°53'·14N 3°42'·66E

52°53'·66N 3°40'·88E (ILNW 248/22)

24 West Friesland TSS E (2120.11)

Insert lit platform sym in 53°28'·6N 3°47'·2E (ILNW 248/22)

25 Hollandse Kust Windfarm N (2120.11)

Delete lit platform in 52°46'·7N 4°16'·0E (ILNW 286/22)

26 HKN Windfarm N (2120.2 & 2120.9)

Delete lit platform **Q4-A** in 52°46'·74N 4°16'·01E (ILNW 286/22)

27 Entrance to the Westerschelde (2120.4)

Insert R can Lt buoy **SS 2** Q.R in 51°25'·50N 3°37'·92E. Delete R spar buoy **SS 2** close NW

Replace G starboard spar buoy **SS 5** with Y special pillar buoy **ARV 5** in 51°24'·71N 3°38'·04E

Delete G starboard spar buoy **SS 3** in 51°25'·04N 3°37'·30E

Delete R can Lt buoy **SS 4** Q.R in 51°25'·23N 3°37'·82E (ILNW 304/22)

28 Schaar van Spijkerplaat (2120.5)

Delete:

R spar buoy **SS 2** in 51°25'·64N 3°37'·63E

G pillar buoy **SS 3** in 51°25'·04N 3°37'·30E

R can Lt buoy **SS 4** Q.R in 51°25'·23N 3°37'·82E

G con Lt buoy **SS 7** Iso.G.8s in 51°25'·12N 3°38'·61E

R pillar Lt buoy **SS 8** Iso.R.8s in 51°25'·42N 3°39'·83E

G pillar Lt buoy **SS 9** Iso.G.4s in 51°25'·10N 3°39'·81E

R pillar buoy **SS 10** in 51°24'·89N 3°40'·84E

Move R pillar buoy **SS 6** in 51°25'·33N 3°38'·76E to 51°25'·34N 3°40'·12E. This buoy is now lit; add Lt desc. Iso.R.4s

Replace G starboard spar buoy **SS 5** with Y special pillar buoy **ARV 5** in 51°24'·71N 3°38'·04E

Amend designation of:

G pillar Lt buoy **SS 11** Iso.G.8s to **SS 9** in 51°24'·69N 3°40'·58E. Lt is unchanged.

G pillar buoy **SS 13** to **SS 11** in 51°24'·17N 3°41'·08E. Add triangular topmark.

R pillar Lt buoy **SS 12** Q.R to **SS 10** in 51°24'·69N 3°40'·58E. Add cylinder topmark. Lt is unchanged.

Insert:

R can Lt buoy **SS 2** Q.R in 51°25'·50N 3°37'·92E

G con Lt buoy **SS 3** Q.G in 51°25'·13N 3°38'·50E

R pillar buoy **SS 4** in 51°25'·52N 3°39'·22E

G con Lt buoy **SS 5** Iso.G.8s in 51°25'·17N 3°39'·26E

G starboard pillar Lt buoy **SS 7** Iso.G.4s in 51°25'·05N 3°39'·94E

R pillar buoy **SS 8** in 51°24'·96N 3°40'·94E (ILNW 304/22)

29 Indefatigable Banks W (2120.11)

Delete lit platform in:

53°23'·1N 2°08'·9E

53°27'·9N 2°02'·5E

53°32'·1N 2°15'·3E (ILNW 353/22)

30 Wenduine N (2120.3 & 2120.4) – (correction amended see ILNW 224/23)

Insert BY N cardinal pillar Lt buoy:

SH4 Q in 51°18'·40N 3°04'·72E

SH5 Q in 51°18'·50N 3°05'·00E

(ILNW 367/22)

31 TSS Off Texel SW (2120.2 & 2120.11)

Work has begun on the construction of the Hollandse Kust West Wind Farm SW of TSS Off Texel.

Insert restricted area joining:

52°51'·5N 3°53'·3E

52°50'·8N 3°56'·2E

52°36'·8N 3°51'·3E

52°30'·6N 3°43'·4E

52°27'·3N 3°31'·5E

52°28'·3N 3°29'·4E

52°36'·4N 3°31'·9E

Add assoc lgd *Hollandse Kust West Wind Farm under const'n* (ILNW 371/22)

32 IJmuiden Crossing W (2120.1)

Work has begun on the construction of the Hollandse Kust West Wind Farm.

Insert restricted area joining:

52°29'·5N 3°39'·3E (N extent of chart)

52°27'·3N 3°31'·5E

52°28'·3N 3°29'·4E

52°29'·5N 3°29'·8E (N extent of chart)

Add assoc lgd *Hollandse Kust West Wind Farm under const'n* (ILNW 371/22)

33 Noorderhaaks (2120.9 & 2120.10)

Insert limit of restricted area, marine reserve, bird/seal sanctuary, joining:

52°58'·44N 4°42'·37E

52°59'·25N 4°40'·29E

52°59'·74N 4°41'·43E

52°58'·71N 4°42'·95E

Add seal, duck, no entry sym. & lgd (15/05-01/11)

Delete former limit of marine reserve, joining:

52°58'·46N 4°39'·58E

52°59'·09N 4°39'·58E

52°58'·98N 4°42'·40E

52°58'·76N 4°42'·52E

52°58'·43N 4°42'·42E

Delete assoc. seal, duck, no entry sym. & lgd (15/05-01/11) (ILNW 399/22)

34 Breskens SE (2120.4)

Insert limit of restricted area, no entry, joining:

51°22'·71N 3°38'·21E (E chart limit)

51°22'·78N 3°37'·82E

51°22'·90N 3°37'·88E

51°22'·81N 3°38'·21E (E chart limit)

Delete YBY W cardinal spar buoy in 51°22'·80N 3°38'·05E (ILNW 452/22)

35 Hoofdplaat S (2120.5)

Insert Y special spar buoy:

ZINK-A in 51°22'·90N 3°37'·88E

ZINK-B in 51°22'·65N 3°38'·85E

ZINK-C in 51°22'·60N 3°38'·83E

ZINK-D in 51°22'·78N 3°37'·82E

These buoys mark the limit of a restricted area. Add assoc. limit & no entry symbol.

Delete:

YBY W cardinal spar buoy **Zinker West** in 51°22'·80N 3°38'·05E

BYB E cardinal spar buoy **Zinker Oost** in 51°22'·66N 3°38'·73E (ILNW 452/22)

36 Hollandse Kust Windfarm N (2120.11)

Delete lit platform in 52°43'·0N 4°18'·0E (ILNW 454/22)

37 HKN Windfarm N (2120.2 & 2120.9)

Delete lit platform **Q4-B** Mo(U)15s Horn Mo(U)30s in 52°43'·00N 4°17'·99E (ILNW 454/22)

38 The Broad Fourteens N (2120.2)

Insert lit platform **OHWS HWA** with assoc racon sym and lgd AIS in 52°40'·79N 3°48'·28E (ILNW 462/22)

39 Schaar van Spijkerplaat (2120.5)

Insert depth 2.5m in 51°25'·05N 3°39'·47E (ILNW 465/22)

40 Petten (2120.9)

Delete Lt Fl(5)Y.20s in 52°46'·39N 4°38'·88E (ILNW 489/22)

41 Scheveningen (2120.8 Plan A)

Insert minor Lt Iso.G.8s in 52°06'·01N 4°15'·43E (ILNW 490/22)

42 Egmond aan Zee W (2120.2 & 2120.9)

The Hollandse Kust Noord (HKN) windfarm construction area is entry prohibited. Add no entry symbol within restricted area centred on approx. 52°40'·5N 4°15'·0E (ILNW 506/22)

43 Den Helder (2120.10 Plan A)

Insert Y spher Lt buoy **MNHV** Fl(5)Y.20s in 52°58'·00N 4°47'·77E (ILNW 509/22)

44 Texelstroom (2120.10)

Insert Y spher Lt buoy **GVDS** Fl(5)Y.20s in 53°00'·00N 4°49'·70E (ILNW 510/22)

45 Westgat (2120.6)

Insert:

Y Bn **OS 11** in 51°38'·62N 3°28'·89E. Delete Lt star **WG 4 (OS 11)** LFl.R.8s close W

R port can Lt buoy **WG 4** Iso.R.8s in 51°38'·49N 3°29'·00E

Move BY N cardinal buoy **WG-R** to 51°38'·09N 3°29'·07E & change shape to pillar (ILNW 512/22)

46 **Banjaard (2120.6)**

The limits of the Bollen van het Nieuwe Zand nature reserve have been amended.

Insert restricted area, nature reserve, limit joining:

51°43'·90N 3°34'·29E

51°41'·09N 3°39'·87E

51°40'·55N 3°39'·79E

51°41'·05N 3°35'·78E

51°43'·67N 3°33'·93E

Add lgd *Bollen van het Nieuwe Zand* (see Note) (buoyed) and no entry sym. plus lgd (01/11-15/05) within new area.

Insert restricted area, no entry, limit joining:

51°43'·90N 3°34'·29E

51°44'·41N 3°35'·09E

51°44'·49N 3°39'·28E

51°43'·65N 3°40'·88E

51°42'·43N 3°40'·07E

51°41'·09N 3°39'·87E

Delete existing restricted area, nature reserve, limit joining:

51°44'·78N 3°34'·82E

51°44'·45N 3°37'·89E

51°44'·56N 3°39'·08E

51°42'·52N 3°36'·99E

51°44'·19N 3°33'·69E

Delete assoc. lgd *Bollen van het Nieuwe Zand* (see Note) (buoyed) and no entry, no anchoring, no fishing symbols plus lgd (01/11-15/05) centred on 51°43'·82N 3°36'·57E (ILNW 513/22)

47 **Banjaard (2120.7)**

The limits of the Bollen van het Nieuwe Zand nature reserve have been amended.

Insert restricted area, nature reserve, limit joining:

51°41'·79N 3°35'·25E (S edge of chart)

51°43'·67N 3°33'·93E

51°43'·90N 3°34'·29E

51°41'·79N 3°38'·46E (S edge of chart)

Add lgd *Bollen van het Nieuwe Zand* (see Note) (buoyed) and no entry sym. plus lgd (01/11-15/05) within new area.

Insert restricted area, no entry, limit joining:

51°43'·90N 3°34'·29E

51°44'·41N 3°35'·09E

51°44'·49N 3°39'·28E

51°43'·65N 3°40'·88E

51°42'·43N 3°40'·07E

51°41'·79N 3°39'·97E (S edge of chart)

Delete existing restricted area, nature reserve, limit joining:

51°44'·78N 3°34'·82E

51°44'·45N 3°37'·89E

51°44'·56N 3°39'·08E

51°42'·52N 3°36'·99E

51°44'·19N 3°33'·69E

Delete assoc. lgd *Bollen van het Nieuwe Zand* (see Note) (buoyed) and no entry, no anchoring, no fishing symbols plus lgd (01/11-15/05) centred on 51°43'·82N 3°36'·57E (ILNW 513/22)

48 Ooster E (2120.6)

The limits of the Bollen van de Ooster nature reserve have been amended.

Insert restricted area, nature reserve, limit joining:

51°45'·63N 3°43'·86E (N limit of existing no entry area)

51°47'·34N 3°44'·02E

51°48'·09N 3°46'·01E (W limit existing no entry area)

and

51°48'·76N 3°50'·83E (adjoining existing no entry area)

51°45'·19N 3°48'·16E

also

51°45'·33N 3°46'·27E

51°45'·09N 3°49'·57E

The Kous buoyed channel remains, and buoyage may be adjusted accordingly.

Delete existing restricted area, nature reserve, limit joining:

51°48'·76N 3°50'·83E

51°47'·57N 3°51'·13E

51°46'·09N 3°48'·20E

51°46'·28N 3°45'·92E

51°46'·77N 3°45'·32E

and

51°45'·22N 3°46'·43E

51°45'·05N 3°49'·46E (ILNW 514/22)

49 Ooster E (2120.7)

The limits of the Bollen van de Ooster nature reserve have been amended.

Insert restricted area, nature reserve, limit joining:

51°45'·63N 3°43'·86E (N limit of existing no entry area)

51°47'·34N 3°44'·02E

51°48'·09N 3°46'·01E (W limit existing no entry area)

and

51°48'·76N 3°50'·83E (adjoining existing no entry area)

51°45'·19N 3°48'·16E

also

51°45'·33N 3°46'·27E

51°45'·09N 3°49'·57E

The Kous buoyed channel remains, and buoyage may be adjusted accordingly.

Amend green restricted area limit to magenta between 51°48'·76N 3°50'·83E and 51°46'·80N 3°45'·28E. Entry is always prohibited around Aardappelenbult.

Delete existing restricted area, nature reserve, limit joining:

51°48'·76N 3°50'·83E

51°47'·57N 3°51'·13E

51°46'·09N 3°48'·20E

51°46'·28N 3°45'·92E

51°46'·77N 3°45'·32E

and

51°45'·22N 3°46'·43E

51°45'·05N 3°49'·46E (ILNW 514/22)

50 Indefatigable Banks S (2120.11)

Delete lit platform in 53°14'·8N 2°01'·4E (ILNW 536/22)

51 Groet W (2120.9) (correction superseded see ILNW 9/23)

Insert YBY W cardinal pillar Lt buoy **ZINK-W** VQ(9)10s in 52°43'·59N 4°37'·11E (ILNW 542/22)

52 TSS Off Texel W (2120.2)

Delete Y special purpose spher Lt buoy FI(5)Y.20s in 52°53'·14N 3°42'·66E (ILNW 1/23)

53 Groet W (2120.9)

Delete YBY W cardinal pillar Lt buoy **ZINK-W** VQ(9)10s in 52°43'·59N 4°37'·11E (ILNW 9/23)

54 Jmuiden (2120.8 Plan B)

Delete Y con Lt buoy **ZMB1** FI(5)Y.20s in 52°28'·02N 4°34'·83E (ILNW 10/23)

55 Geul van de Banjaard (2120.6 & 2120.7)

Insert depth:

0·2m in 51°41'·49N 3°33'·16E. Extend 2m contour E to enclose (2120.6)

0·9m in 51°43'·28N 3°32'·02E (2120.6 & 7) (ILNW 49/23)

56 Approaches to IJmuiden (2120.2, 2120.8 & 2120.9)

Delete YBY W cardinal pillar Lt buoy **Eveline** VQ(9)10s in 52°25'·49N 4°25'·14E (ILNW 128/23)

57 Bol van Knokke (2120.4)

Insert racon sym & assoc. lgd Racon(N) at Lt **MOW 4** Fl(5)20s in 51°25'·10N 3°17'·91E (ILNW 130/23)

58 Cadzand Bad SW (2120.4 & 2120.5)

Delete Y con Lt buoy **HD 17** Fl.Y.5 in 51°22'·34N 3°21'·45E (ILNW 131/23)

59 Nieuwpoort Bank (2120.3)

Delete:

Y special can Lt buoy **SYM1** Fl.Y.5s in 51°10'·98N 2°39'·45E

YB S cardinal pillar Lt buoy **SYM5** Q(6)+LFl.15s in 51°10'·85N 2°39'·76E

BY N cardinal pillar Lt buoy **SYM-N** Q in 51°11'·10N 2°40'·00E (ILNW 132/23)

60 Nieuwpoort to Blankenberge (2120.3 & 2120.4)

Seasonal buoyage is in place along the coast from March to December. These special purpose buoys are yellow with x topmark and exhibit a Lt Fl.Y.5s

Insert:

pillar buoy **KYCN** in 51°09'·88N 2°43'·23E (2120.3)

con buoy **4** in 51°13'·38N 2°52'·75E (2120.3 & 2120.4)

pillar buoy **O** in 51°14'·28N 2°52'·09E (2120.3 & 2120.4)

con buoy **2** in 51°14'·33N 2°53'·25E (2120.3 & 2120.4)

con buoy **S** in 51°14'·11N 2°54'·22E (2120.3 & 2120.4)

con buoy **W** in 51°18'·84N 3°05'·09E (2120.3 & 2120.4)

pillar buoy **A** in 51°19'·16N 3°06'·37E (2120.4)

con buoy **O** in 51°19'·59N 3°07'·66E (2120.4) (ILNW 133/23)

61 Hoofdplaat (2120.5)

Delete Y Bn **HFP 1** in 51°22'·46N 3°40'·38E (ILNW 134/23)

62 Noordland E (2120.6)

Replace Lt **OS 4** Fl(5)Y.20s with unlit Y Bn **OS 4** in 51°39'·35N 3°41'·64E (ILNW 135/23)

63 IJmuiden (2120.8 Plan B)

Amend Lt:

Iso.G.6s to F.G in 52°27'·75N 4°33'·81E

Iso.6s to F in 52°27'·88N 4°35'·22E (ILNW 171/23)

64 IJmuiden (2120.8 Plan B)

Delete minor Lt in 52°28'·14N 4°36'·94E (ILNW 178/23)

65 Honte & Pas van Terneuzen (2120.5)

Move G con Lt buoy:

9 Q.G from 51°25'·37N 3°41'·57E to 51°25'·15N 3°41'·82E

11 Iso.G.4s from 51°24'·71N 3°42'·33E to 51°24'·81N 3°42'·30E

13 Iso.G.8s from 51°24'·30N 3°42'·43E to 51°24'·41N 3°42'·41E (ILNW 189/23)

66 Breeveertien (2120.2)

Delete Y spher. Lt buoy **AM 3** Fl.Y.5s in 52°33'·67N 3°43'·13E (ILNW 190/23)

67 **Westgat, Guel van de Banjaard, Oude Roompot & Roompot (2120.6)** (correction amended see ILNW 47/24)

Westgat

Move G con Lt buoy **WG1** Q.G to 51°37'·80N 3°26'·26E. Add con. topmark

Insert R pillar buoy **WG2** in 51°38'·30N 3°26'·23E. Delete R port spar buoy **WG2** close N

Amend name of Y Bn **OS11** to **WG4** in 51°38'·62N 3°28'·89E

Add Lt Q at N cardinal pillar buoy **WG-R** in 51°38'·09N 3°29'·07E & amend name to **WG3-R2**

Insert R pillar buoy:

WG6 in 51°38'·87N 3°29'·94E. Delete R spar buoy **WG 6** in 51°39'·15N 3°27'·97E

WG8 in 51°39'·37N 3°31'·21E

Insert G pillar buoy:

WG5 in 51°38'·46N 3°30'·21E. Delete G spar buoy **WG 3** close NW

WG7 in 51°38'·97N 3°31'·56E. Delete G spar buoy **WG 5** close NW

Amend name of G con Lt buoy **WG 7** to **WG 9** in 51°39'·45N 3°32'·68E. Add con. topmark. Lt is unchanged.

Insert YB S cardinal Lt buoy **WG10-GB11** Q(6)+LFI.15s in 51°39'·93N 3°32'·69E. Delete YB S cardinal buoy **WG-GB** close S

Guel van de Banjaard

Insert:

G pillar buoy **GB 5A** in 51°42'·10N 3°32'·88E

G con Lt buoy with con. topmark **GB 7** Q.G in 51°41'·54N 3°33'·48E

Move:

G con Lt buoy **GB 1** Q.G to 51°44'·77N 3°33'·08E. Add con. topmark.

R port spar buoy **GB 2** to 51°44'·58N 3°33'·72E. Amend shape to pillar.

G con Lt buoy **GB 5** Iso.G.8s to 51°42'·82N 3°32'·29E. Add con. topmark.

R port spar buoy **GB 6** to 51°42'·84N 3°32'·52E. Amend shape to pillar.

R can Lt buoy **GB 8** Q.R to 51°41'·93N 3°33'·69E. Add cyl. topmark.

G con Lt buoy **GB 9** Iso.G.8s to 51°40'·50N 3°33'·56E. Add con. topmark.

Oude Roompot

Insert:

G pillar buoy **OR 1** in 51°39'·22N 3°33'·65E. Delete G starboard spar buoy **OR 1** close W

R can Lt buoy with cyl. topmark **OR 2** Q.R in 51°39'·58N 3°33'·82E. Delete R spar buoy **OR 2** close SW

G con Lt buoy with con topmark **OR 3** Iso.G.8s in 51°38'·90N 3°35'·46E Delete G spar buoy **OR 3** close W & G con Lt buoy

OR 5 Iso.G.8s close SE

R pillar buoy with cyl topmark **OR 4** in 51°39'·20N 3°35'·55E

G pillar buoy **OR 5** in 51°38'·29N 3°36'·39E. Delete G spar buoy **OR 7** close SE

Move:

R can Lt buoy **OR 6** Iso.R.8s to 51°38'·56N 3°36'·80E

R spar buoy **OR 8** to 51°37'·91N 3°38'·09E. Amend shape to pillar.

Replace G spar buoy **OR 9** with G pillar buoy **OR 7** in 51°37'·60N 3°37'·53E

Roompot

Insert R port pillar buoy with cyl. topmark:

R6 in 51°36'·57N 3°31'·83E. Delete R spar buoy **R4** close SW

R8 in 51°36'·32N 3°33'·90E. Delete R port spar buoy **R6** close SW

Insert R pillar buoy:

R4 in 51°37'·55N 3°29'·95E Delete R port can buoy **R2** close SW

R10 in 51°36'·23N 3°35'·33E. Delete R spar buoy **R8** close E

R12 in 51°36'·23N 3°36'·83E. Delete R spar buoy **R10** close E

Move G spar buoys, & change to pillar shape:

R3 in 51°35'·98N 3°33'·82E to 51°35'·92N 3°33'·95E

R5 in 51°36'·02N 3°35'·60E to 51°35'·93N 3°35'·42E

R7 in 51°36'·05N 3°36'·98E to 51°35'·96N 3°36'·91E

Insert R port pillar Lt buoy with cyl. topmark **R14** Iso.R.4s in 51°36'·22N 3°36'·26E. Delete R spar Lt buoy **R12** close N

Move BYB E cardinal pillar Lt buoy **OR13-R14** VQ(3)5s in 51°36'·59N 3°38'·69E to 51°36'·81N 3°38'·79E and amend

designation to **OR9-R14A**

Amend designation of R port can Lt buoy **OR 12** Iso.R.4s to **OR 10** Iso.R.4s in 51°37'·19N 3°39'·41E

Delete G con Lt buoy **OR 11** Iso.G.4s in 51°36'·92N 3°38'·61E (ILNW 213/23)

68 **Roompotsluis (2120.6 Plan A)**

Insert R port pillar Lt buoy with cyl. topmark **R14** Iso.R.4s in 51°36'·22N 3°36'·26E. Delete R spar Lt buoy **R12** close N

Move BYB E cardinal pillar Lt buoy **OR13-R14** VQ(3)5s to 51°36'·81N 3°38'·79E and amend designation to **OR9-R14A**

Amend designation of R port can Lt buoy **OR 12** Iso.R.4s to **OR 10** Iso.R.4s in 51°37'·19N 3°39'·41E

Delete G con Lt buoy **OR 11** Iso.G.4s in 51°36'·92N 3°38'·61E (ILNW 213/23)

69 **Wenduine N (2120.3 & 2120.4)**

Replace BY N cardinal pillar Lt buoy with BY N cardinal con Lt buoy:

Q in 51°18'·40N 3°04'·72E. Delete name **SH4**

Q in 51°18'·50N 3°05'·00E. Delete name **SH5** (ILNW 224/23)

70 Vlissingen W (2120.5)

Move:

BYB E cardinal pillar Lt buoy **SG-W** VQ(3)5s in 51°26'·43N 3°33'·71E to 51°26'·36N 3°33'·78E

G con Lt buoy **SG 3** Iso.G.4s in 51°26'·64N 3°33'·32E to 51°26'·62N 3°33'·46E

Amend adjoining magenta maritime limit accordingly. (ILNW 225/23)

71 Zeebrugge (2120.4 Plan B)

Delete Lt F.G in 51°20'·39N 3°11'·74E (ILNW 234/23)

72 Grote Kaap SW (2120.9 & 2120.10)

Insert depth 4·8m enc by 5m contour in 52°52'·20N 4°40'·93E (ILNW 237/23)

73 TSS Off Vlieland W (2120.2) (correction amended see ILNW 48/24 & 191/24)

Insert Y Lt superbuoy with x topmark Fl(5)Y.20s plus racon sym. & assoc. lgd AIS:

Accurasea 1 in 53°20'·4N 4°04'·7E

Accurasea 2 in 53°20'·4N 4°03'·0E (ILNW 239/23)

74 Lage Springer SE (2120.5)

There have changes to the buoyage in Thamaesgeul centred on 51°21'·70N 3°43'·40E Changes will be shown in the next edition of 2120. (ILNW 262/23)

75 Platforms (2120.1)

Replace lit platform with well symbol **P11-E** in 52°21'·3N 3°35'·1E

Delete racon sym and assoc lgd Racon(T) from lit platform **Goeree** in 51°55'·5N 3°40'·1E (ILNW 329/23)

76 TSS Maas North W & N (2120.2)

Replace lit platform with well symbol:

P11-E in 52°21'·3N 3°35'·1E

P6-D in 52°42'·0N 3°43'·5E

Mobil P6-B in 52°44'·2N 3°48'·2E

HavenA in 52°58'·3N 4°06'·4E (ILNW 329/23)

77 Platforms (2120.11)

Delete lit platform in:

52°21'·3N 3°35'·1E

52°42'·0N 3°43'·5E

52°44'·2N 3°48'·2E

52°58'·3N 4°06'·4E

53°33'·8N 4°34'·0E

Delete racon sym from lit platform **Goeree** in 51°55'·5N 3°40'·1E (ILNW 329/23)

78 Europoort W (2120.7)

Delete racon sym and assoc lgd Racon(T) from lit platform **Goeree** in 51°55'·50N 3°40'·10E (ILNW 331/23)

79 TSS OFF Texel (2120.2 & 2120.9)

Replace lit platform **Q1-HoornA** with well sym in 52°55'·48N 4°08'·94E (ILNW 338/23)

80 TSS OFF Texel (2120.11)

Delete lit platform in 52°55'·5N 4°08'·9E (ILNW 338/23)

81 Hollandse Kust Zuid Wind Farm (2120.1, 2120.2 & 2120.8)

A passage through Hollandse Kust Zuid Wind Farm has been established bounded by:

52°20'·63N 3°55'·51E

52°20'·60N 3°59'·98E

52°22'·43N 4°14'·07E

52°21'·34N 4°13'·24E

52°19'·24N 3°55'·06E

Add assoc lgd (*buoyed channel*)

The use of AIS and VHF Ch 16 is compulsory when navigating this channel. Outside of the passage remains a prohibited area.

Full details will be included in the new edition of this atlas to be published early 2024. (ILNW 352/23)

82 Oostende (2120.1, 2120.3 Main chart & Plan B, 2120.4)

Amend range of Lt Fl(3)10s65m27M to 22M in 51°14'·18N 2°55'·83E (ILNW 377/23)

83 Westgat & Banjaard N (2120.6)

Replace Y **WG 4** bn with Y Lt bn **OS 11** Fl(5)Y.20s in 51°38'·61N 3°28'·82E

Move Lt **BG 2** Fl.Y.5s from 51°45'·99N 3°37'·31E to 51°45'·55N 3°37'·95E (ILNW 47/24)

84 Banjaard N (2120.7)

Move Lt **BG 2** Fl.Y.5s from 51°45'·99N 3°37'·31E to 51°45'·55N 3°37'·95E (ILNW 47/24)

85 TSS Off Vlieland W (2120.2)

Delete Y Lt superbuoy **Accurasea 1** Fl(5)Y.20s A/S in 53°20'·50N 4°04'·76E (ILNW 48/24)

86 Oostende (2120.3 Main chart & Plan B)

Amend range of Lt from 4M to 18M in

51°13'·80N 2°55'·89E (Main chart & Plan B)

51°13'·63N 2°56'·10E (Main chart & Plan B)

Delete Lt lgd Q.Y at Lt F.R.19m11M in 51°14'·51N 2°55'·18E (Plan B) (ILNW 49/24)

87 Oostende (2120.4)

Amend range of Lt from 4M to 18M in

51°13'·80N 2°55'·89E

51°13'·63N 2°56'·10E (ILNW 49/24)

88 Stroombank & Paardenmarkt (2120.3 & 2120.4)

Replace wk depth:

2·2m with 1·4m in 51°11'·94N 2°44'·97E (2120.3)

4·8m with 3·9m in 51°22'·57N 3°19'·90E (2120.4) (ILNW 107/24)

89 Off Vlieland TSS W (2120.2)

Insert Y special purpose superbuoy **Accurasea 6** Fl(5)Y.20s with assoc racon sym and lgd A/S in 53°20'·92N 4°04'·67E (ILNW 159/24)

90 Nieuwpoort entrance (2120.3 Main chart & Plan A)

Amend range of Lt to 11M in:

51°09'·35N 2°43'·00E

51°09'·42N 2°43'·08E (ILNW 166/24)

91 TSS Off Vlieland W (2120.2)

Rename Y special purpose superbuoy **Accurasea 2** to **Accurasea 4** in 53°20'·4N 4°03'·0E (ILNW 191/24)

92 Den Haag NW (2120.1, 2120.2 & 2120.8)

Insert entry prohibited symbol assoc with the *Test Area* centred on 52°10'·0N 4°06'·1E (ILNW 216/24)