

Imray Correction Notice

ICC61-3

30 May 2024

Chart C61 WGS 84 Edition 2020

Versions available:

New Edition (corrected to April 2020)

Update (corrected to March 2021)

Update (corrected to March 2022)

Update (corrected to March 2023)

Update (corrected to February 2024)

NOTES

Below is a complete list of corrections issued since the 2020 edition of this chart was published.

Each correction is issued with an ILNW reference number and year.

Corrections are listed chronologically in ascending order.

For Update versions of this chart, please check the bottom left corner of the chart to determine the last applied correction.

Any further corrections will be applicable from that point onwards.

1 **Aberffaw S**

Replace drying wk sym with wk depth 0.1m in 53°09'·52N 4°26'·92W (ILNW 280/20)

2 **Aberdaron Bay**

Insert depth 1.1m in 52°47'·70N 4°41'·73W. (ILNW 382/20)

3 **Dublin Bay (Main chart & Plan L)**

Amend RW safewater Lt buoy desc from Mo(A)10s to Iso.4s in 53°19'·91N 6°04'·64W. Racon and AIS remain unchanged (ILNW 420/20)

4 **Anglesey E (Main chart & Plan H)**

Amend Trwyn-du Lt to Fl.5s19m9M Horn(1)30s in 53°18'·77N 4°02'·45W (ILNW 524/20)

5 **Conwy (Plan J)**

Insert G con buoy in 53°17'·29N 3°49'·89W (ILNW 531/20)

6 **Abergele N**

Insert drying height 0.0m enclosed by 0m contour in 53°18'·36N 3°35'·81W (ILNW 603/20)

7 **Approaches to Barmouth (Plan E)**

Move RW safewater Lt buoy **Barmouth Outer** LFl.10s to 52°42'·81N 4°04'·89W (ILNW 8/21)

8 **Caer Arianrhod N**

Insert depth 1.1m in 53°04'·52N 4°20'·82W (ILNW 9/21)

9 **Muglins (Main chart & Plan L)**

Insert racon sym and assoc lgd AIS at Lt Fl.R.5s.14m11M in 53°16'·53N 6°04'·57W (ILNW 20/21)

10 **Dun Laoghaire Harbour (Plan K)**

Amend Lt from 2F.G.(vert) to Fl.G.3s in 53°17'·87N 6°07'·84W (ILNW 72/21)

11 **Caernarfon Bar (Plan H)(correction amended see ILNW 318/21)**

Move:

G con Lt buoy **C1** from 53°07'·21N 4°24'·49W to 53°07'·04N 4°24'·42W

R can Lt buoy **C2** from 53°07'·30N 4°24'·51W to 53°07'·14N 4°24'·36W

G con Lt buoy **C3** from 53°07'·20N 4°24'·01W to 53°07'·25N 4°23'·87W (ILNW 151/21)

12 **Blackwater Bank**

Insert depth:

1.9m in 52°31'·12N 6°09'·79W

2.0m in 52°30'·07N 6°10'·22W

2.3m in 52°27'·56N 6°09'·90W

3.5m in 52°26'·94N 6°10'·32W

3.4m in 52°25'·77N 6°12'·78W (ILNW 194/21)

13 **Arklow entrance (Plan N)**

Insert depth 1.9m in 52°47'·62N 6°08'·23W (ILNW 201/21)

14 **Wexford E (Main chart & Plan O)**

Insert racon symbol and assoc. lgd AIS at BY N cardinal Lt buoy **N Long** in 52°21'·44N 6°16'·96W (ILNW 202/21)

15 Approaches to Arklow

Replace depth:

3.6m *Rep (1986)* with depth 3.0m enclosed by a dangerline in 52°43'·53N 6°08'·47W
3.7m with 1.5m in 52°52'·06N 6°03'·41W (ILNW 216/21)

16 Approaches to Cardigan (Plan A)

Insert drying height -0.6m in 52°06'·85N 4°41'·60W. Extend 0m contour W to enclose (ILNW 252/21)

17 Constable Bank E (*correction superseded see ILNW 69/23*)

Insert BY N cardinal pillar Lt buoy VQ in 53°23'·05N 3°35'·48W (ILNW 264/21)

18 Caernarfon Bar (Plan H)

Move:

G con Lt buoy **C1** from 53°07'·04N 4°24'·42W to 53°07'·18N 4°24'·60W
R can Lt buoy **C2** from 53°07'·14N 4°24'·36W to 53°07'·38N 4°24'·33W
R can Lt buoy **C8** from 53°07'·62N 4°19'·52W to 53°07'·68N 4°19'·33W (ILNW 318/21)

19 Cardigan Bay

Insert Y spherical buoy in:

52°26'·39N 4°40'·52W
52°14'·43N 4°22'·27W (ILNW 334/21)

20 Wicklow NE (*correction amended see ILNW 440/21*)

Insert Y spher Lt buoy FI(5)Y.20s in:

53°01'·89N 5°44'·63W
53°06'·77N 5°49'·12W (ILNW 338/21)

21 Holyhead Deep

Delete Y superbuoy FI(4)Y.15s *AIS* and assoc. racon symbol in 53°17'·80N 4°47'·76W (ILNW 358/21)

22 Bray Bank

Insert depth 2.9m in 53°09'·96N 5°54'·45W. Extend 5m contour S to enclose (ILNW 377/21)

23 Cardigan Bay

Insert Y spher. buoy in:

52°46'·84N 4°18'·92W
52°36'·16N 4°12'·58W
52°23'·14N 4°17'·76W
52°16'·78N 4°49'·39W
52°09'·02N 4°39'·78W (ILNW 397/21)

24 Wicklow NE

Insert racon sym and assoc. lgd *AIS* at Y spher Lt buoy FI(5)Y.20s in:

53°01'·89N 5°44'·63W
53°06'·77N 5°49'·12W (ILNW 440/21)

25 Menai Strait (Plan H)

Insert lgd *Less Water* centred on 53°08'·39N 4°17'·84W (ILNW 459/21)

26 Dublin Bay (Plan L)

Delete Y special purpose pillar Lt buoy FI(5)Y.20s with assoc racon sym, *AIS* and restricted area in 53°17'·60N 6°04'·20W (ILNW 475/21)

27 Dublin Bay, Drumleck Pt (Plan L)

Insert Y special purpose spar Lt buoy Q(5)20s with associated racon symbol and lgd *AIS* in 53°21'·32N 6°05'·37W (ILNW 570/21)

28 Strumble Head SW, Bola Bleiddyn

Replace depth:

3.7m with 2.2m in 51°58'·36N 5°08'·36W
13m with 3.4m in 51°58'·67N 5°06'·12W (ILNW 571/21)

29 Bangor, Garth Pt (Plan H)

Delete Lt FI.R.3s in 53°14'·44N 4°07'·57W (ILNW 572/21)

30 Holyhead Bay

Delete Y special spher. Lt buoy FI(5)Y.20s (2 buoys) in 53°22'·37N 4°41'·84W (ILNW 629/21)

31 Bray Bank W (*correction superseded see ILNW 101/23*)

Insert Y special purpose pillar Lt buoy FI(5)Y.20s with assoc racon sym and lgd *AIS* in 53°10'·67N 5°55'·83W (ILNW 166/22)

32 Irish Sea

Insert Y Lt superbuoy **M2 Met Stn 62091** FI(5)Y.20s in 53°28'·00N 5°25'·00W (ILNW 180/22)

33 Sarn Badrig SW

Replace depth 2·5m with rock depth 1·2m enclosed by a dangerline in 52°41'·60N 4°20'·74W (ILNW 315/22)

34 Constable Bank NW

Insert Y spher. Lt buoy FI(5)Y.20s plus racon sym. & assoc. lgd AIS in 53°27'·75N 3°51'·76W (ILNW 357/22)

35 Tuskar Rk

Amend range of Lt Q(2)7·5s33m24M to 18M in 52°12'·2N 6°12'·5W (ILNW 384/22)

36 Conwy (Plan J)

Insert Y con Lt buoy FI.Y.10s in 53°17'·75N 3°50'·42W (ILNW 412/22)

37 Colwyn Bay N

Delete:

BY N cardinal pillar Lt buoy VQ in 53°23'·05N 3°35'·48W

Y special purpose pillar Lt buoy FI(5)Y.20s in 53°22'·51N 3°43'·56W (ILNW 69/23)

38 Bray Bank W

Delete Y special purpose pillar Lt buoy FI(5)Y.20s with assoc AIS in 53°10'·67N 5°55'·83W (ILNW 101/23)

39 Arklow and Blackwater Bank

Insert lgd *Scientific Instruments* centred on:

52°39'·20N 5°59'·36W

52°28'·63N 6°05'·39W

52°21'·78N 6°04'·28W (ILNW 106/23)

40 Menai Strait (Plan H)

Insert Y special pillar Lt buoy FI(4)Y.10s (*seasonal*) in 53°07'·26N 4°22'·96W

Add name **South West Rock** to YB S cardinal pillar buoy in 53°07'·80N 4°25'·08W

Move R can Lt buoy **C8** in 53°07'·68N 4°19'·33W to 53°07'·62N 4°19'·45W

Amend Lt desc. at G con Lt buoy **C9** FI.G.3 to FI.G.2s in 53°08'·54N 4°16'·90W (ILNW 186/23)

41 Holy Island

Amend fog signal Siren(1)20s to Horn(1)20s at Lt in 53°19'·87N 4°37'·26W (ILNW 231/23)

42 Dublin Bay (Plan L)

Move G con Lt buoy **No1** FI(3)G.5s from 53°20'·28N 6°05'·57W to 53°20'·27N 6°05'·26W (ILNW 265/23)

43 Howth (Main chart & Plan L)

Amend range of Lt FI.G.3s6M to 3M in 53°23'·53N 6°04'·08W (ILNW 291/23)

44 Holy Island W, Morlais Tidal Energy Demonstration Zone

Insert maritime limit of the Tidal Energy Demonstration Zone, pecked line, joining:

53°20'·02N 4°44'·80W

53°20'·03N 4°41'·29W

53°18'·39N 4°42'·53W

53°15'·95N 4°41'·01W

53°15'·54N 4°41'·46W

53°15'·54N 4°45'·87W

53°17'·49N 4°45'·87W

Add lgd Morlais Tidal Energy Demonstration Zone (*see Note*)

Add note:

MORLAIS TIDAL ENERGY DEMONSTRATION ZONE

Scientific instruments for tidal energy devices exist in the Morlais Tidal Energy Demonstration Zone. Exercise caution when navigating in this area. For further information see www.morlaisenergy.com (ILNW 292/23)

45 Codling Bank S

Delete Y spher Lt buoy FI(5)Y.20s with assoc racon sym and lgd AIS in:

53°06'·77N 5°49'·12W

53°01'·89N 5°44'·63W (ILNW 313/23)

46 Arklow Bank

Replace depth 1·6m with 0·1m in 52°52'·19N 5°55'·80W

Insert depth:

1·3m in 52°50'·67N 5°55'·98W. Delete depth 2·8m close SW

1·3m in 52°49'·10N 5°56'·08W. Delete depth 1·7m close SW

0·4m in 52°47'·67N 5°56'·87W. Delete depth 2·2m close SE

0·3m in 52°45'·06N 5°57'·26W. Delete depth 1·5m close NW

1·3m in 52°44'·41N 5°57'·80W. Delete depth 14m close W (ILNW 9/24)

47 Dublin Bay (Plan L)

Delete Y special purpose spar Lt buoy Q(5)20s with assoc racon sym and AIS in 53°21'·32N 6°05'·37W (ILNW 127/24)

48 Great Ormes Head N

Delete Y spher Lt buoy FI(5)Y.20s with assoc racon sym and AIS in 53°27'·75N 3°51'·76W (ILNW 132/24)

49 Arklow Bank E

Insert lgd *Scientific Instruments* centred on 52°46'·80N 5°54'·61W (ILNW 161/24)

50 Cardigan Bay

Delete Y spher buoy in:

52°46'·84N 4°18'·92W

52°36'·16N 4°12'·58W

52°26'·39N 4°40'·52W

52°23'·14N 4°17'·76W

52°09'·02N 4°39'·77W (ILNW 195/24)

51 Bray Bank & India Bank

Insert depth:

1·4m in 53°12'·70N 5°54'·42W. Delete depth 1·8m close S

1·8m, enclosed by 2m contour, in 53°11'·95N 5°54'·62W. Delete depth 5·3m close S

3·6m in 53°11'·04N 5°54'·49W. Extend 5m contour N to enclose.

Replace depth:

4·7m with depth 2·4m in 53°10'·58N 5°54'·50W.

5·3m with depth 2·8m, enclosed by 5m contour, in 53°09'·29N 5°54'·43W.

Insert depth 3·5m, enclosed by 5m contour, in 53°02'·03N 5°53'·26W. Delete depth 7·8m close SW (ILNW 223/24)